

Material Safety Data Sheet

Transportation Emergency: 1-800-451-8346

Date last revised: January 11, 2011 Date printed: January 11, 2011

SECTION 1. ----- CHEMICAL IDENTIFICATION-----

CATALOG #: 2707-B-53

NAME: 3-(TRIFLUOROMETHOXY)BENZYL BROMIDE

SECTION 2. ---- COMPOSITION/INFORMATION ON INGREDIENTS -----

CAS #: 159689-88-0 MF: C₈H₆BrF₃O = 255.04

SECTION 3. ----- HAZARDS IDENTIFICATION -----

LABEL PRECAUTIONARY STATEMENTS

CORROSIVE.

CAUSES BURNS.

LACHRYMATOR.

SECTION 4. ----- FIRST-AID MEASURES-----

ORAL EXPOSURE

IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN.

INHALATION EXPOSURE

IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE

ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

EYE EXPOSURE

ASSURE ADEQUATE FLUSHING OF THE EYES BY SEPARATING THE EYELIDS WITH FINGERS.

SECTION 5. ----- FIRE FIGHTING MEASURES -----

FLASH POINT

192 °F / 89 °C METHOD: CLOSED CUP

EXTINGUISHING MEDIA

SUITABLE: CARBON DIOXIDE, DRY CHEMICAL POWDER, OR APPROPRIATE FOAM.

FIREFIGHTING

PROTECTIVE EQUIPMENT: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES. SPECIFIC HAZARD(S): EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

EXPOSURE HAZARD(S)

MATERIAL: CORROSIVE. LACHRYMATOR.

SECTION 6. ----- ACCIDENTAL RELEASE MEASURES-----

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL

EVACUATE AREA.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS, AND HEAVY RUBBER GLOVES.

METHODS FOR CLEANING UP

COVER WITH DRY LIME OR SODA ASH, PICK UP, KEEP IN A CLOSED CONTAINER, AND HOLD FOR WASTE DISPOSAL. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

SECTION 7. ----- HANDLING AND STORAGE-----

HANDLING

USER EXPOSURE: DO NOT BREATHE VAPOR. DO NOT GET IN EYES, ON SKIN, ON CLOTHING. AVOID PROLONGED OR REPEATED EXPOSURE.

STORAGE

SUITABLE: KEEP TIGHTLY CLOSED. STORE IN A COOL DRY PLACE. STORE UNDER NITROGEN.

SPECIAL REQUIREMENTS

MOISTURE SENSITIVE.

SECTION 8. - - - - EXPOSURE CONTROLS/PERSONAL PROTECTION - - - -

ENGINEERING CONTROLS

SAFETY SHOWER AND EYE BATH. USE ONLY IN A CHEMICAL FUME HOOD. PERSONAL PROTECTIVE EQUIPMENT

OTHER: WEAR APPROPRIATE GOVERNMENT APPROVED RESPIRATOR, CHEMICAL-RESISTANT GLOVES, SAFETY GOGGLES, OTHER PROTECTIVE CLOTHING. FACESHIELD (8-INCH MINIMUM).

GENERAL HYGIENE MEASURES

WASH CONTAMINATED CLOTHING BEFORE REUSE. DISCARD CONTAMINATED SHOES. WASH THOROUGHLY AFTER HANDLING.

SECTION 9. ----- PHYSICAL AND CHEMICAL PROPERTIES -----

PHYSICAL PROPERTIES

BOILING POINT: 179 °C @ 760 mmHg

DENSITY: 1.572 G/CM3

FLASH POINT: 192 °F / 89 °C METHOD: CLOSED CUP

REFRACTIVE INDEX: 1.478

SECTION 10. -----STABILITY AND REACTIVITY -----

STABILITY

CONDITIONS TO AVOID: MOISTURE.

MATERIALS TO AVOID: STRONG OXIDIZING AGENTS, STRONG BASES.

HAZARDOUS DECOMPOSITION PRODUCTS

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE, HYDROGEN BROMIDE GAS, HYDROGEN FLUORIDE.

SECTION 11. ----- TOXICOLOGICAL INFORMATION -----

ROUTE OF EXPOSURE

MULTIPLE ROUTES: HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN.

SIGNS AND SYMPTOMS OF EXPOSURE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED. SYMPTOMS OF EXPOSURE MAY INCLUDE BURNING SENSATION, COUGHING, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA, AND VOMITING. INHALATION MAY RESULT IN SPASM, INFLAMMATION AND EDEMA OF THE LARYNX AND BRONCHI, CHEMICAL PNEUMONITIS, AND PULMONARY EDEMA. MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN.

SECTION 12. ----- ECOLOGICAL INFORMATION -----

DATA NOT YET AVAILABLE.

SECTION 13. ----- DISPOSAL CONSIDERATIONS -----

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OBSERVE ALL FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

SECTION 14. ----- TRANSPORT INFORMATION -----

DOT

PROPER SHIPPING NAME: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

UN#: 3265 CLASS: 8

PACKING GROUP: PACKING GROUP III

HAZARD LABEL: CORROSIVE

SECTION 15. ----- REGULATORY INFORMATION -----

EU ADDITIONAL CLASSIFICATION

SYMBOL OF DANGER: C

INDICATION OF DANGER: CORROSIVE.

R: 34

RISK STATEMENTS: CAUSES BURNS.

S: 26-27-28-36/37/39-45

SAFETY STATEMENTS: IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. AFTER CONTACT WITH SKIN, WASH IMMEDIATELY WITH PLENTY OF WATER. WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES, AND EYE/FACE PROTECTION. IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).

US CLASSIFICATION AND LABEL TEXT

INDICATION OF DANGER: CORROSIVE.

RISK STATEMENTS: CAUSES BURNS.

SAFETY STATEMENTS: IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. AFTER CONTACT WITH SKIN, WASH IMMEDIATELY WITH PLENTY OF WATER. TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES, AND EYE/FACE PROTECTION. US STATEMENTS: LACHRYMATOR.

SECTION 16. ----- OTHER INFORMATION-----

DISCLAIMER

FOR R&D USE ONLY. NOT FOR DRUG, HOUSEHOLD OR OTHER USES.

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SYNQUEST LABS, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.