

Safety Data Sheet 2707F03

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 09/14/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 4-Chloro-2-(trifluoromethoxy)benzyl bromide
CAS No	: 1261606-06-7
Product code	: 2707-F-03
Formula	: C8H5BrClF3O
Synonyms	: 1-(Bromomethyl)-4-chloro-2-(trifluoromethoxy)benzene
Other means of identification	: MFCD18393833
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	fety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	ion
2.1. Classification of the substance	or mixture
Classification (GHS-US)	
Skin Corr. 1BH314 - Causes severe skiiEye Dam. 1H318 - Causes serious eyeSTOT SE 3H335 - May cause respiratFull text of H-phrases: see section 16	e damage
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS05 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	<ul> <li>P260 - Do not breathe fumes, mist, spray, vapors</li> <li>P264 - Wash skin thoroughly after handling</li> <li>P271 - Use only outdoors or in a well-ventilated area</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> </ul>

lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician

P321 - Specific treatment (see supplemental first aid instructions on this label) P363 - Wash contaminated clothing before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to an approved waste disposal plant

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	,	0		
2.3. Other hazards	1			
Other hazards not contributing to the : Lachrymator. classification				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
<b>SECTION 3: Composition/information</b>	on in	gredients		
3.1. Substance				
Substance type :	Mono	-constituent		
Name		Product identifier	%	Classification (GHS-US)
4-Chloro-2-(trifluoromethoxy)benzyl bromide (Main constituent)		(CAS No) 1261606-06-7	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		e of accident or if you feel unwell, seek r possible). Move the affected personnel		
First-aid measures after inhalation :		ve person to fresh air and keep comforta ation. Get immediate medical advice/atte		g. If not breathing, give artificial
First-aid measures after skin contact		with plenty of soap and water. Remove a advice/attention.	contaminated cl	othing and shoes. Get immediate
First-aid measures after eye contact		diately flush eyes thoroughly with water f nt and easy to do. Continue rinsing. Get		
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.			
4.2. Most important symptoms and effects	, both a	acute and delayed		
Symptoms/injuries	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.			
Symptoms/injuries after inhalation	<ul> <li>Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.</li> </ul>			
4.3. Indication of any immediate medical attention and special treatment needed				
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
		ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
5.2. Special hazards arising from the subs	tance o	or mixture		
Fire hazard		nal decomposition generates: Carbon oxi gen fluoride.	ides. Hydrogen	bromide. Hydrogen chloride.
Explosion hazard :	Risk o conta	of explosion if heated under confinement. iners.	. Use water spra	ay or fog for cooling exposed
5.3. Advice for firefighters				
•	In cas	e of fire: Evacuate area. Fight fire remote	ely due to the ris	sk of explosion.
• •	: Wear gas tight chemically protective clothing in combination with self contained breathing			•
	appar	atus. For further information refer to sect	ion 8: "Exposure	e controls/personal protection".
SECTION 6: Accidental release measu	ires _			
6.1. Personal precautions, protective equi		and emergency procedures		
	Evacu	and energency procedures ate unnecessary personnel. Ensure ade or spray.	quate air ventila	ation. Do not breathe gas, fumes,
6.1.1. For non-emergency personnel				
	Only	qualified personnel equipped with suitabl	e protective equ	ipment may intervene.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2.	For emergency responders	
Protectiv	ve equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emerger	ncy procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2.	Environmental precautions	
Avoid rel	lease to the environment. Notify autho	rities if product enters sewers or public waters.
6.3.	Methods and material for containing	nent and cleaning up
For conta	ainment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods	for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other inf	formation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4.	Reference to other sections	
No addit	ional information available	
SECTI	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Precautio	ons for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene	measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, inclue	Jing any incompatibilities
Technica	al measures	: Comply with applicable regulations.
Storage	conditions	: Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.
Incompa	tible materials	: Refer to Section 10 on Incompatible Materials.
Storage	area	: Store in dry, cool, well-ventilated area.

SECTION 8: E>	posure controls/	personal	protection
---------------	------------------	----------	------------

8.1. **Control parameters** 

.

No additional information available

- 2	8.2. Exposure controls	
/	Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
ł	Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
E	Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
5	Skin and body protection	: Wear suitable protective clothing.
ł	Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
(	Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties	3
---	---

9.1.	Information on basic physical an	d chemical properties
Physica	al state	: Liquid
Color		: No data available
Odor		: No data available
Odor th	nreshold	: No data available
рН		: No data available
Melting	g point	: No data available
Freezir	ng point	: No data available
Boiling	point	: No data available
Flash p	point	: No data available
Relativ	e evaporation rate (butyl acetate=1)	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 289.48 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

### 9.2. Other information

No additional information available

SECT	FION 10: Stability and reactivity
10.1.	Reactivity
No add	litional information available
10.2.	Chemical stability
The pro	oduct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No add	litional information available
10.4.	Conditions to avoid
Keep a	away from heat, sparks and flame.
10.5.	Incompatible materials
Strong	bases. Strong oxidizing agents.
10.6.	Hazardous decomposition products
Under	normal conditions of storage and use bazardous decomposition products should not be produced. Hazardous decomposition products in case of

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

### SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	:	Not classified
Skin corrosion/irritation	:	Causes severe skin burns and eye damage.
Serious eye damage/irritation	:	Causes serious eye damage.
Respiratory or skin sensitization	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
Specific target organ toxicity (single exposure)	:	May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	:	Not classified
Aspiration hazard	:	Not classified
Symptoms/injuries after inhalation	:	Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

0	<b>o i i i</b>
SECT	ON 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects
No addi	tional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT Transport document description

#### UN-No.(DOT)

Packing group (DOT)

DOT Symbols

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

- : UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, III
- : UN3265
- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

DOT Special Provisions (49 CFR 172.102)

: 241

: 203

- : G Identifies PSN requiring a technical name
- : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75) DOT Vessel Stowage Location

n : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3265
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3265
Proper Shipping Name (IATA)	: Corrosive liquid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

### SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

	4-Chloro-2-(trifluoromethoxy)benzyl bromide	CAS No 1261606-06-7	100%
--	---	---------------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

#### **CANADA**

No additional information available

#### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.