

2-(4-Bromophenyl)butanoic acid Safety Data Sheet 2721909 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 04/18/2016 Version: 1.0

ubstance name : AS No : roduct code : prmula : ynonyms : ther means of identification : 2. Relevant identified uses of the substa se of the substance/mixture : 3. Details of the supplier of the safety da ynQuest Laboratories, Inc. O. Box 309 lachua, FL 32615 - United States of America (386) 462-0787 fo@synquestlabs.com - www.synquestlabs.com 4. Emergency telephone number ************************************	n : (844) 523-4086 (3E Company - Account 10069) nixture
roduct form : : ubstance name : : AS No : : roduct code : : ormula : : ynonyms : : ther means of identification : : 2. Relevant identified uses of the substa se of the substance/mixture : : 3. Details of the supplier of the safety da ynQuest Laboratories, Inc. O. Box 309 achua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 fo@synquestlabs.com - www.synquestlabs.com 4. Emergency telephone number mergency number : ECTION 2: Hazard(s) identification 1. Classification of the substance or mix lassification (GHS-US) kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irritation foT SE 3 H335 - May cause respiratory irritation I text of H-phrases: see section 16 2. Label elements HS-US labeling	 2-(4-Bromophenyl)butanoic acid 99070-18-5 2721-9-09 C10H11BrO2 (4-Bromophenyl)(ethyl)acetic acid MFCD01737245 stance or mixture and uses advised against Laboratory chemicals Manufacture of substances Scientific research and development data sheet m (844) 523-4086 (3E Company - Account 10069) hixture
AS No : AS No : roduct code : product code : 2. Relevant identified uses of the substant se of the substance/mixture : 3. Details of the supplier of the safety da ynQuest Laboratories, Inc. O. Box 309 achua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 fo@synquestlabs.com - www.synquestlabs.com 4. Emergency telephone number mergency number : ECTION 2: Hazard(s) identification 1. Classification of the substance or mix lassification (GHS-US) kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irritation TOT SE 3 H335 - May cause respiratory irritation Jul text of H-phrases: see section 16 2. Label elements HS-US labeling	 2-(4-Bromophenyl)butanoic acid 99070-18-5 2721-9-09 C10H11BrO2 (4-Bromophenyl)(ethyl)acetic acid MFCD01737245 stance or mixture and uses advised against Laboratory chemicals Manufacture of substances Scientific research and development data sheet m (844) 523-4086 (3E Company - Account 10069) hixture
AS No : roduct code : product code : roduct code : product code : 2. Relevant identified uses of the substance is of the substance/mixture : 3. Details of the supplier of the safety date ynQuest Laboratories, Inc. : O. Box 309 lachua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 fo@synquestlabs.com - www.synquestlabs.com 4. Emergency telephone number mergency number : ECTION 2: Hazard(s) identification 1. Classification of the substance or mix lassification (GHS-US) kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irritation ye Irrit. 2A H319 - Causes eye irritation ye Irrit. 2A	 : 99070-18-5 : 2721-9-09 : C10H11BrO2 : (4-Bromophenyl)(ethyl)acetic acid : MFCD01737245 stance or mixture and uses advised against : Laboratory chemicals Manufacture of substances Scientific research and development data sheet m : (844) 523-4086 (3E Company - Account 10069) hixture
roduct code : : roduct code : : prmula : : ynonyms : : ther means of identification : : 2. Relevant identified uses of the substance se of the substance/mixture : : 3. Details of the supplier of the safety dar ynQuest Laboratories, Inc. O. Box 309 lachua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 fo@synquestlabs.com - www.synquestlabs.com 4. Emergency telephone number mergency number : : ECTION 2: Hazard(s) identification 1. Classification of the substance or mix lassification (GHS-US) kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irritation ye Irrit. 2A H319 - Causes serious eye irritation ye Irrit. 2A H319 - Causes serious eye irritation Jul text of H-phrases: see section 16 2. Label elements HS-US labeling	 2721-9-09 C10H11BrO2 (4-Bromophenyl)(ethyl)acetic acid MFCD01737245 stance or mixture and uses advised against Laboratory chemicals Manufacture of substances Scientific research and development data sheet m : (844) 523-4086 (3E Company - Account 10069) hixture
primula :: ynonyms :: ther means of identification :: 2. Relevant identified uses of the substa se of the substance/mixture :: 3. Details of the supplier of the safety da ynQuest Laboratories, Inc. .: O. Box 309 achua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 fo@synquestlabs.com - www.synquestlabs.com 4. Emergency telephone number mergency number :: ECTION 2: Hazard(s) identification 1. Classification of the substance or mix Bassification (GHS-US) kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irritation Ye Irrit. 2A H319 - Causes serious eye irritation Jull text of H-phrases: see section 16 2. Label elements HS-US labeling	 C10H1BrO2 (4-Bromophenyl)(ethyl)acetic acid MFCD01737245 stance or mixture and uses advised against Laboratory chemicals Manufacture of substances Scientific research and development data sheet m : (844) 523-4086 (3E Company - Account 10069)
ynonyms : ther means of identification : 2. Relevant identified uses of the substates of the substance/mixture se of the substance/mixture : 3. Details of the supplier of the safety dates of the substance/mixture ynQuest Laboratories, Inc. . O. Box 309 achua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 fo@synquestlabs.com - www.synquestlabs.com 4. Emergency telephone number mergency number mergency number : ECTION 2: Hazard(s) identification 1. 1. Classification of the substance or mix lassification (GHS-US) . kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A ye Irrit. 2A H319 - Causes serious eye irritation ye Irrit. 2A Yall text of H-phrases: see section 16 2. Label elements HS-US labeling	 : (4-Bromophenyl)(ethyl)acetic acid : MFCD01737245 stance or mixture and uses advised against : Laboratory chemicals Manufacture of substances Scientific research and development data sheet m : (844) 523-4086 (3E Company - Account 10069)
ther means of identification : 2. Relevant identified uses of the substates se of the substance/mixture : 3. Details of the supplier of the safety dates ynQuest Laboratories, Inc. O. Box 309 achua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 fo@synquestlabs.com - www.synquestlabs.com 4. Emergency telephone number mergency number : ECTION 2: Hazard(s) identification 1. Classification of the substance or mix lassification (GHS-US) kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irritation TOT SE 3 H335 - May cause respiratory irritation ull text of H-phrases: see section 16 2. Label elements HS-US labeling	 MFCD01737245 stance or mixture and uses advised against Laboratory chemicals Manufacture of substances Scientific research and development data sheet m : (844) 523-4086 (3E Company - Account 10069)
 Relevant identified uses of the substates of the substance/mixture Details of the supplier of the safety dates of the substance/mixture Details of the supplier of the safety dates of America (386) 462-0788 - F (386) 462-7097 fo@synquestlabs.com - www.synquestlabs.com Emergency telephone number mergency number Classification of the substance or mixter and the substance o	 tance or mixture and uses advised against Laboratory chemicals Manufacture of substances Scientific research and development data sheet m : (844) 523-4086 (3E Company - Account 10069)
 Se of the substance/mixture : 3. Details of the supplier of the safety da ynQuest Laboratories, Inc. O. Box 309 lachua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 fo@synquestlabs.com - www.synquestlabs.com 4. Emergency telephone number mergency number : ECTION 2: Hazard(s) identification 1. Classification of the substance or mix lassification (GHS-US) kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irritation TOT SE 3 H335 - May cause respiratory irritatial ull text of H-phrases: see section 16 2. Label elements HS-US labeling 	: Laboratory chemicals Manufacture of substances Scientific research and development data sheet m : (844) 523-4086 (3E Company - Account 10069) hixture
 Details of the supplier of the safety da ynQuest Laboratories, Inc. O. Box 309 achua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 fo@synquestlabs.com - www.synquestlabs.com Emergency telephone number mergency number : ECTION 2: Hazard(s) identification 1. Classification of the substance or mix lassification (GHS-US) kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irritation TOT SE 3 H335 - May cause respiratory irritation label elements HS-US labeling 	Manufacture of substances Scientific research and development data sheet <u>m</u> : (844) 523-4086 (3E Company - Account 10069) hixture
ynQuest Laboratories, Inc. O. Box 309 achua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 fo@synquestlabs.com - www.synquestlabs.com 4. Emergency telephone number mergency number : ECTION 2: Hazard(s) identification 1. Classification of the substance or mix lassification (GHS-US) kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irritation TOT SE 3 H335 - May cause respiratory irritation II text of H-phrases: see section 16 2. Label elements HS-US labeling	n : (844) 523-4086 (3E Company - Account 10069) nixture
O. Box 309 achua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 fo@synquestlabs.com - www.synquestlabs.com 4. Emergency telephone number mergency number ECTION 2: Hazard(s) identification 1. Classification of the substance or mix lassification (GHS-US) kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irritation TOT SE 3 H335 - May cause respiratory irritation ull text of H-phrases: see section 16 2. Label elements HS-US labeling 1	: (844) 523-4086 (3E Company - Account 10069)
O. Box 309 achua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 fo@synquestlabs.com - www.synquestlabs.com 4. Emergency telephone number mergency number ECTION 2: Hazard(s) identification 1. Classification of the substance or mix lassification (GHS-US) kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irritation TOT SE 3 H335 - May cause respiratory irritation ull text of H-phrases: see section 16 2. Label elements HS-US labeling 1	: (844) 523-4086 (3E Company - Account 10069)
 (386) 462-0788 - F (386) 462-7097 fo@synquestlabs.com - www.synquestlabs.com 4. Emergency telephone number mergency number : ECTION 2: Hazard(s) identification 1. Classification of the substance or mix lassification (GHS-US) kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irritation TOT SE 3 H335 - May cause respiratory irritation ull text of H-phrases: see section 16 2. Label elements HS-US labeling 	: (844) 523-4086 (3E Company - Account 10069)
 Emergency telephone number mergency number ECTION 2: Hazard(s) identification Classification of the substance or mix Classification (GHS-US) kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irritation TOT SE 3 H335 - May cause respiratory irritation Itext of H-phrases: see section 16 Label elements HS-US labeling 	: (844) 523-4086 (3E Company - Account 10069)
mergency number : ECTION 2: Hazard(s) identification 1. Classification of the substance or mix lassification (GHS-US) kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irritation TOT SE 3 H335 - May cause respiratory irritation ull text of H-phrases: see section 16 : Label elements HS-US labeling	nixture
ECTION 2: Hazard(s) identification 1. Classification of the substance or mix lassification (GHS-US) kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye irritation TOT SE 3 H335 - May cause respiratory irritat ull text of H-phrases: see section 16 2. Label elements HS-US labeling	nixture
-	
azard pictograms (GHS-US) :	
	: GHS07
gnal word (GHS-US) :	: Warning
	: H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation
recautionary statements (GHS-US) :	 P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

0.0 Others have a de			
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS US) Not applicable			
SECTION 3: Composition/information of	n ingredients		
3.1. Substance			
Substance type : N	Aono-constituent		
Name	Product identifier	%	Classification (GHS-US)
2-(4-Bromophenyl)butanoic acid (Main constituent)	(CAS No) 99070-18-5	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
No additional information available			
4.2. Most important symptoms and effects, b	ooth acute and delayed		
No additional information available			
4.3. Indication of any immediate medical atte	ention and special treatment needed		
No additional information available			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
	Alcohol resistant foam. Carbon dioxide. Dry po appropriate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
5.2. Special hazards arising from the substa	nce or mixture		
	Thermal decomposition generates: Carbon oxi	des. Hydrogen	bromide. Hydrogen fluoride.
5.3. Advice for firefighters			
Firefighting instructions : In case of fire: Evacuate area.			
Protection during firefighting : Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".			
SECTION 6: Accidental release measure	es estatution estatu		
6.1. Personal precautions, protective equipment	nent and emergency procedures		
General measures : E	Evacuate unnecessary personnel. Ensure ade	quate air ventila	tion. Do not breathe dust.
6.1.1. For non-emergency personnel			
o v i	Only qualified personnel equipped with suitable	e protective equ	ipment may intervene.
6.1.2. For emergency responders			
	Do not attempt to take action without suitable	protective equip	ment. For further information
	efer to section 8: "Exposure controls/personal		
6.2. Environmental precautions			
Avoid release to the environment. Notify authorities if	product enters sewers or public waters.		
6.3. Methods and material for containment a	nd cleaning up		
For containment : S	Stop leak if safe to do so.		
Methods for cleaning up : S	Sweep or shovel spills into appropriate contair	ner for disposal.	Minimize generation of dust.
Other information : F	For disposal of solid materials or residues refe	r to section 13 :	"Disposal considerations".
6.4. Reference to other sections			

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, includi	ng any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area. Light sensitive.		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 243.1 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2.	Other information			
No additional information available				
SECTI	SECTION 10: Stability and reactivity			
10.1.	Reactivity			
No addit	ional information available			
10.2.	Chemical stability			
The product is stable at normal handling and storage conditions.				
10.3.	Possibility of hazardous reactions			
No additional information available				
10.4.	Conditions to avoid			
Keep away from heat, sparks and flame.				
10.5.	Incompatible materials			
Strong b	Strong bases. Strong oxidizing agents.			
10.6	Hazardous decomposition products			

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECT	ION 11: Toxicological information
11.1.	Information on toxicological effects
	· · · · · · · · · · · · · · · · · · ·

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information			
12.1. Toxicity			
No additional information available			
12.2. Persistence and degradability			
No additional information available			
12.3. Bioaccumulative potential			
No additional information available			
12.4. Mobility in soil			
No additional information available			
12.5. Other adverse effects			
No additional information available			

SECTION 13: Disposal considerations			
13.1.	Waste treatment methods		
Waste tre	eatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste di	sposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additiona	al information	: Recycle the material as far as possible.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2-(4-Bromophenyl)butanoic acid

noic acid CAS No 99070-18-5 100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

medical attention is given.0 - Materials that will not burn.

and are not reactive with water.

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt

: 0 - Normally stable, even under fire exposure conditions,

NFPA health hazard

NFPA fire hazard	
NFPA reactivity	

n

0

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.