

Safety Data Sheet 2721920

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/10/2021 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 4-Bromo-3-(bromomethyl)benzoic acid
CAS No	: 887757-31-5
Product code	: 2721-9-20
Formula	: C8H6Br2O2
Synonyms	: 2-Bromo-5-carboxybenzyl bromide; alpha,4-Dibromo-m-toluic acid
Other means of identification	: MFCD18378548
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	ifety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Amer T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
2.1.Classification of the substanceClassification (GHS-US)Skin Corr. 1BH314 - Causes severe skiEye Dam. 1H318 - Causes serious eySTOT SE 3H335 - May cause respiraFull text of H-phrases: see section 16	in burns and eye damage re damage
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS05 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P260 - Do not breathe dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician

P310 - Immediately call a POISON CENTER or doctor/ physician

P321 - Specific treatment (see supplemental first aid instructions on this label) P363 - Wash contaminated clothing before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to an approved waste disposal plant

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards				
Other hazards not contributing to the : Lachrymator. classification				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	on in	gredients		
3.1. Substance				
Substance type :	Mono	-constituent		
Name		Product identifier	%	Classification (GHS-US)
4-Bromo-3-(bromomethyl)benzoic acid (Main constituent)		(CAS No) 887757-31-5	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general :		e of accident or if you feel unwell, seek r possible). Move the affected personnel		
First-aid measures after inhalation :	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.			
First-aid measures after skin contact :	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention.			
First-aid measures after eye contact :	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.			
First-aid measures after ingestion :		OT induce vomiting. Never give anything o out with water. Get immediate medical a		
4.2. Most important symptoms and effects	, both a	acute and delayed		
Symptoms/injuries :	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.			
Symptoms/injuries after inhalation :	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.			
4.3. Indication of any immediate medical a	ttentio	n and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media :	Dry p	owder. Use extinguishing media appropri	iate for surround	ling fire.
Unsuitable extinguishing media :		t use extinguishing media containing wa		5
5.2. Special hazards arising from the subs	tance c	or mixture		
		nal decomposition generates: Carbon oxi	ides. Hydrogen	promide.
5.3. Advice for firefighters			, ,	
	In cas	e of fire: Evacuate area.		
Protection during firefighting		gas tight chemically protective clothing it	n combination w	ith self contained breathing
		atus. For further information refer to sect		
SECTION 6: Accidental release measu	res			
6.1. Personal precautions, protective equi		and emergency procedures		
		late unnecessary personnel. Ensure ade	quate air ventila	tion. Do not breathe dust.
6.1.1. For non-emergency personnel				
Emergency procedures :	Only	qualified personnel equipped with suitable	e protective equ	ipment may intervene.
6.1.2. For emergency responders Protective equipment :		t attempt to take action without suitable postion 8: "Exposure controls/personal		ment. For further information
	. 5151 1		F	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions			
	Avoid release to the environment. Notify authorities if product enters sewers or public waters.		
	· · ·		
6.3. Methods and material for containme	ent and cleaning up		
For containment	: Stop leak if safe to do so.		
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, includir	ng any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		
SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical an	Id chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20 °C	: No data available
Molecular mass	: 293.94 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame. Moisture.

10.5. Incompatible materials

Bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECT	ION 11: Toxicological information
11.1.	Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	 Causes severe skin burns and eye damage. Causes serious eye damage. Not classified Not classified Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	Not classifiedMay cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Coug shortness of breath, headache, nausea.

SECT	ION 12: Ecological information		
12.1.	Toxicity		
No addi	tional information available		
12.2.	Persistence and degradability		
No additional information available			
12.3.	Bioaccumulative potential		
No addi	tional information available		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

13.1. Waste treatment methods	
Waste treatment methods Waste disposal recommendations Additional information	 Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT Transport document description	: UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III
JN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)	 : UN3261 : Corrosive solid, acidic, organic, n.o.s. : 8 - Class 8 - Corrosive material 49 CFR 173.136 : 8 - Corrosive
Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx)	: III - Minor Danger : 213
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	 Contentines For Forequining a recriment name IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 25 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 100 kg
	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
DOT Vessel Stowage Location	passenger vessel.

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea	
UN-No. (IMDG)	: 3261
Proper Shipping Name (IMDG)	: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3261
Proper Shipping Name (IATA)	: Corrosive solid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

4-Bromo-3-(bromomethyl)benzoic acid CAS No 887757-31-5 100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation


NFPA health hazard

NFPA fire hazard

NFPA reactivity

: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.

- : 0 Materials that will not burn.
- : 1 Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.



Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.