

Ethyl 4-methylphenylacetate Safety Data Sheet 2723112 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 11/08/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: Ethyl 4-methylphenylacetate
CAS No	: 14062-19-2
Product code	: 2723-1-12
Formula	: C11H14O2
Synonyms	: Ethyl p-tolylacetate; 4-Methylphenylacetic acid ethyl ester
Other means of identification	: MFCD00009181
1.2. Relevant identified uses of the su	ibstance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safe	ty data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs. 1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
	(. ,,,
SECTION 2: Hazard(s) identification	on de la constante de la const
2.1. Classification of the substance of	r mixture
Classification (GHS-US)	
Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye irrSTOT SE 3H335 - May cause respiratory	
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P261 - Avoid breathing fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant
12/08/2016	EN (English LIS) SDS (D: 2722112 Dage 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US	S)			
Not applicable				
SECTION 3: Composition/informa	ation on in	gredients		
3.1. Substance				
Substance type	: Mono	-constituent		
Name		Product identifier	%	Classification (GHS-US)
Ethyl 4-methylphenylacetate (Main constituent)		(CAS No) 14062-19-2	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16			-1	
B.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
I.1. Description of first aid measures			p. 1. 1.	
First-aid measures general	where	se of accident or if you feel unwell, seel e possible). Move the affected personn	el away from the	contaminated area.
First-aid measures after inhalation	respir	ove person to fresh air and keep comfo ation. Get medical advice/attention.		
First-aid measures after skin contact First-aid measures after eye contact		with plenty of soap and water. Get me diately flush eyes thoroughly with wate		
First-aid measures after ingestion	prese	nt and easy to do. Continue rinsing. Ge OT induce vomiting. Never give anythir	et medical advice	/attention.
Ŭ	mout	n out with water. Get medical advice/at		runconscious person. Rinse
I.2. Most important symptoms and e			facto and describ	ad in the labelline (and an disc
Symptoms/injuries		nost important known symptoms and ei ind/or in section 11.	rects are describ	ed in the labelling (see section
4.3. Indication of any immediate med	11 1 12 14			
	dical attentio	n and special treatment needed		
	dical attentio	n and special treatment needed		
Treat symptomatically.		n and special treatment needed		
Treat symptomatically. SECTION 5: Firefighting measure		n and special treatment needed		
Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media	es : Alcoh	n and special treatment needed ol resistant foam. Carbon dioxide. Dry priate for surrounding fire.	powder. Water s	oray. Use extinguishing media
Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media	es : Alcoh appro	ol resistant foam. Carbon dioxide. Dry priate for surrounding fire.	powder. Water s	oray. Use extinguishing media
Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the	es : Alcoh appro	ol resistant foam. Carbon dioxide. Dry priate for surrounding fire.		oray. Use extinguishing media
Freat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard	es : Alcoh appro e substance o : Therr	ol resistant foam. Carbon dioxide. Dry priate for surrounding fire. or mixture nal decomposition generates: Carbon o of explosion if heated under confinement	oxides.	
Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard	: Alcoh appro substance o : Therr : Risk o	ol resistant foam. Carbon dioxide. Dry priate for surrounding fire. or mixture nal decomposition generates: Carbon o of explosion if heated under confinement	oxides.	
Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions	 Alcoh appro substance of : Therr : Risk of conta : In cas : Wear 	ol resistant foam. Carbon dioxide. Dry priate for surrounding fire. or mixture nal decomposition generates: Carbon o of explosion if heated under confinement	oxides. ht. Use water spr otely due to the r i n combination	ay or fog for cooling exposed isk of explosion. with self contained breathing
Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release means	es : Alcoh appro : substance o : Therr : Risk o conta : In cas : Wear appar	ol resistant foam. Carbon dioxide. Dry priate for surrounding fire. or mixture nal decomposition generates: Carbon of of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire rem gas tight chemically protective clothing ratus. For further information refer to se	oxides. ht. Use water spr otely due to the r i n combination	ay or fog for cooling exposed isk of explosion. with self contained breathing
Section 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting Section 6: Accidental release m 5.1. Personal precautions, protective	e substance of Substance of Substance of Therr Risk of conta In cas Wear appar Deasures e equipment	ol resistant foam. Carbon dioxide. Dry priate for surrounding fire. or mixture nal decomposition generates: Carbon of of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire rem gas tight chemically protective clothing atus. For further information refer to se	oxides. nt. Use water spr otely due to the r j in combination ction 8: "Exposu	ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection".
Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 5.1. Personal precautions, protective	e substance of substance of substance of Therr Risk of conta i In cas Wear appar neasures e equipment E Evacu	ol resistant foam. Carbon dioxide. Dry priate for surrounding fire. or mixture nal decomposition generates: Carbon of of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire rem gas tight chemically protective clothing ratus. For further information refer to se	oxides. nt. Use water spr otely due to the r j in combination ction 8: "Exposu	ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection".
Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 5.1. Personal precautions, protective General measures	e substance of substance of substance of Therr Risk of conta i In cas Wear appar neasures e equipment E Evacu	ol resistant foam. Carbon dioxide. Dry priate for surrounding fire. or mixture nal decomposition generates: Carbon of of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire rem gas tight chemically protective clothing atus. For further information refer to se and emergency procedures uate unnecessary personnel. Ensure ar	oxides. nt. Use water spr otely due to the r j in combination ction 8: "Exposu	ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection".
Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 5.1. Personal precautions, protective General measures 5.1.1. For non-emergency personnel	e substance of substance of substance of Therr Risk of conta i In cas Wear appar Deasures e equipment E vaci vapor	ol resistant foam. Carbon dioxide. Dry priate for surrounding fire. or mixture nal decomposition generates: Carbon of of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire rem gas tight chemically protective clothing atus. For further information refer to se and emergency procedures uate unnecessary personnel. Ensure ar	oxides. ht. Use water spr otely due to the r j in combination v ction 8: "Exposu dequate air ventil	ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection". ation. Do not breathe gas, fumes,
Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 5.1. Personal precautions, protective General measures 5.1.1. For non-emergency personnel Emergency procedures	e substance of substance of substance of Therr Risk of conta i In cas Wear appar Deasures e equipment E vaci vapor	ol resistant foam. Carbon dioxide. Dry priate for surrounding fire. or mixture nal decomposition generates: Carbon of of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire rem gas tight chemically protective clothing atus. For further information refer to se and emergency procedures uate unnecessary personnel. Ensure ar or spray.	oxides. ht. Use water spr otely due to the r j in combination v ction 8: "Exposu dequate air ventil	ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection". ation. Do not breathe gas, fumes,
Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders	 Alcoh appro substance of : Therr Risk of conta In case Wear appar Neasures e equipment Evact vapor : Only finite 	ol resistant foam. Carbon dioxide. Dry priate for surrounding fire. or mixture nal decomposition generates: Carbon of of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire rem gas tight chemically protective clothing atus. For further information refer to se and emergency procedures uate unnecessary personnel. Ensure ar or spray.	oxides. ht. Use water spr otely due to the r i n combination v ction 8: "Exposu dequate air ventil ble protective equi e protective equi	ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection". ation. Do not breathe gas, fumes, uipment may intervene.
Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures	e substance of substance of substance of Therr Risk of conta i In cas Wear appar neasures e equipment E vaci vapor : Only f : Do no refer	ol resistant foam. Carbon dioxide. Dry priate for surrounding fire. or mixture nal decomposition generates: Carbon of of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire rem gas tight chemically protective clothing ratus. For further information refer to se and emergency procedures Jate unnecessary personnel. Ensure are or spray. qualified personnel equipped with suita	oxides. ht. Use water spr otely due to the r i n combination v ction 8: "Exposu dequate air ventil ble protective equi al protection".	ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection". ation. Do not breathe gas, fumes, uipment may intervene.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3 3 1 1 1		
6.2. Environmental precautions		
Avoid release to the environment. Notify auth	norities if product enters sewers or public waters.	
6.3. Methods and material for contain	Methods and material for containment and cleaning up	
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage	e	
7.1. Precautions for safe handling		
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, incl	uding any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use.	
Incompatible materials	: Refer to Section 10 on Incompatible Materials.	
Storage area	: Store in dry, cool, well-ventilated area.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Liquid

Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 109 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
12/08/2016	EN (English LIS)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.008 g/ml (@ 25 °C)
Molecular mass	: 178.23 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.496 (@ 20 °C)

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No add	itional information available
10.4.	Conditions to avoid
Keep a	way from heat, sparks and flame.
10.5.	Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTI	ON 12: Ecological information		
12.1.	Toxicity		
No addit	onal information available		
12.2.	Persistence and degradability		
No additional information available			
12.3.	Bioaccumulative potential		
No additional information available			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

ECTION 13: Disposal consideratio	ns	
3.1. Waste treatment methods		
laste treatment methods	: Remove to an authorized incinerator equipped v	vith an afterburner and a flue gas scrubber.
aste disposal recommendations	: Dispose of contents/container in accordance wit	h licensed collector's sorting instructions.
dditional information	: Recycle the material as far as possible.	
ECTION 14: Transport information		
epartment of Transportation (DOT)		
accordance with DOT		
lot regulated for transport		
DG		
lo additional information available		
ransport by sea		
lo additional information available		
ir transport		
lo additional information available		
ECTION 15: Regulatory informatio	n	
5.1. US Federal regulations		
All components of this product are listed, or ex Substances Control Act (TSCA) inventory exc	cluded from listing, on the United States Environmer ept for:	tal Protection Agency Toxic
Ethyl 4-methylphenylacetate	CAS No 14062-19-2	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.