

Safety Data Sheet 2723120 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 11/08/2016 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	stance name : Methyl 2,3-dimethylbenzoate		
CAS No	: 15012-36-9		
Product code	: 2723-1-20		
Formula	: C10H12O2		
Synonyms	: 3-(Methoxycarbonyl)-o-xylene		
Other means of identification	: MFCD06203773		
1.2. Relevant identified uses of the	substance or mixture and uses advised against		
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development		
1.3. Details of the supplier of the sa	afety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Amer T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlal			
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company - Account 10069)		
Eye Irrit. 2AH319 - Causes serious eyeSTOT SE 3H335 - May cause respirate	e irritation		
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirate Full text of H-phrases: see section 16	e irritation		
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirate Full text of H-phrases: see section 16 2.2. Label elements	e irritation		
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirate Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	e irritation ory irritation		
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	e irritation ory irritation		
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirate Full text of H-phrases: see section 16	e irritation ory irritation		
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 e irritation ory irritation : irritation : irritation : Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation 		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US	S)			
Not applicable				
SECTION 3: Composition/informa	ation on ir	gredients		
3.1. Substance				
Substance type	: Mon	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
Methyl 2,3-dimethylbenzoate (Main constituent)		(CAS No) 15012-36-9	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16		1	I	
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measure	S			
First-aid measures general	wher	se of accident or if you feel unwell, a e possible). Move the affected personance of the affected personance of the affected personance of the second s	onnel away from the	contaminated area.
First-aid measures after inhalation	resp	ove person to fresh air and keep col ration. Get medical advice/attention		
First-aid measures after skin contact		h with plenty of soap and water. Get		
First-aid measures after eye contact	pres	ediately flush eyes thoroughly with v ent and easy to do. Continue rinsing	. Get medical advice	e/attention.
First-aid measures after ingestion	mou	IOT induce vomiting. Never give any th out with water. Get medical advice		n unconscious person. Rinse
4.2. Most important symptoms and e	effects, both	acute and delayed		
Symptoms/injuries		most important known symptoms an and/or in section 11.	d effects are descrit	bed in the labelling (see section
	2.2)	and/or in section 11.	d effects are descrit	bed in the labelling (see section
4.3. Indication of any immediate med	2.2)	and/or in section 11.	d effects are descrit	bed in the labelling (see section
4.3. Indication of any immediate med Treat symptomatically.	2.2) dical attentio	and/or in section 11.	d effects are descrit	bed in the labelling (see section
4.3. Indication of any immediate measure Treat symptomatically. SECTION 5: Firefighting measure	2.2) dical attentio	and/or in section 11.	d effects are descrit	bed in the labelling (see section
4.3. Indication of any immediate med Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media	2.2) dical attentions S : Alco	and/or in section 11.		
 4.3. Indication of any immediate med Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 	2.2) dical attentions S : Alco appr	and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. I opriate for surrounding fire.		
4.3. Indication of any immediate med Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the	2.2) dical attentions S : Alco appr e substance	and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. I opriate for surrounding fire.	Dry powder. Water s	
 4.3. Indication of any immediate med Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard 	2.2) dical attention S : Alco appr substance : Ther : Risk	and/or in section 11. on and special treatment needed nol resistant foam. Carbon dioxide. I opriate for surrounding fire. or mixture	Dry powder. Water s on oxides.	pray. Use extinguishing media
 4.3. Indication of any immediate med Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 	2.2) dical attention S : Alco appr substance : Ther : Risk	and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. I opriate for surrounding fire. or mixture mal decomposition generates: Carb of explosion if heated under confine	Dry powder. Water s on oxides.	pray. Use extinguishing media
 4.3. Indication of any immediate med Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions 	2.2) dical attention S : Alco appr substance : Ther : Risk conta : In ca : Wea	and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. I opriate for surrounding fire. or mixture mal decomposition generates: Carb of explosion if heated under confine	Dry powder. Water s on oxides. ment. Use water sp remotely due to the hing in combination	pray. Use extinguishing media ray or fog for cooling exposed risk of explosion. with self contained breathing
 4.3. Indication of any immediate med Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measure 	2.2) dical attention S : Alco appr substance : Ther : Risk conta : Nea : Un ca appa Deasures	and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. I opriate for surrounding fire. or mixture mal decomposition generates: Carb of explosion if heated under confine ainers. se of fire: Evacuate area. Fight fire in r gas tight chemically protective clot ratus. For further information refer to	Dry powder. Water s on oxides. ment. Use water sp remotely due to the hing in combination	pray. Use extinguishing media ray or fog for cooling exposed risk of explosion. with self contained breathing
 4.3. Indication of any immediate median Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measure 6.1. Personal precautions, protection 	2.2) dical attention s : Alco appr substance : Ther : Risk conta : Nea : Wea appa neasures e equipment	and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. If opriate for surrounding fire. or mixture mal decomposition generates: Carb of explosion if heated under confine ainers. se of fire: Evacuate area. Fight fire if r gas tight chemically protective clot ratus. For further information refer to and emergency procedures	Dry powder. Water s on oxides. ment. Use water sp remotely due to the hing in combination o section 8: "Exposu	pray. Use extinguishing media ray or fog for cooling exposed risk of explosion. with self contained breathing ire controls/personal protection".
 4.3. Indication of any immediate med Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 6.1. Personal precautions, protective 	2.2) dical attention S : Alco appr substance : Ther : Risk conta : Risk conta : In ca : Wea appa neasures e equipment : Evac	and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. I opriate for surrounding fire. or mixture mal decomposition generates: Carb of explosion if heated under confine ainers. se of fire: Evacuate area. Fight fire in r gas tight chemically protective clot ratus. For further information refer to	Dry powder. Water s on oxides. ment. Use water sp remotely due to the hing in combination o section 8: "Exposu	pray. Use extinguishing media ray or fog for cooling exposed risk of explosion. with self contained breathing ire controls/personal protection".
 4.3. Indication of any immediate median Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 	2.2) dical attention S : Alco appr substance : Ther : Risk conta : Risk conta : In ca : Wea appa neasures e equipment : Evac	and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. If opriate for surrounding fire. or mixture mal decomposition generates: Carb of explosion if heated under confine ainers. se of fire: Evacuate area. Fight fire if r gas tight chemically protective clot ratus. For further information refer to and emergency procedures suate unnecessary personnel. Ensur	Dry powder. Water s on oxides. ment. Use water sp remotely due to the hing in combination o section 8: "Exposu	pray. Use extinguishing media ray or fog for cooling exposed risk of explosion. with self contained breathing ire controls/personal protection".
 4.3. Indication of any immediate med Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures 6.1.1. For non-emergency personnel 	2.2) dical attention s S : Alco appr substance : Ther : Risk conta : Risk conta : In ca : Wea appa eeasures e equipment : Evac vapo	and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. If opriate for surrounding fire. or mixture mal decomposition generates: Carb of explosion if heated under confine ainers. se of fire: Evacuate area. Fight fire if r gas tight chemically protective clot ratus. For further information refer to and emergency procedures suate unnecessary personnel. Ensur	Dry powder. Water s on oxides. ment. Use water sp remotely due to the hing in combination o section 8: "Exposu e adequate air venti	pray. Use extinguishing media ray or fog for cooling exposed risk of explosion. with self contained breathing ire controls/personal protection".
 4.3. Indication of any immediate med Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 	2.2) dical attention s S : Alco appr substance : Ther : Risk conta : Risk conta : In ca : Wea appa eeasures e equipment : Evac vapo	and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. If opriate for surrounding fire. or mixture mal decomposition generates: Carb of explosion if heated under confine ainers. se of fire: Evacuate area. Fight fire if r gas tight chemically protective clot ratus. For further information refer the and emergency procedures suate unnecessary personnel. Ensur- r or spray.	Dry powder. Water s on oxides. ment. Use water sp remotely due to the hing in combination o section 8: "Exposu e adequate air venti	pray. Use extinguishing media ray or fog for cooling exposed risk of explosion. with self contained breathing ire controls/personal protection".
 4.3. Indication of any immediate med Treat symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 	2.2) dical attention s : Alco appr e substance : Ther : Risk conta : Wea appa e equipment : Evac vapo : Only : Do n	and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. If opriate for surrounding fire. or mixture mal decomposition generates: Carb of explosion if heated under confine ainers. se of fire: Evacuate area. Fight fire if r gas tight chemically protective clot ratus. For further information refer the and emergency procedures suate unnecessary personnel. Ensur- r or spray.	Dry powder. Water s on oxides. ment. Use water sp remotely due to the hing in combination o section 8: "Exposu e adequate air venti uitable protective equi	pray. Use extinguishing media ray or fog for cooling exposed risk of explosion. with self contained breathing ire controls/personal protection". lation. Do not breathe gas, fumes, quipment may intervene.
 4.3. Indication of any immediate mediate symptomatically. SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures 6.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders 	2.2) dical attention s : Alco appr substance : Ther : Risk conta : Wea appa eeasures e equipment : Evac vapc : Only : Do n refer	and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. If opriate for surrounding fire. or mixture mal decomposition generates: Carb of explosion if heated under confine ainers. se of fire: Evacuate area. Fight fire if r gas tight chemically protective clot ratus. For further information refer t and emergency procedures suate unnecessary personnel. Ensur r or spray. qualified personnel equipped with s ot attempt to take action without suit to section 8: "Exposure controls/per- vapor heavier than air. May accumu	Dry powder. Water s on oxides. ment. Use water sp remotely due to the hing in combination o section 8: "Exposu e adequate air venti uitable protective equi sonal protective equi	pray. Use extinguishing media ray or fog for cooling exposed risk of explosion. with self contained breathing ire controls/personal protection". lation. Do not breathe gas, fumes, quipment may intervene. pment. For further information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

, , , , , , , , , , , , , , , , , , ,			
6.2. Environmental precautions	Environmental precautions		
Avoid release to the environment. Notify author	rities if product enters sewers or public waters.		
6.3. Methods and material for containn	Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, include	ling any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use.		
Incompatible materials	Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

10/00/0010	EN (En aliate LIO)	000 10: 0700400	2/0
Vapor pressure	: No data available		
Oxidizing properties	: No data available		
Explosive properties	: No data available		
Explosion limits	: No data available		
Flammability (solid, gas)	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flash point	: No data available		
Boiling point	: 104 - 105 °C (@ 12 mm Hg)		
Freezing point	: No data available		
Melting point	: No data available		
рН	: No data available		
Odor threshold	: No data available		
Odor	: No data available		
Color	: No data available		
Physical state	: Liquid		
9.1. Information on basic physical and	d chemical properties		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative density	
Relative vapor density at 20 °C	: No data available
Molecular mass	: 164.2 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No addi	tional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No addi	tional information available
10.4.	Conditions to avoid
Keep av	vay from heat, sparks and flame.
10.5.	Incompatible materials
Strong of	oxidizing agents.
10.6.	Hazardous decomposition products
	ormal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of esction 5.

SECTI	ON 11: Toxicological information
11.1.	Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity	 Causes skin irritation. Causes serious eye irritation. Not classified Not classified Not classified Not classified
Carcinogenicity Reproductive toxicity Specific target organ toxicity (single exposure)	 Not classified Not classified May cause respiratory irritation.
Specific target organ toxicity (repeated	: May cause respiratory irritation. : Not classified
exposure) Aspiration hazard	: Not classified

SECTI	ON 12: Ecological information
12.1.	Toxicity
No additi	onal information available
12.2.	Persistence and degradability
No additi	onal information available
12.3.	Bioaccumulative potential

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerati	ons	
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an a	fterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with license	ed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.	
SECTION 14: Transport information	1	
Department of Transportation (DOT)		
In accordance with DOT		
Not regulated for transport		
TDG		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		
SECTION 15: Regulatory informati	on	
15.1. US Federal regulations		
All components of this product are listed, or Substances Control Act (TSCA) inventory ex	xcluded from listing, on the United States Environmental Prote sept for:	ection Agency Toxic
Methyl 2,3-dimethylbenzoate	CAS No 15012-36-9	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.