

Safety Data Sheet 2801304 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/15/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 4-Hydroxybenzotrifluoride
CAS No	: 402-45-9
Product code	: 2801-3-04
Formula	: C7H5F3O
Synonyms	: 4-(Trifluoromethyl)phenol; alpha,alpha,alpha-Trifluoro-p-cresol
Other means of identification	: MFCD00002363
I.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	fety data sheet
SynQuest Laboratories, Inc.	
P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097	
info@synquestlabs.com - www.synquestlab	IS.COM
1.4.         Emergency telephone number           Emergency number         Emergency number	: (844) 523-4086 (3E Company - Account 10069)
	. (177) 323-4000 (3E Company - Account 10003)
SECTION 2: Hazard(s) identificat	ion
2.1. Classification of the substance	or mixture
Classification (GHS-US)	
Skin Irrit. 2H315 - Causes skin iEye Dam. 1H318 - Causes serioSTOT SE 3H335 - May cause re	irritation bus eye damage
Skin Irrit. 2H315 - Causes skin iEye Dam. 1H318 - Causes serioSTOT SE 3H335 - May cause reFull text of H-phrases: see section 16	irritation bus eye damage
Skin Irrit. 2       H315 - Causes skin i         Eye Dam. 1       H318 - Causes serio         STOT SE 3       H335 - May cause re         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	irritation bus eye damage
Skin Irrit. 2H315 - Causes skin iEye Dam. 1H318 - Causes serioSTOT SE 3H335 - May cause reFull text of H-phrases: see section 162.2.Label elements	irritation bus eye damage espiratory irritation
Skin Irrit. 2 H315 - Causes skin i Eye Dam. 1 H318 - Causes serio STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	irritation bus eye damage espiratory irritation : : : : : : : : : : : : : : : : : : :
Skin Irrit. 2       H315 - Causes skin i         Eye Dam. 1       H318 - Causes serio         STOT SE 3       H335 - May cause re         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	irritation bus eye damage espiratory irritation
Skin Irrit. 2 H315 - Causes skin i Eye Dam. 1 H318 - Causes serio STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	<ul> <li>irritation hus eye damage espiratory irritation</li> <li>irritation</li> <li>espiratory irritation</li> <li>irritation</li> <li>irritatio</li></ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	long	be if procent and apply to de Continue ris	sina			
	P310 P321 P330	<ul> <li>if present and easy to do. Continue rir</li> <li>Immediately call a POISON CENTER</li> <li>Specific treatment (see supplemental f</li> <li>Rinse mouth</li> <li>P313 - If skin irritation occurs: Get med</li> </ul>	or doctor/ physic first aid instruction	ons on this label)		
	P362 P370 P403	+P364 - Take off contaminated clothing +P378 - In case of fire: Use dry sand, dr +P233 - Store in a well-ventilated place.	and wash it befo y chemical or alo	ore reuse cohol-resistant foam to extinguish		
		- Dispose of contents/container to an ap	proved waste di	isposal plant		
2.3. Other hazards						
No additional information available						
2.4. Unknown acute toxicity (GHS U	S)					
Not applicable						
SECTION 3: Composition/inform	ation on in	gredients				
3.1. Substance		<u> </u>				
Substance type	: Mono	o-constituent				
Name		Product identifier	%	Classification (GHS-US)		
4-Hydroxybenzotrifluoride (Main constituent)		(CAS No) 402-45-9	<= 100	Flam. Sol. 1, H228 Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335		
Full text of H-phrases: see section 16		l	1			
3.2. Mixture						
Not applicable						
SECTION 4: First aid measures						
4.1. Description of first aid measure	S					
First-aid measures general		se of accident or if you feel unwell, seek				
First-aid measures after inhalation	: Rem	e possible). Move the affected personnel ove person to fresh air and keep comfort ration. Get immediate medical advice/att	able for breathin			
First-aid measures after skin contact	: Wasl	n with plenty of soap and water. Remove cal advice/attention.		lothing and shoes. Get immediate		
First-aid measures after eye contact		ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get				
First-aid measures after ingestion		: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.				
4.2. Most important symptoms and		-				
Symptoms/injuries	2.2) a	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.				
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.					
<b>4.3.</b> Indication of any immediate me Treat symptomatically.	dical attentic	n and special treatment needed				
SECTION 5: Firefighting measure	es					
5.1. Extinguishing media						
Suitable extinguishing media		nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media		
5.2. Special hazards arising from th						
Fire hazard		mal decomposition generates: Carbon ox				
Explosion hazard		: When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined.				
5.3. Advice for firefighters						
Firefighting instructions		se of fire: Evacuate area. Fight fire remo	-			
Protection during firefighting		r gas tight chemically protective clothing i ratus. For further information refer to sec				
12/08/2016	EN (En	glish US)	SDS ID: 2801304	2/7		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protective equ	ipment and emergency procedures
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2 For emergency responders	
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information
	refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Avoid raising dust. When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify authoritie	es if product enters sewers or public waters.
6.3. Methods and material for containmer	nt and cleaning up
For containment	: Stop leak if safe to do so.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	g any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage temperature	: 2 - 8 °C Use explosion proof refrigerator
Storage area	: Store in dry, well-ventilated area.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTIO	DN 9: Physical and chemical properties
9.1.	Information on basic physical and chemical properties
Physical s	state : Solid

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5 5 ,	,, , , , , , , , , , , , , , , , , , , ,
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: 45 - 47 °C
Freezing point	: No data available
Boiling point	: 71 - 72 °C (@ 8 mm Hg)
Flash point	: 83 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 162.11 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. Other information

No additional information available

SECTION 10: Stability and reactivity	l l
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and sto	prage conditions.
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	
Acid chlorides. Acid anhydrides. Strong oxidizin	g agents.
10.6. Hazardous decomposition products	S
Under normal conditions of storage and use, ha fire, see Section 5.	zardous decomposition products should not be produced. Hazardous decomposition products in case of
<b>SECTION 11: Toxicological information</b>	tion
11.1. Information on toxicological effects	5
Acute toxicity	: Oral: Toxic if swallowed.
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified

Safety Data Sheet

according to Federal Register / \		

Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTI	ON 12: Ecological information
12.1.	Toxicity
No addit	ional information available
12.2.	Persistence and degradability
No addit	ional information available
12.3.	Bioaccumulative potential
No addit	ional information available
12.4.	Mobility in soil
No addit	ional information available
12.5.	Other adverse effects
No addit	ional information available

<b>SECTION 13: Disposal consideratio</b>	ns
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

## **SECTION 14: Transport information**

### Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT) : UN2926 Flammable solids, toxic, organic, n.o.s., 4.1, II

### : UN2926

- : Flammable solids, toxic, organic, n.o.s.
- : 4.1 Class 4.1 Flammable Solid 49 CFR 173.124
- : 4.1 Flammable solid



Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

- : II Medium Danger
- : 212
- : 242
- : G Identifies PSN requiring a technical name

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to reactal register, reli ri, rel ce, menady, i	101011 20, 2012 ; 1010	o ana regalatorio		
DOT Special Provisions (49 CFR 172.102)	IB6 - Authorized plastics (11H1, 21HZ2, 31HZ1 : not be used whe transport. IP2 - When IBC transportation ir T3 - 2.65 178.2' TP33 - The port powdered solids melting point wh or offered for tra tanks conformin packing group II stringent require pressure-relief of instruction and s tank special pro	11H2, 21H1, 21H2, 31H1 and 31H2 and 31HZ2). Additional Requirement en the hazardous materials being tra- s other than metal or rigid plastics If n a closed freight container or a clos 74(d)(2) Normal	21B, 21N, 31A, 31B and 31N); Rigid ); Composite (11HZ1, 11HZ2, 21HZ1 ansported may become liquid during BCs are used, they must be offered for ed transport vehicle. (2) is substance applies for granular and discharged at temperatures above the a solid mass. Solid substances transp authorized for transportation in porta instruction T4 for solid substances of ing group II, unless a tank with more maximum allowable working pressur ed in which case the more stringent ta limits must be in accordance with po ition of an elevated temperature mate	2 may or eir orted ible re, ank rtable
DOT Packaging Exceptions (49 CFR 173.xxx)	: 151			
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 15 kg			
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 50 kg			
DOT Vessel Stowage Location	passenger vess passengers, or	el carrying a number of passengers one passenger per each 3 m of ove sels in which the number of passeng	nder deck" on a cargo vessel and on a limited to not more than the larger of rall vessel length; and (ii) "On deck or ers specified in paragraph (k)(2)(i) of	25 nly" on
DOT Vessel Stowage Other	: 40 - Stow "clear	r of living quarters"		
Other information	: No supplementa	ary information available.		
TDG				
No additional information available				
Transport by sea				
UN-No. (IMDG)	: 2926			
Proper Shipping Name (IMDG)	: FLAMMABLE S	OLID, TOXIC, ORGANIC, N.O.S.		
Class (IMDG)	: 4.1 - Flammable	e solids, self-reactive substance and	solid desensitized explosives	
Packing group (IMDG)	: II - substances (	presenting medium danger		
Air transport				
UN-No. (IATA)	: 2926			
Proper Shipping Name (IATA)		d, toxic, organic, n.o.s.		
Class (IATA)	: 4.1 - Flammable			
Packing group (IATA)	: II - Medium Dar	nger		
SECTION 15: Regulatory information				
15.1. US Federal regulations				
All components of this product are listed, or excl Substances Control Act (TSCA) inventory excep	0.	on the United States Environmental		
4-Hydroxybenzotrifluoride		CAS No 402-45-9	100%	
This product or mixture does not contain a toxic CFR §372.38(a) subject to the reporting requirer and 40 CFR Part 372.				
15.2. International regulations				
CANADA No additional information available				
EU-Regulations No additional information available				
12/08/2016	EN (English US)	SDS I	D: 2801304	6/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **National regulations**

#### 4-Hydroxybenzotrifluoride (402-45-9) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on NZIOC (New Zealand Inventory of Chemicals)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

#### SECTION 16: Other information

#### Full text of H-phrases:

	Acute Tox. 3 (Oral)		Acute toxicity (oral) Category 3	
	Eye Dam. 1		Serious eye damage/eye irritation Category 1	
	Flam. Sol. 1		Flammable solids Category 1	
	Skin Irrit. 2		Skin corrosion/irritation Category 2	
	STOT SE 3		Specific target organ toxicity (single exposure) Category 3	
	H228		Flammable solid	
	H301		Toxic if swallowed	
	H315		Causes skin irritation	
	H318		Causes serious eye damage	
	H335		May cause respiratory irritation	
NFPA health hazard NFPA fire hazard NFPA reactivity		<ul> <li>3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.</li> <li>3 - Liquids and solids that can be ignited under almost all ambient conditions.</li> <li>3 - Capable of detonation or explosive reaction, but requires a strong initiating source or must be heated under confinement before initiation, or reacts explosively with water.</li> </ul>		
HMIS III Rating				
Health : 2 M		: 2 Moderate Hazard - Ten	2 Moderate Hazard - Temporary or minor injury may occur	
Flammability		: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)		
Physical		: 3 Serious Hazard - Materials that may form explosive mixtures with water and are capable of detonation or explosive reaction in the presence of a strong initiating source. Materials may polymerize, decompose, self-react, or undergo other chemical change at normal temperature and pressure with moderate risk of explosion		

#### SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.