

### 2-Methoxy-5-(trifluoromethyl)benzyl alcohol

Safety Data Sheet 2807311 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/23/2018 Version: 1.0

SECTION 1: Identification	
.1. Identification	
Product form	: Substance
Substance name	: 2-Methoxy-5-(trifluoromethyl)benzyl alcohol
CAS No	: 685126-89-0
Product code	: 2807-3-11
formula	: C9H9F3O2
Synonyms	: [2-Methoxy-5-(trifluoromethyl)phenyl]methanol
Other means of identification	: MFCD06203094
	substance or mixture and uses advised against
Jse of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
.3. Details of the supplier of the saf	fety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Nachua, FL 32615 - United States of Americ (386) 462-0788 - F (386) 462-7097 <u>No@synquestlabs.com</u> - <u>www.synquestlabs</u>	
.4. Emergency telephone number	
mergency number	: (844) 523-4086 (3E Company - Account 10069)
Section 2: Hazard(s) identification         Image: state	or mixture
Classification of the substanceClassification (GHS-US)Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye isSTOT SE 3H335 - May cause respiratorFull text of H-phrases: see section 16	or mixture
Classification of the substance         Classification (GHS-US)         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye is         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16       Label elements	or mixture
Classification of the substanceClassification (GHS-US)Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye isSTOT SE 3H335 - May cause respiratorFull text of H-phrases: see section 16	or mixture
Classification of the substance         Classification (GHS-US)         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye is         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         Label elements         SHS-US labeling	or mixture Prirritation ry irritation : : : : Warning : H315 - Causes skin irritation
Classification of the substance         Classification (GHS-US)         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye is         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         2.       Label elements         GHS-US labeling         Hazard pictograms (GHS-US)	or mixture irritation ry irritation : : : : : : : : : :

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
<b>SECTION 3: Composition/informatio</b>	n <mark>on in</mark>	gredients		
3.1. Substance				
Substance type : Mono-constituent				
Name		Product identifier	%	Classification (GHS-US)
2-Methoxy-5-(trifluoromethyl)benzyl alcohol (Main constituent)		(CAS No) 685126-89-0	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16		·		
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		e of accident or if you feel unwell, seek a possible). Move the affected personnel		
First-aid measures after inhalation		ove person to fresh air and keep comforta ation. Get medical advice/attention.	able for breathing	g. If not breathing, give artificial
First-aid measures after skin contact		with plenty of soap and water. Get medi		
First-aid measures after eye contact	prese	diately flush eyes thoroughly with water t nt and easy to do. Continue rinsing. Get	medical advice/a	attention.
First-aid measures after ingestion		OT induce vomiting. Never give anything out with water. Get medical advice/atte		unconscious person. Rinse
4.2. Most important symptoms and effect	ts, both a	acute and delayed		
Symptoms/injuries		nost important known symptoms and effe nd/or in section 11.	ects are describe	d in the labelling (see section
4.3. Indication of any immediate medical	attentio	n and special treatment needed		
4.3. Indication of any immediate medical Treat symptomatically.	attentio	n and special treatment needed		
Treat symptomatically.	attentio	n and special treatment needed		
Treat symptomatically. SECTION 5: Firefighting measures	attentio	n and special treatment needed	_	
Treat symptomatically.	: Alcoh	n and special treatment needed ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water spi	ray. Use extinguishing media
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media	: Alcoh appro	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media	: Alcoh appro	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.		
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the suitable	: Alcoh appro stance ( : Therm	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement	ides. Hydrogen f	luoride.
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sull Fire hazard	: Alcoh appro stance o : Them : Risk o	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement	ides. Hydrogen f	luoride.
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sul Fire hazard Explosion hazard	: Alcoh appro stance o : Them : Risk o conta	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement	ides. Hydrogen f . Use water spra	luoride. y or fog for cooling exposed
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sulfing hazard Fire hazard Explosion hazard 5.3. Advice for firefighters	: Alcoh appro stance o : Them : Risk o conta : In cas : Wear	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners.	ides. Hydrogen f . Use water spra ely due to the ris n combination w	luoride. y or fog for cooling exposed k of explosion. ith self contained breathing
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sul Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures	: Alcoh appro stance o : Them : Risk o conta : In cas : Wear appar	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing i atus. For further information refer to sect	ides. Hydrogen f . Use water spra ely due to the ris n combination w	luoride. y or fog for cooling exposed k of explosion. ith self contained breathing
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sul Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting	: Alcoh appro stance o : Them : Risk o conta : In cas : Wear appar	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing i atus. For further information refer to sect	ides. Hydrogen f . Use water spra ely due to the ris n combination w	luoride. y or fog for cooling exposed k of explosion. ith self contained breathing
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sul Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures	: Alcoh appro stance o : Therm : Risk o conta : In cas : Wear appar sures upment : Evacu	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing i atus. For further information refer to sect	ides. Hydrogen f . Use water spra ely due to the ris n combination w tion 8: "Exposure	'luoride. y or fog for cooling exposed sk of explosion. ith self contained breathing e controls/personal protection".
Treat symptomatically.         SECTION 5: Firefighting measures         5.1.       Extinguishing media         Suitable extinguishing media         5.2.       Special hazards arising from the sulfire hazard         Fire hazard       Explosion hazard         5.3.       Advice for firefighters         Firefighting instructions       Protection during firefighting         SECTION 6: Accidental release measures       6.1.	: Alcoh appro stance o : Therm : Risk o conta : In cas : Wear appar sures upment : Evacu	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing i atus. For further information refer to sect and emergency procedures uate unnecessary personnel. Ensure ade	ides. Hydrogen f . Use water spra ely due to the ris n combination w tion 8: "Exposure	'luoride. y or fog for cooling exposed sk of explosion. ith self contained breathing e controls/personal protection".
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sul Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meas 6.1. Personal precautions, protective eq General measures	: Alcoh appro stance o : Thern : Risk o conta : In cas : Wear appar sures uppent : Evacu vapor	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing i atus. For further information refer to sect and emergency procedures uate unnecessary personnel. Ensure ade	ides. Hydrogen f . Use water spra ely due to the ris n combination w tion 8: "Exposure	'luoride. y or fog for cooling exposed k of explosion. ith self contained breathing e controls/personal protection". tion. Do not breathe gas, fumes,
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sulfive hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meas 6.1. Personal precautions, protective eq General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders	: Alcoh appro stance o : Them : Risk o conta : In cas : Wear appar sures upment : Evacu vapor : Only o	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing i atus. For further information refer to sect and emergency procedures uate unnecessary personnel. Ensure ade or spray. qualified personnel equipped with suitabl	ides. Hydrogen f . Use water spra ely due to the ris n combination w tion 8: "Exposure equate air ventila e protective equ	'luoride. y or fog for cooling exposed k of explosion. ith self contained breathing e controls/personal protection". tion. Do not breathe gas, fumes, ipment may intervene.
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sul Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meas 6.1. Personal precautions, protective eq General measures 6.1.1. For non-emergency personnel Emergency procedures	: Alcoh appro stance o : Therm : Risk o conta : In cas : Wear appar sures upment : Evacu vapor : Only o : Do no refer	ol resistant foam. Carbon dioxide. Dry por priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. are of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing i atus. For further information refer to sect and emergency procedures uate unnecessary personnel. Ensure ade or spray. qualified personnel equipped with suitable to section 8: "Exposure controls/persona	ides. Hydrogen f . Use water spra ely due to the ris n combination w tion 8: "Exposure equate air ventila e protective equipr protectior".	'luoride. y or fog for cooling exposed k of explosion. ith self contained breathing controls/personal protection". tion. Do not breathe gas, fumes, ipment may intervene. ment. For further information
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sulfive hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meas 6.1. Personal precautions, protective eq General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders	: Alcoh appro stance o : Therm : Risk o conta : In cas : Wear appar sures upment : Evacu vapor : Only o : Do no refer	ol resistant foam. Carbon dioxide. Dry por priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing i atus. For further information refer to sect and emergency procedures uate unnecessary personnel. Ensure ade or spray. qualified personnel equipped with suitable at attempt to take action without suitable	ides. Hydrogen f . Use water spra ely due to the ris n combination w tion 8: "Exposure equate air ventila e protective equipr protectior".	'luoride. y or fog for cooling exposed k of explosion. ith self contained breathing controls/personal protection". tion. Do not breathe gas, fumes, ipment may intervene. ment. For further information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions	3	
Avoid release to the environment. Notif	fy authorities if product enters sewers or public waters.	
6.3. Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections	S	
No additional information available		
SECTION 7: Handling and sto	brage	
7.1. Precautions for safe handli	ing	
7.1. Precautions for safe handling Precautions for safe handling	<ul> <li>Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.</li> </ul>	
	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal	
Precautions for safe handling Hygiene measures	<ul> <li>Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.</li> <li>Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or</li> </ul>	
Precautions for safe handling Hygiene measures	<ul> <li>Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.</li> <li>Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>	
Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage	<ul> <li>Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.</li> <li>Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>	
Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage Technical measures	<ul> <li>Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.</li> <li>Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> <li>including any incompatibilities</li> <li>Comply with applicable regulations.</li> </ul>	

#### SECTION 8: Exposure controls/personal protection 8.1. **Control parameters**

No additional information available

OFOTION O DI

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

<ul> <li>No data available</li> </ul>		
<ul> <li>No data available</li> </ul>		
<ul><li>No data available</li><li>No data available</li><li>No data available</li></ul>		
<ul><li>No data available</li><li>No data available</li></ul>		
: No data available		
: No data available		
: No data available		
: Solid		
hemical properties		
	<ul> <li>Solid</li> <li>No data available</li> </ul>	<ul> <li>Solid</li> <li>Solid</li> <li>No data available</li> </ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 206.1618 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. **Other information**

#### No additional information available

OFOTI				
SECTI	ON 10: Stability and reactivity			
10.1.	Reactivity			
No additional information available				
10.2.	Chemical stability			
The proc	duct is stable at normal handling and storage conditions.			
10.3.	Possibility of hazardous reactions			
No addit	tional information available			
10.4.	Conditions to avoid			
Keep aw	vay from heat, sparks and flame.			
10.5.	Incompatible materials			
Strong o	oxidizing agents.			
10.6.	Hazardous decomposition products			
	ormal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of Section 5.			

SECTI	ON 11: Toxicological information		
11.1.	Information on toxicological effects		
	g		

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECT	TION 12: Ecological information	
12.1.	Toxicity	
No addi	ditional information available	
12.2.	Persistence and degradability	
No addi	ditional information available	
12.3.	Bioaccumulative potential	
NI	Left for a set for for more of a second set for the	

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considera	tions	
13.1. Waste treatment methods		
Waste treatment methods Waste disposal recommendations Additional information	<ul> <li>Remove to an authorized incinerator equipped with</li> <li>Dispose of contents/container in accordance with I</li> <li>Recycle the material as far as possible.</li> </ul>	-
SECTION 14: Transport informat	on	
Department of Transportation (DOT) In accordance with DOT Not regulated for transport TDG No additional information available Transport by sea No additional information available		
Air transport No additional information available		
SECTION 15: Regulatory informa	tion	
15.1. US Federal regulations		
All components of this product are listed, of Substances Control Act (TSCA) inventory	r excluded from listing, on the United States Environmental except for:	I Protection Agency Toxic
2-Methoxy-5-(trifluoromethyl)benzyl alcoho	CAS No 685126-89-0	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

CANADA

No additional information available

**EU-Regulations** 

No additional information available

**National regulations** 

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

#### SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.