

4-(Trifluoromethyl)phenylacetyl chloride

Safety Data Sheet 2816709 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/28/2016 Version: 1.0

| SECTION 1: Identification | |
|---|---|
| | |
| 1.1. Identification | |
| Product form | : Substance |
| Substance name | : 4-(Trifluoromethyl)phenylacetyl chloride |
| CAS No | : 74426-51-0 |
| Product code | : 2816-7-09 |
| Formula | : C9H6CIF3O |
| Other means of identification | : MFCD08458136 |
| | ubstance or mixture and uses advised against |
| Use of the substance/mixture | : Laboratory chemicals Manufacture of substances Scientific research and development |
| 1.3. Details of the supplier of the safe | ety data sheet |
| SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs. | |
| 1.4. Emergency telephone number | |
| Emergency number | : (844) 523-4086 (3E Company - Account 10069) |
| SECTION 2: Hazard(s) identification | on |
| 2.1. Classification of the substance of | |
| Classification (CHS US) | |
| Classification (GHS-US) Skin Corr. 1B H314 - Causes severe skin | |
| Eye Dam. 1H318 - Causes serious eyeSTOT SE 3H335 - May cause respiratoFull text of H-phrases: see section 16 | damage |
| 2.2. Label elements | |
| GHS-US labeling | |
| Hazard pictograms (GHS-US) | |
| | GHS05 GHS07 |
| Signal word (GHS-US) | : Danger |
| Hazard statements (GHS-US) | : H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation |
| Precautionary statements (GHS-US) | P260 - Do not breathe fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 2.3. Other hazards | | | | | |
|--|-----------------|---|--------------------------------------|--|----------|
| Other hazards not contributing to the classification | : Lach | ymator. | | | |
| 2.4. Unknown acute toxicity (GHS US) | | | | | |
| Not applicable | | | | | |
| SECTION 3: Composition/informatio | n on in | gredients | | | |
| 3.1. Substance | | | | | |
| Substance type | : Mono | o-constituent | | | |
| Name | | Product identifier | % | Classification (GHS-US |) |
| 4-(Trifluoromethyl)phenylacetyl chloride (Main constituent) | | (CAS No) 74426-51-0 | <= 100 | Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 | |
| Full text of H-phrases: see section 16 | | | | | |
| 3.2. Mixture | | | | | |
| Not applicable | | | | | |
| SECTION 4: First aid measures | | | | | |
| 4.1. Description of first aid measures | · In oo | a of appident or if you feel upwell, apply | modical advice | immodiately (chay the labo | J |
| First-aid measures general | | se of accident or if you feel unwell, seek e possible). Move the affected personne | | | 1 |
| First-aid measures after inhalation | | ove person to fresh air and keep comfor ration. Get immediate medical advice/at | | ng. If not breathing, give arti | ificial |
| First-aid measures after skin contact | | with plenty of soap and water. Remove cal advice/attention. | contaminated c | lothing and shoes. Get imm | nediate |
| First-aid measures after eye contact | : Imme prese | ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Ge | for at least 15 m t immediate med | ninutes. Remove contact ler lical advice/attention. | nses, if |
| First-aid measures after ingestion | | OT induce vomiting. Never give anything h out with water. Get immediate medica | | | e |
| 4.2. Most important symptoms and effect | ts, both | acute and delayed | | | |
| Symptoms/injuries | | nost important known symptoms and eff and/or in section 11. | ects are describ | ed in the labelling (see sect | tion |
| Symptoms/injuries after inhalation | | rial is destructive to tissue of the mucuo ness of breath, headache, nausea. | us membranes a | nd upper respiratory tract. | Cough, |
| 4.3. Indication of any immediate medica | attentio | n and special treatment needed | | | |
| Treat symptomatically. | | | | | |
| SECTION 5: Firefighting measures | | | | | |
| 5.1. Extinguishing media | | | | | |
| Suitable extinguishing media | | ol resistant foam. Carbon dioxide. Dry p ppriate for surrounding fire. | owder. Water sp | oray. Use extinguishing med | dia |
| 5.2. Special hazards arising from the su | bstance | or mixture | | | |
| Fire hazard | : Therr | nal decomposition generates: Carbon o | xides. Hydrogen | chloride. Hydrogen fluoride |). |
| Explosion hazard | | of explosion if heated under confinemen iners. | t. Use water spr | ay or fog for cooling expose | ed |
| Reactivity | | ts with water, generates gases or heat. se highly explosive/flammable hydrogen | | sure to water with some me | tals to |
| 5.3. Advice for firefighters | | | | | |
| Firefighting instructions | : In ca | se of fire: Evacuate area. Fight fire remo | tely due to the ri | sk of explosion. | |
| Protection during firefighting | | gas tight chemically protective clothing | | | |
| | appa | ratus. For further information refer to see | ction 8: "Exposur | e controls/personal protect | ion". |
| SECTION 6: Accidental release meas | sures | | | | |
| 6.1. Personal precautions, protective eq | uipment | and emergency procedures | | | |
| General measures | | uate unnecessary personnel. Ensure ad · or spray. | equate air ventil | ation. Do not breathe gas, f | umes, |
| 6.1.1. For non-emergency personnel | | | | | |
| Emergency procedures | : Only | qualified personnel equipped with suitab | le protective equ | uipment may intervene. | |
| 12/08/2016 | EN (Eng | glish US) | SDS ID: 2816709 |) | 2/7 |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 6.1.2. | For emergency responders | |
|-----------|---|---|
| Protectiv | ve equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emerge | ncy procedures | : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. |
| 6.2. | Environmental precautions | |
| Avoid re | elease to the environment. Notify autho | ities if product enters sewers or public waters. |
| 6.3. | Methods and material for containing | nent and cleaning up |
| For cont | tainment | : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. |
| Methods | s for cleaning up | : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. |
| Other in | formation | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". |
| 6.4. | Reference to other sections | |
| No addi | tional information available | |
| SECT | ION 7: Handling and storage | |
| 7.1. | Precautions for safe handling | |
| Precauti | ions for safe handling | Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. |
| Hygiene | e measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. | Conditions for safe storage, inclue | ling any incompatibilities |
| Technic | al measures | : Comply with applicable regulations. |
| Storage | conditions | : Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas. |
| Incompa | atible materials | : Refer to Section 10 on Incompatible Materials. |
| Storage | area | : Store in dry, cool, well-ventilated area. |

| SECTION 8: E> | posure controls/ | personal | protection |
|---------------|------------------|----------|------------|
|---------------|------------------|----------|------------|

8.1. **Control parameters**

0.0

No additional information available

| 8.2. Exposure controls | |
|----------------------------------|---|
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. |
| Hand protection | : Protective gloves. 29 CFR 1910.138: Hand Protection. |
| Eye protection | : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection. |
| Skin and body protection | : Wear suitable protective clothing. |
| Respiratory protection | : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. |
| Other information | : Safety shoes. 29 CFR 1910.136: Foot Protection. |

| chemical properties |
|--------------------------|
| : Liquid |
| : No data available |
| : 84 - 86 °C (@ 2 mm Hg) |
| : No data available |
| : No data available |
| |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Flammability (solid, gas) | : No data available |
|---------------------------------|---------------------|
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : No data available |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Molecular mass | : 222.59 g/mol |
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| | |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame. Moisture.

10.5. Incompatible materials

Alcohols. Oxidizing agents. Strong bases. Water.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| Acute toxicity | : Not classified |
|--|---|
| Skin corrosion/irritation | : Causes severe skin burns and eye damage. |
| Serious eye damage/irritation | : Causes serious eye damage. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : May cause respiratory irritation. |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |
| Symptoms/injuries after inhalation | : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea. |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| U | |
|----------|-------------------------------|
| SECTI | ON 12: Ecological information |
| 12.1. | Toxicity |
| No addit | ional information available |
| 12.2. | Persistence and degradability |
| No addit | ional information available |
| 12.3. | Bioaccumulative potential |
| No addit | ional information available |
| 12.4. | Mobility in soil |
| No addit | ional information available |
| 12.5. | Other adverse effects |
| No addit | ional information available |

| SECTION 13: Disposal considerations | | |
|-------------------------------------|---|--|
| 13.1. Waste treatment methods | | |
| Waste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. | |
| Waste disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. | |
| Additional information | : Recycle the material as far as possible. | |

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Packing group (DOT)

DOT Symbols

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

- : UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, III
- : UN3265
- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

DOT Special Provisions (49 CFR 172.102)

- : 203 : 241
- : G Identifies PSN requiring a technical name
- : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75) DOT Vessel Stowage Location

ation : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| DOT Vessel Stowage Other | : 40 - Stow "clear of living quarters" |
|-------------------------------------|---|
| Other information | : No supplementary information available. |
| TDG | |
| No additional information available | |
| Transport by sea | |
| UN-No. (IMDG) | : 3265 |
| Proper Shipping Name (IMDG) | : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. |
| Class (IMDG) | : 8 - Corrosive substances |
| Packing group (IMDG) | : III - substances presenting low danger |
| Air transport | |
| UN-No. (IATA) | : 3265 |
| Proper Shipping Name (IATA) | : Corrosive liquid, acidic, organic, n.o.s. |
| Class (IATA) | : 8 - Corrosives |
| Packing group (IATA) | : III - Minor Danger |

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

| 4-(Trifluoromethyl)phenylacetyl chloride | CAS No 74426-51-0 | 100% |
|--|-------------------|------|
| | | |

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
|---------------|---|
| Skin Corr. 1B | Skin corrosion/irritation Category 1B |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage |
| H335 | May cause respiratory irritation |

| NFPA health hazard | 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. | 1 |
|--------------------|---|---|
| NFPA fire hazard | : 1 - Must be preheated before ignition can occur. | |
| NFPA reactivity | : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently. | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| HMIS III Rating | |
|-----------------|--|
| Health | : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given |
| Flammability | : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) |
| Physical | : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors. |

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.