

3-Fluoro-4-(trifluoromethyl)benzoyl chloride Safety Data Sheet 28167X9 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/23/2016 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 3-Fluoro-4-(trifluoromethyl)benzoyl chloride		
CAS No	: 216144-68-2		
Product code	: 2816-7-X9		
Formula	: C8H3CIF4O		
Other means of identification	: MFCD00236284		
1.2. Relevant identified uses of the sul	stance or mixture and uses advised a	igainst	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and developme	nt	
1.3. Details of the supplier of the safet	y data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	om		
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company - Ac	count 10069)	
SECTION 2: Hazard(s) identificatio	2		
2.1. Classification of the substance or			
Classification (GHS-US)			
Flam. Liq. 4H227 - Combustible liquidSkin Corr. 1AH314 - Causes severe skin bEye Dam. 1H318 - Causes serious eye cSTOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elements	amage		
GHS-US labeling			
Hazard pictograms (GHS-US)	GHS05 GHS07		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H227 - Combustible liquid H314 - Causes severe skin burns a H335 - May cause respiratory irrita		
Precautionary statements (GHS-US)	 P210 - Keep away from heat/spark P260 - Do not breathe fumes, mist P264 - Wash skin thoroughly after P271 - Use only outdoors or in a w P280 - Wear protective gloves/prot P301+P330+P331 - If swallowed: r P303+P361+P353 - If on skin (or h skin with water/shower P304+P340 - If inhaled: Remove p P305+P351+P338 - If in eyes: Rins lenses, if present and easy to do. (P310 - Immediately call a POISON P321 - Specific treatment (see sup P363 - Wash contaminated clothin P370+P378 - In case of fire: Use d 	s/open flames/hot surfaces. No smoking spray, vapors handling ell-ventilated area ective clothing/eye protection/face protectio inse mouth. Do NOT induce vomiting air): Take off immediately all contaminated erson to fresh air and keep comfortable for se cautiously with water for several minutes Continue rinsing CENTER or doctor/ physician plemental first aid instructions on this label)	clothing. Rinse breathing . Remove contact
12/08/2016	EN (English US)	SDS ID: 28167X9	Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		P405	 3+P235 - Store in a well-ventilated plate 5 - Store locked up - Dispose of contents/container to a 	·	e disposal plant
2.3.	Other hazards				
Other ha	azards not contributing to the ation	: Lach	rymator.		
2.4.	Unknown acute toxicity (GHS US)				
Not appl	licable				
SECTI	ON 3: Composition/informatior	on in	gredients		
3.1.	Substance				
Substan	ce type	: Mono	o-constituent		
Name			Product identifier	%	Classification (GHS-US)
3-Fluoro (Main con	p-4-(trifluoromethyl)benzoyl chloride nstituent)		(CAS No) 216144-68-2	<= 100	Flam. Liq. 4, H227 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text	of H-phrases: see section 16				
3.2.	Mixture				
Not appl					
	ON 4: First aid measures				
4.1.	Description of first aid measures				
	measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.			
First-aid	measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.			
First-aid	measures after skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention.			
First-aid	measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.			
First-aid	measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.			
4.2.	Most important symptoms and effect	s, both	acute and delayed		
Symptor	nptoms/injuries : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.				
Symptor	ns/injuries after inhalation	 Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea. 			
4.3.	Indication of any immediate medical	attentic	on and special treatment needed		
Treat sy	mptomatically.				
SECTI	ON 5: Firefighting measures				
5.1.	Extinguishing media				
	extinguishing media		nol resistant foam. Carbon dioxide. I opriate for surrounding fire.	Dry powder. Water	spray. Use extinguishing media
5.2.	Special hazards arising from the sub				
Fire haz			mal decomposition generates: Carbo	on oxides. Hvdrog	en chloride.
	n hazard	: Risk	of explosion if heated under confine ainers. May form flammable/explosiv	ment. Use water s	spray or fog for cooling exposed
Reactivit	ty	: Read	, , ,	eat. Reacts on exp	bosure to water with some metals to
5.3.	Advice for firefighters				
Firefight	ing instructions	: In ca	se of fire: Evacuate area. Fight fire r	remotely due to the	e risk of explosion.
Protectio	on during firefighting		r gas tight chemically protective clot ratus. For further information refer to		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release meas	ures			
6.1. Personal precautions, protective equipment and emergency procedures				
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.			
6.1.1. For non-emergency personnel				
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.			
6.2. Environmental precautions				
Avoid release to the environment. Notify authoritie	s if product enters sewers or public waters.			
6.3. Methods and material for containment	and cleaning up			
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.			
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.			
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".			
6.4. Reference to other sections				
No additional information available				
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.			
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.			
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, including	g any incompatibilities			
Technical measures	: Comply with applicable regulations.			
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas.			
Incompatible materials	: Refer to Section 10 on Incompatible Materials.			
Storage area	: Store in dry, cool, well-ventilated area.			

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemica	I properties
9.1. Information on basic physical and	I chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 151 - 153 ℃
Flash point	: 81 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.486 g/ml (@ 20 °C)
Molecular mass	: 226.56 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.4656 (@ 20 °C)
SECTION 10: Stability and reactivit	ty

10.1. Reactivity

Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

	in nator, generates gasse et neat risa			
10.2.	Chemical stability			
The prod	uct is stable at normal handling and stor	age conditions.		
10.3.	Possibility of hazardous reactions			
No additi	onal information available			
10.4.	Conditions to avoid			
Keep awa	ay from heat, sparks and flame. Moisture	9.		
10.5.	Incompatible materials			
Alcohols.	Oxidizing agents. Strong bases. Water.			
10.6.	Hazardous decomposition products			
	rmal conditions of storage and use, haza Section 5.	ardous decomposition products should not be pro	oduced. Hazardous decomposition products in ca	ase of
SECTIO	DN 11: Toxicological informati	on		
11.1.	Information on toxicological effects			
Acute tox	icity	: Not classified		
Skin corr	osion/irritation	: Causes severe skin burns and eye damage.		
Serious e	ye damage/irritation	: Causes serious eye damage.		
12/08/2010	5	EN (English US)	SDS ID: 28167X9 4/	7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECT	ON 12: Ecological information
12.1.	Toxicity
No addit	ional information available
12.2.	Persistence and degradability
No addi	ional information available
12.3.	Bioaccumulative potential
No addi	ional information available
12.4.	Mobility in soil
No addi	ional information available
12.5.	Other adverse effects

No additional information available

SECTION 13: Disposal consideration	ons
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	1

Department of Transportation (DOT)

Department of Transportation (D
In accordance with DOT
Transport document description

UN-No.(DOT) Proper Shipping Nam

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

- : UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, II
- : UN3265
- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : II Medium Danger
- : 202
- : 242
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	: B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are not authorized.
	IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite
	(31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.
	T11 - 6 178.274(d)(2) Normal 178.275(d)(3)
	TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively. TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used
	provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Quantity Limitations Passenger aircraft/rail	
(49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3265
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: II - substances presenting medium danger
Air transport	
UN-No. (IATA)	: 3265
Proper Shipping Name (IATA)	: Corrosive liquid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: II - Medium Danger
SECTION 15: Regulatory information	

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

3-Fluoro-4-(trifluoromethyl)benzoyl chloride	CAS No 216144-68-2	100%
--	--------------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 4	Flammable liquids Category 4
Skin Corr. 1A	Skin corrosion/irritation Category 1A
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation
NFPA health hazard NFPA fire hazard	 : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. : 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at higl temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.