

Safety Data Sheet 2817B03 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/21/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 4-Methoxy-3-(trifluoromethyl)phenacyl bromide
CAS No	: 541550-00-9
Product code	: 2817-B-03
Formula	: C10H8BrF3O2
Other means of identification	: MFCD03094546
1.2. Relevant identified uses of the subst	ance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safety d	lata sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	<u>1</u>
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mi	ixture
Classification (GHS-US)	
Skin Corr. 1BH314 - Causes severe skin burnEye Dam. 1H318 - Causes serious eye damSTOT SE 3H335 - May cause respiratory irrFull text of H-phrases: see section 16	hage
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS05 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	<ul> <li>P260 - Do not breathe dust, mist, spray</li> <li>P264 - Wash skin thoroughly after handling</li> <li>P271 - Use only outdoors or in a well-ventilated area</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>P310 - Immediately call a POISON CENTER or doctor/ physician</li> <li>P321 - Specific treatment (see supplemental first aid instructions on this label)</li> <li>P363 - Wash contaminated clothing before reuse</li> <li>P403+P233 - Store in a well-ventilated place. Keep container tightly closed</li> <li>P405 - Store locked up</li> <li>P501 - Dispose of contents/container to an approved waste disposal plant</li> </ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	a. e e,			
2.3. Other hazards Other hazards not contributing to the classification	: Lachr	ymator.		
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
<b>SECTION 3: Composition/information</b>	on in	aredients		
3.1. Substance				
	Mono	-constituent		
Name		Product identifier	%	Classification (GHS-US)
4-Methoxy-3-(trifluoromethyl)phenacyl bromide (Main constituent)		(CAS No) 541550-00-9	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		se of accident or if you feel unwell, seek r e possible). Move the affected personnel		
First-aid measures after inhalation		ove person to fresh air and keep comforta ation. Get immediate medical advice/atte		g. If not breathing, give artificial
First-aid measures after skin contact		with plenty of soap and water. Remove cal advice/attention.	contaminated cl	othing and shoes. Get immediate
First-aid measures after eye contact		diately flush eyes thoroughly with water f nt and easy to do. Continue rinsing. Get		
First-aid measures after ingestion		OT induce vomiting. Never give anything nout with water. Get immediate medical		
4.2. Most important symptoms and effects	, both	acute and delayed		
Symptoms/injuries		nost important known symptoms and effe ind/or in section 11.	ects are describe	ed in the labelling (see section
Symptoms/injuries after inhalation		ial is destructive to tissue of the mucuou ness of breath, headache, nausea.	s membranes a	nd upper respiratory tract. Cough,
4.3. Indication of any immediate medical a	ttentio	n and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media		ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
5.2. Special hazards arising from the subs	stance of	or mixture		
Fire hazard	Therr	nal decomposition generates: Carbon ox	ides. Hydrogen	bromide. Hydrogen fluoride.
5.3. Advice for firefighters				
Firefighting instructions	In cas	se of fire: Evacuate area.		
Protection during firefighting		gas tight chemically protective clothing in actus. For further information refer to sect		
SECTION 6: Accidental release measu	ires			
6.1. Personal precautions, protective equi		and omorgonov procedures		
		uate unnecessary personnel. Ensure ade	quate air ventila	ation. Do not breathe dust.
	Only	qualified personnel equipped with suitabl	e protective equ	lipment may intervene.
6.1.2. For emergency responders Protective equipment		ot attempt to take action without suitable to section 8: "Exposure controls/personal		ment. For further information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency procedures		: Avoid raising dust. When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined. Eliminate every possible source of ignition.
6.2.	Environmental precautions	

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3.	6.3. Methods and material for containment and cleaning up		
For containment		: Stop leak if safe to do so.	
Methods for cleaning up		: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.	
Other in	formation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4.	Reference to other sections		

### No additional information available

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includ	ing any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage temperature	: 2 - 8 °C Use explosion proof refrigerator
Storage area	: Store in dry, cool, well-ventilated area.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

<b>SECTION 9: Physical and</b>	chemical properties	
9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
pН	: No data available	
Melting point	: 71 - 72 °C	
Freezing point	: No data available	
Boiling point	: No data available	

Flash point

: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 297.07 g/mol
Solubility	: No data available
Solubility Log Pow	: No data available : No data available
Log Pow	: No data available
Log Pow Auto-ignition temperature	<ul><li>No data available</li><li>No data available</li></ul>
Log Pow Auto-ignition temperature Decomposition temperature	<ul><li>No data available</li><li>No data available</li><li>No data available</li><li>No data available</li></ul>
Log Pow Auto-ignition temperature Decomposition temperature Viscosity	<ul> <li>No data available</li> </ul>

#### 9.2. **Other information**

No add	itional information available
SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
The pro	oduct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No add	itional information available
10.4.	Conditions to avoid
Keep a	way from heat, sparks and flame.
10.5.	Incompatible materials
Strong	bases. Strong oxidizing agents.
10.6.	Hazardous decomposition products
	normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of e Section 5.

SECT	ION 11: Toxicological information
11.1.	Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	<ul> <li>Causes severe skin burns and eye damage.</li> <li>Causes serious eye damage.</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>
Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated	<ul> <li>Not classified</li> <li>May cause respiratory irritation.</li> <li>Not classified</li> </ul>
exposure) Aspiration hazard Symptoms/injuries after inhalation	<ul> <li>Not classified</li> <li>Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.</li> </ul>

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

•	
SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects
No addi	tional information available

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT Transport document description

#### UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)

DOT Symbols

DOT Special Provisions (49 CFR 172.102)

- : UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III
- : UN3261
- : Corrosive solid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- : 213
- : 240
- : G Identifies PSN requiring a technical name
- : IB8 Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.
  - T1 1.5 178.274(d)(2) Normal..... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154 DOT Quantity Limitations Passenger aircraft/rail : 25 kg (49 CFR 173.27)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	100 kg
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	:	No supplementary information available.
TDG		
No additional information available		
Transport by sea		
UN-No. (IMDG)	:	3261
Proper Shipping Name (IMDG)	:	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	:	8 - Corrosive substances
Packing group (IMDG)	:	III - substances presenting low danger
Air transport		
UN-No. (IATA)	:	3261
Proper Shipping Name (IATA)	:	Corrosive solid, acidic, organic, n.o.s.
		9 Correctives

Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

	4-Methoxy-3-(trifluoromethyl)phenacyl bromide	CAS No 541550-00-9	100%
--	---	--------------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

#### CANADA

No additional information available

EU-Regulations No additional information available

#### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.