

Safety Data Sheet 2817B05 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/21/2016 Version: 1.0

I.1. Identification	
Product form	: Substance
Substance name	: 3-(Trifluoromethyl)phenacyl bromide
CAS No	: 2003-10-3
Product code	: 2817-B-05
Formula	: C9H6BrF3O
Synonyms	: 2-Bromo-3'-(trifluoromethyl)acetophenone; 2-Bromo-1-[3-(trifluoromethyl)phenyl]ethan-1-one;
	3-(Bromoacetyl)benzotrifluoride
Other means of identification	: MFCD03094283
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals
	Manufacture of substances Scientific research and development
1.3. Details of the supplier of the saf	fety data sheet
SynQuest Laboratories, Inc.	
P.O. Box 309	
Alachua, FL 32615 - United States of Americ	ca
T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs	s com
	<u></u>
1.4. Emergency telephone number	(944) 522 4096 (2E Compony Account 10060)
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificati	ion
2.1. Classification of the substance	
	or mixture
Skin Corr. 1BH314 - Causes severe skirEye Dam. 1H318 - Causes serious eyeSTOT SE 3H335 - May cause respirat	e damage
Skin Corr. 1BH314 - Causes severe skirEye Dam. 1H318 - Causes serious eyeSTOT SE 3H335 - May cause respiratFull text of H-phrases: see section 16	e damage
STOT SE 3 H335 - May cause respirat Full text of H-phrases: see section 16	e damage
Skin Corr. 1BH314 - Causes severe skirEye Dam. 1H318 - Causes serious eyeSTOT SE 3H335 - May cause respiratFull text of H-phrases: see section 162.2.Label elements	e damage
Skin Corr. 1B H314 - Causes severe skir Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirate Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	e damage tory irritation
Skin Corr. 1B H314 - Causes severe skir Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirate Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	e damage tory irritation : : : : : : : : : : : : : : : : : : :
Skin Corr. 1B H314 - Causes severe skir Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirat Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	e damage tory irritation
Skin Corr. 1B H314 - Causes severe skir Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirat Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	e damage tory irritation : GHS05 GHS07 : Danger : H314 - Causes severe skin burns and eye damage

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations			
2.3. Other hazards			
Other hazards not contributing to the classification	: Lachrymator.		
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/information	on on ingredients		
3.1. Substance			
Substance type	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
3-(Trifluoromethyl)phenacyl bromide (Main constituent)	(CAS No) 2003-10-3	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: In case of accident or if you feel unwell, where possible). Move the affected pers	onnel away from the	contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep co respiration. Get immediate medical advice		ng. If not breathing, give artificial
First-aid measures after skin contact	: Wash with plenty of soap and water. Remedical advice/attention.	move contaminated	clothing and shoes. Get immediate
First-aid measures after eye contact	: Immediately flush eyes thoroughly with w present and easy to do. Continue rinsing		
First-aid measures after ingestion	: Do NOT induce vomiting. Never give any mouth out with water. Get immediate me		
4.2. Most important symptoms and effect	cts, both acute and delayed		
Symptoms/injuries	: The most important known symptoms ar 2.2) and/or in section 11.	nd effects are describ	bed in the labelling (see section
Symptoms/injuries after inhalation	: Material is destructive to tissue of the misshortness of breath, headache, nausea.	ucuous membranes	and upper respiratory tract. Cough,
4.3. Indication of any immediate medica	I attention and special treatment needed		
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. appropriate for surrounding fire.	Dry powder. Water s	pray. Use extinguishing media
5.2. Special hazards arising from the su	bstance or mixture		
Fire hazard	: Thermal decomposition generates: Carb	on oxides. Hydroger	n bromide. Hydrogen fluoride.
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area.		
Protection during firefighting	: Wear gas tight chemically protective clot		
	apparatus. For further information refer t	o section 8: "Exposu	ire controls/personal protection".
SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Evacuate unnecessary personnel. Ensu	re adequate air venti	lation. Do not breathe dust.
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equipped with s	suitable protective ec	uipment may intervene.
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without sui refer to section 8: "Exposure controls/pe		pment. For further information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency procedures		: Avoid raising dust. When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined. Eliminate every possible source of ignition.	
6.2.	Environmental precautions		

Avoid release to the environment Notify	authorities if product enters sewers or public waters.
AVOID TETERASE TO THE ENVIRONMENT. NOTIN	

6.3.	3. Methods and material for containment and cleaning up		
For con	tainment	: Stop leak if safe to do so.	
Methods for cleaning up		: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.	
Other information		: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
64	Reference to other sections		

No additional information available

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage temperature	: 2 - 8 °C Use explosion proof refrigerator
Storage area	: Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties			
9.1. Information on ba	sic physical and chemical properties		
Physical state	: Solid		
Appearance	: Low melting solid.		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: 20.5 - 22.5 °C		
Freezing point	: No data available		
Boiling point	: 64 - 72 (@ 0.07 mm Hg)		
Flash point	: No data available		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 267.04 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available		
SECT	ION 10: Stability and reactivity	
10.1.	Reactivity	
No addi	tional information available	
10.2.	Chemical stability	
The pro	duct is stable at normal handling and storage conditions.	
10.3.	Possibility of hazardous reactions	
No addi	tional information available	
10.4.	Conditions to avoid	
Keep av	way from heat, sparks and flame.	
10.5.	Incompatible materials	
Strong I	bases. Strong oxidizing agents.	
10.6.	Hazardous decomposition products	
	normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of e Section 5.	

11.1. Information on toxicological effects	SECT	ION 11: Toxicological information
	11.1.	Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTI	ON 12: Ecological information
12.1.	Toxicity
No addit	ional information available
12.2.	Persistence and degradability
No addit	ional information available
12.3.	Bioaccumulative potential
No addit	ional information available
12.4.	Mobility in soil
No addit	ional information available
12.5.	Other adverse effects
No addit	ional information available

SECTION 13: Disposal considerations					
13.1. Waste treatment methods					
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.				
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.				
Additional information	: Recycle the material as far as possible.				

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)

- : UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III
- : UN3261
- : Corrosive solid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- : 213
- : 240
- : G Identifies PSN requiring a technical name
- : IB8 Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.
 - T1 1.5 178.274(d)(2) Normal..... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154 DOT Quantity Limitations Passenger aircraft/rail : 25 kg (49 CFR 173.27)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 100 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3261
Proper Shipping Name (IMDG)	: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3261
Proper Shipping Name (IATA)	: Corrosive solid, acidic, organic, n.o.s.

Class (IA	ATA)	-			:	8 - Corrosives

Packing group (IATA) : III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

3-(Trifluoromethyl)phenacyl bromide	CAS No 2003-10-3	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.			
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.			
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.			
HMIS III Rating				
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given			
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) 			
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.			

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.