

2-Methoxychalcone Safety Data Sheet 29171X1 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 06/29/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification Product form	: Substance
Substance name	
CAS No	2-Methoxychalcone
	: 5416-70-6
Product code	: 2917-1-X1
Formula	: C16H14O2
Synonyms	: 3-(2-Methoxyphenyl)-1-phenylprop-2-en-1-one
Other means of identification	: MFCD00048035
	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sat	fety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
Clossification (CUS US)	
Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye iSTOT SE 3H335 - May cause respirator	irritation
Eye Irrit. 2A H319 - Causes serious eye	irritation
Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	irritation ny irritation : : : : : : : : : : : : : : : : : : :
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	irritation ny irritation : : : irritation : : : : : : : : : : : : : : : : :
Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         2.2.       Label elements	irritation ny irritation : : : : : : : : : : : : : : : : : : :
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	<ul> <li>irritation my irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: GHS07</li> <li>: Warning</li> <li>: H315 - Causes skin irritation H319 - Causes serious eye irritation</li> </ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3.	Other hazards				
No additi	ional information available				
2.4.	Unknown acute toxicity (GHS US)				
Vot appli	icable				
SECTI	ON 3: Composition/informati	on on ir	ngredients		
8.1.	Substance				
Substand	ce type	: Mon	o-constituent		
Name			Product identifier	%	Classification (GHS-US)
2-Metho (Main cor	xychalcone nstituent)		(CAS No) 5416-70-6	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
ull text	of H-phrases: see section 16				
3.2.	Mixture				
Not appli	icable				
SECTI	ON 4: First aid measures				
1.1.	Description of first aid measures				
First-aid	measures general		se of accident or if you feel unwell, see e possible). Move the affected personr		
First-aid	measures after inhalation		ove person to fresh air and keep comforration. Get medical advice/attention.	ortable for breath	ing. If not breathing, give artificial
First-aid	measures after skin contact	: Was	h with plenty of soap and water. Get m	edical advice/atte	ention.
First-aid	measures after eye contact		ediately flush eyes thoroughly with wate ent and easy to do. Continue rinsing. G		
First-aid measures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.					
4.2. Most important symptoms and effects, both acute and delayed					
.2.	Most important symptoms and eff	ects, both			
	Most important symptoms and efforts injuries	: The			bed in the labelling (see section
Sympton		: The 2.2)	acute and delayed most important known symptoms and e and/or in section 11.		bed in the labelling (see section
Sympton 4.3.	ns/injuries	: The 2.2)	acute and delayed most important known symptoms and e and/or in section 11.		bed in the labelling (see section
Sympton <mark>4.3.</mark> Freat syr	ns/injuries	: The 2.2)	acute and delayed most important known symptoms and e and/or in section 11.		bed in the labelling (see section
Sympton 1.3. Freat syr SECTI	ns/injuries Indication of any immediate medic mptomatically.	: The 2.2)	acute and delayed most important known symptoms and e and/or in section 11.		bed in the labelling (see section
Sympton I.3. Freat syr SECTI 5.1.	Indication of any immediate medic mptomatically. ON 5: Firefighting measures	: The 2.2) cal attention : Alco	acute and delayed most important known symptoms and e and/or in section 11.	ffects are descri	
Sympton Treat syr SECTIO 5.1. Suitable	ns/injuries Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media	: The 2.2) cal attention : Alco appr	acute and delayed most important known symptoms and e and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry opriate for surrounding fire.	ffects are descri	
Sympton I.3. Freat syr SECTI 5.1. Suitable 5.2.	Indication of any immediate media mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the s	: The 2.2) cal attention : Alco appr ubstance	acute and delayed most important known symptoms and e and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry opriate for surrounding fire.	ffects are descri	
Sympton I.3. Freat syr SECTION S.1. Suitable S.2. Fire haze	Indication of any immediate media mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the s	: The 2.2) cal attention : Alco appr ubstance	acute and delayed most important known symptoms and e and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry opriate for surrounding fire. or mixture	ffects are descri	
Sympton .3. Treat syr SECTION .1. Suitable .2. Tire haza .3.	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the s ard	: The 2.2) cal attention : Alco appr ubstance : Ther	acute and delayed most important known symptoms and e and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry opriate for surrounding fire. or mixture	ffects are descri	
Sympton .3. Treat syr SECTION 5.1. Suitable 5.2. Fire haza 5.3. Firefighti	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the s ard Advice for firefighters	: The 2.2) cal attention : Alco appr ubstance : Ther : In ca	acute and delayed most important known symptoms and e and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry opriate for surrounding fire. or mixture mal decomposition generates: Carbon	ffects are descri powder. Water oxides.	spray. Use extinguishing media
Sympton 4.3. Freat syr SECTI 5.1. Suitable 5.2. Fire haza 5.3. Firefighti	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the s ard Advice for firefighters ing instructions	: The 2.2) cal attention : Alco appr ubstance : Ther : In ca : Wea	acute and delayed most important known symptoms and e and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry opriate for surrounding fire. or mixture mal decomposition generates: Carbon se of fire: Evacuate area.	ffects are descri powder. Water oxides. g in combination	spray. Use extinguishing media
Sympton I.3. Freat syr SECTI 5.1. Suitable 5.2. Fire haza 5.3. Firefighti Protectio	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the s ard Advice for firefighters ing instructions on during firefighting	: The 2.2) cal attention : Alco appr ubstance : Ther : In ca : Wea appa	acute and delayed most important known symptoms and e and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry opriate for surrounding fire. or mixture mal decomposition generates: Carbon ise of fire: Evacuate area. r gas tight chemically protective clothin	ffects are descri powder. Water oxides. g in combination	spray. Use extinguishing media
Sympton I.3. Freat syr SECTION 5.1. Suitable 5.2. Fire haza 5.3. Firefighti Protection SECTION	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the s ard Advice for firefighters ing instructions on during firefighting ON 6: Accidental release me	: The 2.2) cal attention : Alco appr ubstance : Ther : In ca : Wea appa asures	acute and delayed most important known symptoms and e and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry opriate for surrounding fire. or mixture mal decomposition generates: Carbon se of fire: Evacuate area. r gas tight chemically protective clothin iratus. For further information refer to s	ffects are descri powder. Water oxides. g in combination	spray. Use extinguishing media
Sympton .3. Treat syr ECTI .1. Suitable .2. Tirefighti Protectio ECTI .1.	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the s ard Advice for firefighters ing instructions on during firefighting	: The 2.2) cal attention : Alco appr ubstance : Ther : In ca : Wea appa asures equipment	acute and delayed most important known symptoms and e and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry opriate for surrounding fire. or mixture mal decomposition generates: Carbon se of fire: Evacuate area. r gas tight chemically protective clothin iratus. For further information refer to s	ffects are descri powder. Water oxides. g in combination ection 8: "Expos	spray. Use extinguishing media with self contained breathing ure controls/personal protection".
Sympton I.3. Freat syr SECTION 5.1. Suitable 5.2. Firefighti Protection SECTION SEC	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the s ard Advice for firefighters ing instructions on during firefighting ON 6: Accidental release me Personal precautions, protective of measures	: The 2.2) cal attention : Alco appr ubstance : Ther : In ca : Wea appa asures equipment	acute and delayed most important known symptoms and e and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry opriate for surrounding fire. or mixture mal decomposition generates: Carbon se of fire: Evacuate area. r gas tight chemically protective clothin iratus. For further information refer to s	ffects are descri powder. Water oxides. g in combination ection 8: "Expos	spray. Use extinguishing media with self contained breathing ure controls/personal protection".
Sympton S.3. Treat syr SECTION S.1. Suitable S.2. Trefighti Protection SECTION SECT	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the st ard Advice for firefighters ing instructions on during firefighting ON 6: Accidental release me Personal precautions, protective of measures For non-emergency personnel	: The 2.2) cal attention : Alco appr ubstance : Ther : In ca : Wea appa asures equipment : Evac	acute and delayed most important known symptoms and e and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry opriate for surrounding fire. or mixture mal decomposition generates: Carbon use of fire: Evacuate area. r gas tight chemically protective clothin iratus. For further information refer to s and emergency procedures cuate unnecessary personnel. Ensure a	ffects are descri powder. Water oxides. g in combination ection 8: "Expos dequate air vent	spray. Use extinguishing media with self contained breathing ure controls/personal protection".
Sympton 4.3. Treat syr SECTIO 5.1. Suitable 5.2. Fire haza 5.3. Firefighti Protectio SECTIO 6.1. General 6.1.1.	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the s ard Advice for firefighters ing instructions on during firefighting ON 6: Accidental release me Personal precautions, protective of measures	: The 2.2) cal attention : Alco appr ubstance : Ther : In ca : Wea appa asures equipment : Evac	acute and delayed most important known symptoms and e and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry opriate for surrounding fire. or mixture mal decomposition generates: Carbon se of fire: Evacuate area. r gas tight chemically protective clothin iratus. For further information refer to s	ffects are descri powder. Water oxides. g in combination ection 8: "Expos dequate air vent	spray. Use extinguishing media with self contained breathing ure controls/personal protection".
Sympton 4.3. Treat syr SECTIO 5.1. Suitable 5.2. Fire haza 5.3. Firefighti Protectio SECTIO 5.1. General 5.1.1.	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the st ard Advice for firefighters ing instructions on during firefighting ON 6: Accidental release me Personal precautions, protective of measures For non-emergency personnel	: The 2.2) cal attention : Alco appr ubstance : Ther : In ca : Wea appa asures equipment : Evac	acute and delayed most important known symptoms and e and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry opriate for surrounding fire. or mixture mal decomposition generates: Carbon use of fire: Evacuate area. r gas tight chemically protective clothin iratus. For further information refer to s and emergency procedures cuate unnecessary personnel. Ensure a	ffects are descri powder. Water oxides. g in combination ection 8: "Expos dequate air vent	spray. Use extinguishing media with self contained breathing ure controls/personal protection".

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3.	Methods and material for containn	nent and cleaning up	
For co	ntainment	: Stop leak if safe to do so.	
Methods for cleaning up		: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.	
Other	nformation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4.	Reference to other sections		
No additional information available			
SEC	SECTION 7: Handling and storage		
7.1.	Precautions for safe handling		
Precautions for safe handling		: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective	

Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including	ng any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use.	
Incompatible materials	: Refer to Section 10 on Incompatible Materials.	
Storage area	: Store in dry, cool, well-ventilated area.	

equipment. Avoid contact with skin and eyes.

## SECTION 8: Exposure controls/personal protection

### 8.1. **Control parameters**

## No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	<ul> <li>In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.</li> </ul>
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

## **SECTION 9: Physical and chemical properties**

9	0.1. Information on basic physical an	nd chemical properties
F	Physical state	: Solid
C	Color	: No data available
C	Ddor	: No data available
C	Ddor threshold	: No data available
p	ЪН	: No data available
Ν	Aelting point	: 53 - 57 °C
F	Freezing point	: No data available
E	Boiling point	: No data available
F	Flash point	: No data available
F	Relative evaporation rate (butyl acetate=1)	: No data available
F	Flammability (solid, gas)	: No data available
E	Explosion limits	: No data available
E	Explosive properties	: No data available
C	Dxidizing properties	: No data available
١	/apor pressure	: No data available
F	Relative density	: No data available
F	Relative vapor density at 20 °C	: No data available
Ν	Aolecular mass	: 238.28 g/mol

# 2-Methoxychalcone Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

### 9.2. **Other information**

No additional information available

SECT	ION 10: Stability and rea	ctivity
10.1.	Reactivity	
No add	itional information available	
10.2.	Chemical stability	
The pro	oduct is stable at normal handling	and storage conditions.
10.3.	Possibility of hazardous rea	ctions
No add	itional information available	
10.4.	Conditions to avoid	
Keep a	way from heat, sparks and flame	
10.5.	Incompatible materials	
Strong	oxidizing agents.	
10.6.	Hazardous decomposition p	roducts
	normal conditions of storage and e Section 5.	use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of
SECT	ION 11: Toxicological inf	ormation
11.1.	Information on toxicological	effects
Acute t	oxicity	: Not classified
Acute	Oxioity	
Skin co	rrosion/irritation	: Causes skin irritation.
Corious		

Skin conosion/initation	. Causes skin initation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified

Aspiration hazard

: Not classified

SECT	ION 12: Ecological information	on		
12.1.	Toxicity			
No add	itional information available			
12.2.	Persistence and degradability			
No add	itional information available			
12.3.	Bioaccumulative potential			
No add	itional information available			
12.4.	Mobility in soil			
No add	itional information available			
12.5.	Other adverse effects			
No additional information available				
12/08/20	16	EN (English US)	SDS ID: 29171X1	4/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	Recycle the material as far as possible.
	· · ·
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Not regulated for transport	
<b>o</b>	
TDG	
No additional information available	
Transport by see	
Transport by sea	
No additional information available	
Air transport	
No additional information available	
SECTION 15: Regulatory information	
15.1. US Federal regulations	

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2-ivietnoxychaicone CAS No 5416-70-6 100%	2 Methowyobalaana	CAS No 5416 70 6	100%
	2-ivietnoxychaicone	CAS No 5416-70-6	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

## 15.2. International regulations

CANADA

No additional information available

**EU-Regulations** No additional information available

### **National regulations**

No additional information available

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

## **SECTION 16: Other information**

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.