

\_

### 5-(tert-Butyl)-2-methyl-3-furoyl chloride

Safety Data Sheet 2H165X3

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 08/29/2016 Version: 1.0

SECTION 4. Identification	
SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 5-(tert-Butyl)-2-methyl-3-furoyl chloride
CAS No	: 96543-75-8
Product code	: 2H16-5-X3
Formula	: C10H13CIO2
Synonyms	: 5-(tert-Butyl)-2-methylfuran-3-carbonyl chloride; 5-(tert-Butyl)-3-(chlorocarbonyl)-2-methylfuran
Other means of identification	: MFCD00221072
1.2. Relevant identified uses of the sub	stance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safety	data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	<u>m</u>
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or r	
2.1. Oldssification of the substance of f	nixture
	nixture
Classification (GHS-US)Skin Corr. 1BH314 - Causes severe skin buEye Dam. 1H318 - Causes serious eye daSTOT SE 3H335 - May cause respiratory	irns and eye damage image
Classification (GHS-US) Skin Corr. 1B H314 - Causes severe skin bu Eye Dam. 1 H318 - Causes serious eye da	irns and eye damage image
Classification (GHS-US)Skin Corr. 1BH314 - Causes severe skin buEye Dam. 1H318 - Causes serious eye daSTOT SE 3H335 - May cause respiratory	irns and eye damage image
Classification (GHS-US) Skin Corr. 1B H314 - Causes severe skin bu Eye Dam. 1 H318 - Causes serious eye da STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16	irns and eye damage image
Classification (GHS-US)Skin Corr. 1BH314 - Causes severe skin buEye Dam. 1H318 - Causes serious eye daSTOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elements	irns and eye damage image
Classification (GHS-US) Skin Corr. 1B H314 - Causes severe skin bu Eye Dam. 1 H318 - Causes serious eye da STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	$\frac{1}{10000000000000000000000000000000000$
Classification (GHS-US)Skin Corr. 1BH314 - Causes severe skin buEye Dam. 1H318 - Causes serious eye daSTOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling	<ul> <li>irris and eye damage image irritation</li> <li>: Control of the second second</li></ul>

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to an approved waste disposal plant

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, M	arch 26,	2012 / Rules and Regulations		
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
<b>SECTION 3: Composition/information</b>	on in	gredients		
3.1. Substance				
Substance type	Mono	-constituent		
Name		Product identifier	%	Classification (GHS-US)
5-(tert-Butyl)-2-methyl-3-furoyl chloride (Main constituent)		(CAS No) 96543-75-8	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture Not applicable				
SECTION 4: First aid measures				
		se of accident or if you feel unwell, seek r	nedical advice i	mmediately (show the label
First-aid measures general		possible). Move the affected personnel		
First-aid measures after inhalation		ove person to fresh air and keep comforta ation. Get immediate medical advice/atte		g. If not breathing, give artificial
First-aid measures after skin contact				
First-aid measures after eye contact	t-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.			
t-aid measures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.				
4.2. Most important symptoms and effects	, both	acute and delayed		
Symptoms/injuries		nost important known symptoms and effe nd/or in section 11.	ects are describe	ed in the labelling (see section
Symptoms/injuries after inhalation		ial is destructive to tissue of the mucuous ness of breath, headache, nausea.	s membranes a	nd upper respiratory tract. Cough,
4.3. Indication of any immediate medical attention and special treatment needed				
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
	Alcoh	ol resistant foam. Carbon dioxide. Dry po	owder. Water sp	ray. Use extinguishing media
	appro	priate for surrounding fire.		
5.2. Special hazards arising from the subs	stance of	or mixture		
Fire hazard :	Therr	nal decomposition generates: Carbon ox	ides. Hydrogen	chloride.
Reactivity		ts with water, generates gases or heat. R se highly explosive/flammable hydrogen g		ure to water with some metals to
5.3. Advice for firefighters				
Firefighting instructions :	In cas	se of fire: Evacuate area.		
Protection during firefighting		gas tight chemically protective clothing in atus. For further information refer to sect		
SECTION 6: Accidental release measu	ire <u>s</u>			
6.1. Personal precautions, protective equi		and emergency procedures		
		uate unnecessary personnel. Ensure ade	quate air ventila	tion. Do not breathe dust.
611 For non-omorgonou personnel				
6.1.1. For non-emergency personnel Emergency procedures	Only	qualified personnel equipped with suitabl	e protective equ	ipment may intervene.
6.1.2. For emergency responders				
Protective equipment		ot attempt to take action without suitable to section 8: "Exposure controls/personal		ment. For further information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions					
Avoid release to the environment. Notify authorities if product enters sewers or public waters.					
For containment	6.3. Methods and material for containment and cleaning up				
	: Stop leak if safe to do so.				
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.				
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".				
6.4. Reference to other sections					
No additional information available					
SECTION 7: Handling and storage					
7.1. Precautions for safe handling					
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.				
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.				
7.2. Conditions for safe storage, including any incompatibilities					
Technical measures	: Comply with applicable regulations.				
Storage conditions	: Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.				
Incompatible materials	: Refer to Section 10 on Incompatible Materials.				
Storage area	: Store in dry, cool, well-ventilated area.				
SECTION 8: Exposure controls/perso	onal protection				

#### 8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical a	nd chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 41 - 44 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20 °C	: No data available
Molecular mass	: 200.66 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

10.1. Reactivity

Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Keep away from heat, sparks and flame. Moisture.

10.5. Incompatible materials

Alcohols. Oxidizing agents. Strong bases. Water.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

### SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes severe skin burns and eye damage.	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.	

SECT	ON 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III
UN-No.(DOT)	: UN3261
Proper Shipping Name (DOT)	: Corrosive solid, acidic, organic, n.o.s.
Transport hazard class(es) (DOT)	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT)	: 8 - Corrosive
	8
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 213
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	<ul> <li>IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).</li> <li>IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.</li> <li>T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2)</li> <li>TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.</li> </ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 25 kg
DOT Quantity Limitations Cargo aircraft only (49	: 100 kg
CFR 175.75)	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea	
UN-No. (IMDG)	: 3261
Proper Shipping Name (IMDG)	: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3261
Proper Shipping Name (IATA)	: Corrosive solid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

#### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

	5-(tert-Butyl)-2-methyl-3-furoyl chloride	CAS No 96543-75-8	100%
--	---	-------------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

#### CANADA

No additional information available

#### **EU-Regulations**

No additional information available

#### National regulations

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

#### **SECTION 16: Other information**

#### Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

NFPA health hazard

: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.

NFPA fire hazard NFPA reactivity

- : 0 Materials that will not burn.
- : 0 Normally stable, even under fire exposure conditions, and are not reactive with water.

0

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

#### SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.