

Safety Data Sheet 2H25242

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 08/27/2018 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	Substance
Substance name	Perfluoro[2,5-dimethyl-2-(fluorocarbonyl)-4-oxo-1,3-dioxolane]
CAS No	7345-49-5
Product code	2H25-2-42
Formula	C6F8O4
Synonyms	Trifluoropyruvyl fluoride dimer
	MFCD07784273
1.2. Relevant identified uses of the substa	nce or mixture and uses advised against
	Laboratory chemicals
	Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safety da	ta sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America	
T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	
1.4. Emergency telephone number	
Emergency number	(844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mix	ture
Classification (GHS-US)	
Skin Corr. 1BH314 - Causes severe skin burnsEye Dam. 1H318 - Causes serious eye damaSTOT SE 3H335 - May cause respiratory irrit	nge
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
	GHS05 GHS07
Signal word (GHS-US)	Danger
Hazard statements (GHS-US)	H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P260 - Do not breathe fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician P321 - Specific treatment (see supplemental first aid instructions on this label) P363 - Wash contaminated clothing before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards Other hazards not contributing to the

: Contact with acids liberates toxic gas. Contact with water liberates toxic gas.

classification

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Substance type		-constituent		
Name		Product identifier	%	Classification (GHS-US)
Perfluoro[2,5-dimethyl-2-(fluorocarbonyl)-4-oxo-1,3- (Main constituent)	-dioxolane]	(CAS No) 7345-49-5	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		se of accident or if you feel unwell, seele possible). Move the affected personne		
First-aid measures after inhalation		ove person to fresh air and keep comfor ration. Get immediate medical advice/at		ng. If not breathing, give artificial
First-aid measures after skin contact		n with plenty of soap and water. Remove cal advice/attention.	e contaminated	clothing and shoes. Get immediate
First-aid measures after eye contact	: Imme prese	diately flush eyes thoroughly with wate ant and easy to do. Continue rinsing. Ge	for at least 15 i t immediate me	minutes. Remove contact lenses, i dical advice/attention.
First-aid measures after ingestion		OT induce vomiting. Never give anythin hout with water. Get immediate medica		
4.2. Most important symptoms and eff	ects, both	acute and delayed		
Symptoms/injuries		nost important known symptoms and ef and/or in section 11.	fects are descrit	bed in the labelling (see section
Symptoms/injuries after inhalation		rial is destructive to tissue of the mucuc ness of breath, headache, nausea.	us membranes	and upper respiratory tract. Cough
4.3. Indication of any immediate medic	cal attentio	n and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media		ol resistant foam. Carbon dioxide. Dry poriate for surrounding fire.	oowder. Water s	pray. Use extinguishing media
5.2. Special hazards arising from the s	ubstance	or mixture		
Fire hazard	: Therr	nal decomposition generates: Carbon c	xides. Hydroger	n fluoride.
Explosion hazard	: Risk	of explosion if heated under confinement iners.		
5.3. Advice for firefighters				
Firefighting instructions	: In ca	se of fire: Evacuate area. Fight fire remo	otely due to the	risk of explosion.
Protection during firefighting		gas tight chemically protective clothing ratus. For further information refer to se		
SECTION 6: Accidental release me				
6.1. Personal precautions, protective e				
General measures		uate unnecessary personnel. Ensure ac or spray.	lequate air venti	lation. Do not breathe gas, fumes,
6.1.1. For non-emergency personnel				
Emergency procedures	: Only	qualified personnel equipped with suita	ole protective ec	upment may intervene.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	
Avoid release to the environment. Notif	y authorities if product enters sewers or public waters.
6.3. Methods and material for co	ontainment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	3
No additional information available	
SECTION 7: Handling and sto	rage
7.1. Precautions for safe handli	ng
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage	e, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storogo orog	: Store in dry, cool, well-ventilated area.
Storage area	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.
SECTION 9: Physical and chem	ical properties

9.1.	Information on	basic physical and chemical properties
Physic	al state	: Liquid
Color		: No data available
Odor		: No data available
Odor th	hreshold	: No data available
рН		: No data available
Melting	g point	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing point	: No data available
Boiling point	: 72 °C (@ 760 mm Hg)
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 288.049 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

Other information 9.2.

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
The product is stable at normal handling and storage conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Keep away from heat, sparks and flame.
10.5. Incompatible materials
Glass. Strong oxidizing agents.
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.
SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity	 Causes severe skin burns and eye damage. Causes serious eye damage. Not classified Not classified
Carcinogenicity	: Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/injuries after inhalation

: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea

	Shortness of breath, headache, hausea.
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, III
UN-No.(DOT)	: UN3265
Proper Shipping Name (DOT)	: Corrosive liquid, acidic, organic, n.o.s.

Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

DOT Symbols

DOT Special Provisions (49 CFR 172.102)

- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- : 203
- : 241
- : G Identifies PSN requiring a technical name

: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L CFR 175.75)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.	
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"	
Other information	: No supplementary information available.	
TDG		
No additional information available		
Transport by sea		
UN-No. (IMDG)	: 3265	
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	
Class (IMDG)	: 8 - Corrosive substances	
Packing group (IMDG)	: III - substances presenting low danger	
Air transport		
UN-No. (IATA)	: 3265	
Proper Shipping Name (IATA)	: Corrosive liquid, acidic, organic, n.o.s.	
Class (IATA)	: 8 - Corrosives	
Packing group (IATA)	: III - Minor Danger	

SECTION 15: Regulatory information

15.1. 05 rederal regulations		
Perfluoro[2,5-dimethyl-2-(fluorocarbonyl)-4-oxo-1,3-dioxolane] (7345-49-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag P - P - indicates a commenced PMN substance.		

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Perfluoro[2,5-dimethyl-2-(fluorocarbonyl)-4-oxo-1,3-dioxolane] (7345-49-5)
Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Skin Corr. 1B	Skin corrosion/irritation Category 1B	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H335	May cause respiratory irritation	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard	: 0 - Materials that will not burn.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		
Health	h : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given	
Flammability	: 0 Minimal Hazard - Materials that will not burn	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.