

Safety Data Sheet 3130120 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/29/2016 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: Pentane-1,5-diamine		
CAS No	: 462-94-2		
Product code	: 3130-1-20		
Formula	: C5H14N2		
Synonyms	: 1,5-Diaminopentane; Cadave	ine	
Other means of identification	MFCD00008239		
1.2. Relevant identified uses of the s	ubstance or mixture and uses advi	sed against	
Use of the substance/mixture	: Laboratory chemicals		
	Manufacture of substances Scientific research and develo	pment	
1.3. Details of the supplier of the saf	ety data sheet		
SynQuest Laboratories, Inc.			
P.O. Box 309			
Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097	a		
info@synguestlabs.com - www.synguestlabs	s.com		
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company	- Account 10069)	
SECTION 2: Hazard(s) identificati		,	
2.1. Classification of the substance			
Classification (GHS-US)			
Flam. Liq. 4 H227 - Combustible liquid	human and ave damage		
Skin Corr. 1A H314 - Causes severe skin Eye Dam. 1 H318 - Causes serious eye			
STOT SE 3 H335 - May cause respirate			
Full text of H-phrases: see section 16			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)			
	GHS05 GHS07		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H227 - Combustible liquid		
, , , , , , , , , , , , , , , , , , ,	H314 - Causes severe skin b		
	H335 - May cause respiratory	irritation	
Precautionary statements (GHS-US)		sparks/open flames/hot surfaces. No smoking	
	P260 - Do not breathe fumes P264 - Wash skin thoroughly		
	P271 - Use only outdoors or i		
	P280 - Wear protective glove	s/protective clothing/eye protection/face protect	ion
		ved: rinse mouth. Do NOT induce vomiting	
	P303+P361+P353 - If on skir skin with water/shower	(or hair): Take off immediately all contaminated	d clothing. Rinse
		ove person to fresh air and keep comfortable fo	r breathing
	P305+P351+P338 - If in eyes	Rinse cautiously with water for several minute	
	lenses, if present and easy to		
		SON CENTER or doctor/ physician	D)
	P321 - Specific treatment (se P363 - Wash contaminated c	e supplemental first aid instructions on this labe othing before reuse	ч <i>)</i>
		Jse dry sand, dry chemical or alcohol-resistant	foam to extinguish
12/08/2016	EN (English US)	SDS ID: 3130120	Page 1
,,		02012.0100120	i ugo i

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P403+P233 Store in a well-ventilated place. Keep container tightly closed
- P403+P235 Store in a well-ventilated place. Keep cool
- P405 Store locked up
- P501 Dispose of contents/container to an approved waste disposal plant

#### 2.3. Other hazards

### No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

#### Not applicable

### **SECTION 3: Composition/information on ingredients**

# 3.1. Substance Substance type

: Mono-constituent

Name	Product identifier	%	Classification (GHS-US)
Pentane-1,5-diamine (Main constituent)	(CAS No) 462-94-2	<= 100	Flam. Liq. 4, H227 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: In case of accident or if you fe where possible). Move the aff		
First-aid measures after inhalation	: Remove person to fresh air ar respiration. Get immediate me		hing. If not breathing, give artificial
First-aid measures after skin contact	: Wash with plenty of soap and medical advice/attention.	water. Remove contaminated	d clothing and shoes. Get immediate
First-aid measures after eye contact	: Immediately flush eyes thorou present and easy to do. Conti		5 minutes. Remove contact lenses, if nedical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Nev mouth out with water. Get imm		
4.2. Most important symptoms and effe	cts, both acute and delayed		
Symptoms/injuries	: The most important known sy 2.2) and/or in section 11.	mptoms and effects are desc	ribed in the labelling (see section
Symptoms/injuries after inhalation	: Material is destructive to tissu shortness of breath, headache		s and upper respiratory tract. Cough,
4.3. Indication of any immediate medic	al attention and special treatmen	t needed	
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbo appropriate for surrounding fir		spray. Use extinguishing media
5.2. Special hazards arising from the s	ibstance or mixture		
Fire hazard	: Thermal decomposition gener	ates: Carbon oxides. Nitroge	n oxides.
Explosion hazard	: Risk of explosion if heated un containers. May form flammat	der confinement. Use water s	pray or fog for cooling exposed
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area	Fight fire remotely due to the	e risk of explosion.
Protection during firefighting	: Wear gas tight chemically pro apparatus. For further informa		n with self contained breathing sure controls/personal protection".
SECTION 6: Accidental release mea			

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify aut	norities if product enters sewers or public waters.
6.3. Methods and material for contai	nment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
<b>SECTION 7: Handling and storage</b>	9
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Air sensitive. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.
SECTION 8: Exposure controls/p	ersonal protection
8.1. Control parameters	

No additional information available

8.2. Exposure controls		
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.	
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.	
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.	
Skin and body protection	: Wear suitable protective clothing.	
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.	
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.	
SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monda	ay, March 26, 2012 / Rules and Regulations
рН	: No data available
Melting point	: 14 - 16 °C
Freezing point	: No data available
Boiling point	: 178 - 180 °C
Flash point	: 62 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.873 g/ml (@ 25 °C)
Molecular mass	: 102.18 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
/iscosity	: No data available
/iscosity, kinematic	: No data available
/iscosity, dynamic	: No data available
0.2. Other information	
Refractive index	: 1.458 (@ 20 °C)
SECTION 10: Stability and reactivity	ty
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and s	storage conditions.
0.3. Possibility of hazardous reactions	s
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	
Asida Asid ablaridaa Asid anbudridaa Carba	e disuide. Otresse suidising exerts

Acids. Acid chlorides. Acid anhydrides. Carbon dioxide. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information			
11.1.	Information on toxicological effects		
Acute to	xicity	: Not classified	
Skin cor	rosion/irritation	: Causes severe skin burns and eye damage.	

Skin corrosion/irritation	: Causes severe skin burns and eye
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	· May cause respiratory irritation

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTIO	N 12: Ecological information
12.1.	Toxicity
No additio	nal information available
12.2.	Persistence and degradability
No additio	nal information available
12.3.	Bioaccumulative potential
No additio	nal information available
12.4.	Mobility in soil
No additio	nal information available
12.5.	Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

DOT Symbols

DOT Special Provisions (49 CFR 172.102)

- : UN2735 Amines, liquid, corrosive, n.o.s., 8, III
- : UN2735
- : Amines, liquid, corrosive, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- : 203
- : 241
- : G Identifies PSN requiring a technical name
- : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 52 - Stow "separated from" acids
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
JN-No. (IMDG)	: 2735
Proper Shipping Name (IMDG)	: AMINES, LIQUID, CORROSIVE, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	

UN-No. (IATA)	: 2735
Proper Shipping Name (IATA)	: Amines, liquid, corrosive, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

### SECTION 15: Regulatory information

### 15.1. US Federal regulations

Pentane-1,5-diamine (462-94-2)	
EPA TSCA Regulatory Flag	S - S - indicates a substance that is identified in a proposed or final Significant New Uses Rule.

CAS No 462-94-2

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Pentane-1,5-diamine

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

#### **CANADA**

No additional information available

#### **EU-Regulations**

No additional information available

#### **National regulations**

Pentane-1,5-diamine (462-94-2) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

#### SECTION 16: Other information

100%

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 4	Flammable liquids Category 4
Skin Corr. 1A	Skin corrosion/irritation Category 1A
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation
NFPA health hazard NFPA fire hazard NFPA reactivity	<ul> <li>3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.</li> <li>2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.</li> <li>0 - Normally stable, even under fire exposure conditions, and are not reactive with water.</li> </ul>
HMIS III Rating	· ·
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.