

Dodecylamine Safety Data Sheet 31301X1 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/04/2018 Version: 1.0

| 1.1. Identification | |
|--|---|
| Product form | : Substance |
| Substance name | : Dodecylamine |
| CAS No | : 124-22-1 |
| Product code | : 3130-1-X1 |
| Formula | : C12H27N |
| Synonyms | : 1-Aminododecane; Laurylamine |
| Other means of identification | : MFCD00008154 |
| 1.2. Relevant identified uses of the s | substance or mixture and uses advised against |
| Use of the substance/mixture | : Laboratory chemicals Manufacture of substances Scientific research and development |
| 1.3. Details of the supplier of the saf | fety data sheet |
| SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs | |
| 1.4. Emergency telephone number | |
| Emergency number | : (844) 523-4086 (3E Company - Account 10069) |
| SECTION 2: Hazard(s) identificati | ion |
| 2.1. Classification of the substance | |
| Classification (GHS-US) | |
| Skin Corr. 1BH314 - Causes severeEye Dam. 1H318 - Causes seriousSTOT SE 3H335 - May cause resSTOT RE 2H373 - May cause dar | piratory irritation nage to organs (gastrointestinal tract, immune system, liver) through prolonged or repeated exposure (Or |
| Skin Corr. 1BH314 - Causes severeEye Dam. 1H318 - Causes seriousSTOT SE 3H335 - May cause resSTOT RE 2H373 - May cause darAsp. Tox. 1H304 - May be fatal ifAquatic Acute 1H400 - Very toxic to acAquatic Chronic 1H410 - Very toxic to ac | s eye damage piratory irritation nage to organs (gastrointestinal tract, immune system, liver) through prolonged or repeated exposure (Or swallowed and enters airways |
| Skin Corr. 1BH314 - Causes severeEye Dam. 1H318 - Causes seriousSTOT SE 3H335 - May cause resSTOT RE 2H373 - May cause darAsp. Tox. 1H304 - May be fatal ifAquatic Acute 1H400 - Very toxic to acAquatic Chronic 1H410 - Very toxic to acFull text of H-phrases: see section 16 | s eye damage piratory irritation nage to organs (gastrointestinal tract, immune system, liver) through prolonged or repeated exposure (Or swallowed and enters airways quatic life |
| Skin Corr. 1BH314 - Causes severeEye Dam. 1H318 - Causes seriousSTOT SE 3H335 - May cause resSTOT RE 2H373 - May cause danAsp. Tox. 1H304 - May be fatal ifAquatic Acute 1H400 - Very toxic to acAquatic Chronic 1H410 - Very toxic to acFull text of H-phrases: see section 162.2.Label elements | s eye damage piratory irritation nage to organs (gastrointestinal tract, immune system, liver) through prolonged or repeated exposure (Or swallowed and enters airways quatic life |
| Skin Corr. 1BH314 - Causes severeEye Dam. 1H318 - Causes seriousSTOT SE 3H335 - May cause resistSTOT RE 2H373 - May cause darAsp. Tox. 1H304 - May be fatal ifAquatic Acute 1H400 - Very toxic to acAquatic Chronic 1H410 - Very toxic to acFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling | s eye damage piratory irritation nage to organs (gastrointestinal tract, immune system, liver) through prolonged or repeated exposure (Or swallowed and enters airways quatic life |
| Skin Corr. 1BH314 - Causes severeEye Dam. 1H318 - Causes seriousSTOT SE 3H335 - May cause resSTOT RE 2H373 - May cause darAsp. Tox. 1H304 - May be fatal ifAquatic Acute 1H400 - Very toxic to acAquatic Chronic 1H410 - Very toxic to acFull text of H-phrases: see section 16 | s eye damage piratory irritation nage to organs (gastrointestinal tract, immune system, liver) through prolonged or repeated exposure (Or swallowed and enters airways quatic life quatic life with long lasting effects : : : : : : : : : : : : : |
| Skin Corr. 1B H314 - Causes severe Eye Dam. 1 H318 - Causes serious STOT SE 3 H335 - May cause respective STOT RE 2 H373 - May cause dar Asp. Tox. 1 H304 - May be fatal if Aquatic Acute 1 H400 - Very toxic to ac Aquatic Chronic 1 H410 - Very toxic to ac Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) | s eye damage piratory irritation nage to organs (gastrointestinal tract, immune system, liver) through prolonged or repeated exposure (Or swallowed and enters airways quatic life quatic life with long lasting effects : Comparison of the system of |
| Skin Corr. 1B H314 - Causes severe Eye Dam. 1 H318 - Causes serious STOT SE 3 H335 - May cause respective STOT RE 2 H373 - May cause dar Asp. Tox. 1 H304 - May be fatal if an any cause dar Aquatic Acute 1 H400 - Very toxic to act Aquatic Chronic 1 H410 - Very toxic to act Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) | s eye damage piratory irritation mage to organs (gastrointestinal tract, immune system, liver) through prolonged or repeated exposure (Or swallowed and enters airways quatic life quatic life with long lasting effects : i = i = i = i = i = i = i = i = i = i = |

Dodecylamine Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | P3 len P3 P3 P3 P3 P3 P3 P4 P4 | | cautiously with water intinue rinsing ENTER or doctor/ phy if you feel unwell emental first aid instru before reuse ed place. Keep contair | ctions on this label) her tightly closed |
|---|--|---|--|--|
| 2.3. Other hazards | | | | |
| No additional information available 2.4. Unknown acute toxicity (GHS U | S) | | | |
| Not applicable | -, | | | |
| SECTION 3: Composition/inform | ation on | inaredients | | |
| 3.1. Substance | | | | |
| Substance type | : Mc | no-constituent | | |
| Name | | Product identifier | % | Classification (GHS-US) |
| Dodecylamine (Main constituent) | | (CAS No) 124-22-1 | <= 100 | Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Full text of H-phrases: see section 16 | | | | |
| 3.2. Mixture | | | | |
| Not applicable | | | | |
| SECTION 4: First aid measures | - | | | |
| 4.1. Description of first aid measure First-aid measures general | | case of accident or if you feel unw | ell, seek medical advid | e immediately (show the label |
| First-aid measures after inhalation | wh | ere possible). Move the affected p | personnel away from the | |
| First-aid measures after skin contact | res | piration. Get immediate medical a | advice/attention. | d clothing and shoes. Get immediate |
| First-aid measures after eye contact | me | dical advice/attention. | | 5 minutes. Remove contact lenses, if |
| First-aid measures after ingestion | pre | esent and easy to do. Continue rin | sing. Get immediate m | nedical advice/attention. |
| 5 | : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention. | | | |
| 4.2. Most important symptoms and | | | | |
| Symptoms/injuries | : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11. | | | |
| Symptoms/injuries after inhalation | | terial is destructive to tissue of the ortness of breath, headache, naus | | s and upper respiratory tract. Cough, |
| 4.3. Indication of any immediate me Treat symptomatically. | dical atten | tion and special treatment need | ed | |
| SECTION 5: Firefighting measure | es | | | |
| 5.1. Extinguishing media | | | | |
| Suitable extinguishing media | | cohol resistant foam. Carbon dioxic propriate for surrounding fire. | de. Dry powder. Water | spray. Use extinguishing media |
| 5.2. Special hazards arising from the | e substanc | e or mixture | | |
| Fire hazard | : Th | ermal decomposition generates: C | Carbon oxides. Nitroge | n oxides. |
| Explosion hazard | | nen mixed with air and exposed to | | st may burn in the open air or nement. Use water spray or fog for |
| | | blode if contined. Risk of explosion bling exposed containers. May for | | |

| 5.3. Advice for firefighters | |
|---|---|
| Firefighting instructions | : In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. |
| Protection during firefighting | : Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". |
| SECTION 6: Accidental release m | easures |
| 6.1. Personal precautions, protective | equipment and emergency procedures |
| General measures | : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust. Do not breathe gas, fumes, vapor or spray. |
| 6.1.1. For non-emergency personnel | |
| Emergency procedures | : Only qualified personnel equipped with suitable protective equipment may intervene. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Avoid raising dust. Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition. |
| 6.2. Environmental precautions | |
| Avoid release to the environment. Notify auth | norities if product enters sewers or public waters. |
| 6.3. Methods and material for contain | nment and cleaning up |
| For containment | : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. |
| Methods for cleaning up | Minimize generation of dust. Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. |
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". |
| 6.4. Reference to other sections | |
| No additional information available | |
| SECTION 7: Handling and storage | 9 |
| 7.1. Precautions for safe handling | |
| Additional hazards when processed | : When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined. Handle empty containers with care because residual vapors are flammable. |
| Precautions for safe handling | : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. |
| | |

| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
|---|--|
| 7.2. Conditions for safe storage, include | ling any incompatibilities |
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep container closed when not in use. Keep away from ignition sources. Air sensitive. Keep contents under inert gas. |
| Incompatible materials | : Refer to Section 10 on Incompatible Materials. |

Storage area : Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

| 01/04/2018 | EN (English US) | SDS ID: 31301X1 | 3/8 |
|----------------------------------|-------------------------------------|--|-------------------|
| Skin and body protection | : Wear suitable protective clothing | g. | |
| Eye protection | : Chemical goggles or safety glas | : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection. | |
| Hand protection | : Protective gloves. 29 CFR 1910 | .138: Hand Protection. | |
| Appropriate engineering controls | | vork station. Emergency eye wash fountains a diate vicinity of any potential exposure. | nd safety showers |
| 8.2. Exposure controls | | | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Respiratory protection | : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. | |
|---|--|--|
| Other information | : Safety shoes. 29 CFR 1910.136: Foot Protection. | |
| SECTION 9: Physical and chemical properties | | |
| 9.1. Information on b | basic physical and chemical properties | |
| Physical state | - Solid | |

| Physical state | : Solid |
|---|------------------------|
| Appearance | : Low melting solid. |
| Color | : No data available |
| Odor | : No data available |
| Odor threshold | : No data available |
| рН | : No data available |
| Melting point | : 27 - 31 °C |
| Freezing point | : No data available |
| Boiling point | : 247 - 249 °C |
| Flash point | : 115 °C |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : 64 mm Hg (at 170 °C) |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Specific gravity / density | : 0.806 g/ml (@ 25 °C) |
| Molecular mass | : 185.35 g/mol |
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| 0.0 Other information | |

9.2. Other information No additional information available

SECTION 10: Stability and reactivity

| SEC | non to. Stability and reactivity |
|--------|--|
| 10.1. | Reactivity |
| No add | ditional information available |
| 10.2. | Chemical stability |
| The pr | oduct is stable at normal handling and storage conditions. |
| 10.3. | Possibility of hazardous reactions |
| No add | ditional information available |
| 10.4. | Conditions to avoid |
| Keep a | away from heat, sparks and flame. |
| 10.5. | Incompatible materials |
| Acids. | Acid chlorides. Acid anhydrides. Strong oxidizing agents. |

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

| Dodecylamine (124-22-1) | |
|--|--|
| LD50 oral rat | > 2000 mg/kg |
| Skin corrosion/irritation | : Causes severe skin burns and eye damage. |
| Serious eye damage/irritation | : Causes serious eye damage. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : May cause respiratory irritation. |
| Specific target organ toxicity (repeated exposure) | : May cause damage to organs (gastrointestinal tract, immune system, liver) through prolonged or repeated exposure (Oral). |
| Aspiration hazard | : May be fatal if swallowed and enters airways. |
| Symptoms/injuries after inhalation | : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough shortness of breath, headache, nausea. |

SECTION 12: Ecological information

| 12.1. Toxicity | | |
|-------------------------------------|---|--|
| Dodecylamine (124-22-1) | | |
| LC50 fish 1 | 0.0982 - 0.108 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) | |
| 12.2. Persistence and degradability | | |
| No additional information available | | |
| 12.3. Bioaccumulative potential | | |
| No additional information available | | |
| 12.4. Mobility in soil | | |
| No additional information available | | |
| 12.5. Other adverse effects | | |
| No additional information available | | |

| SECTION 13: Disposal consideration | tions |
|------------------------------------|---|
| 13.1. Waste treatment methods | |
| Waste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. |
| Waste disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Additional information | : Recycle the material as far as possible. |
| SECTION 14: Transport informati | on |
| Department of Transportation (DOT) | |
| In accordance with DOT | |
| Transport document description | : UN3259 Amines, solid, corrosive, n.o.s., 8, II |

| UN-No.(DOT) | : UN3259 |
|----------------------------------|---|
| Proper Shipping Name (DOT) | : Amines, solid, corrosive, n.o.s. |
| Transport hazard class(es) (DOT) | : 8 - Class 8 - Corrosive material 49 CFR 173.136 |

Dodecylamine Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Hazard labels (DOT) | : 8 - Corrosive |
|--|--|
| | |
| | |
| | 8 |
| Packing group (DOT) | : II - Medium Danger |
| Dangerous for the environment | : Yes |
| Marine pollutant | : Yes |
| | |
| | |
| DOT Packaging Non Bulk (49 CFR 173.xxx) | : 212 |
| DOT Packaging Bulk (49 CFR 173.xxx) | : 240 |
| DOT Symbols | : G - Identifies PSN requiring a technical name |
| DOT Special Provisions (49 CFR 172.102) | : IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, |
| | 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with the sift of the sitted with the sift of the sitted with th |
| | a sift-proof and water-resistant liner. |
| | T3 - 2.65 178.274(d)(2) Normal 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and |
| | powdered solids and for solids which are filled and discharged at temperatures above their |
| | melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable |
| | tanks conforming to the provisions of portable tank instruction T4 for solid substances of |
| | packing group III or T7 for solid substances of packing group II, unless a tank with more |
| | stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank |
| | instruction and special provisions shall apply. Filling limits must be in accordance with portable |
| | tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter. |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 154 |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 15 kg |
| DOT Quantity Limitations Cargo aircraft only (49 | : 50 kg |
| CFR 175.75) DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a |
| | passenger vessel. |
| DOT Vessel Stowage Other | : 52 - Stow "separated from" acids |
| Other information | : No supplementary information available. |
| TDG | |
| No additional information available | |
| Transport by sea | |
| UN-No. (IMDG) | : 3259 |
| Proper Shipping Name (IMDG) | : AMINES, SOLID, CORROSIVE, N.O.S. |
| Class (IMDG) | : 8 - Corrosive substances |
| Packing group (IMDG) | : II - substances presenting medium danger |
| Air transport | |
| UN-No. (IATA) | : 3259 |
| Proper Shipping Name (IATA) | : Amines, solid, corrosive, n.o.s. |
| Class (IATA) | : 8 - Corrosives |
| Packing group (IATA) | : II - Medium Danger |
| | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 15: Regulatory information | |
|---|--|
| 15.1. US Federal regulations | |
| Dodecylamine (124-22-1) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Dodecylamine (124-22-1)

Listed on the Canadian DSL (Domestic Sustances List)

EU-Regulations

No additional information available

National regulations

Dodecylamine (124-22-1)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

| Aquatic Acute 1 | Hazardous to the aquatic environment - Acute Hazard Category 1 |
|-------------------|--|
| Aquatic Chronic 1 | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
| Asp. Tox. 1 | Aspiration hazard Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Skin Corr. 1B | Skin corrosion/irritation Category 1B |
| STOT RE 2 | Specific target organ toxicity (repeated exposure) Category 2 |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H304 | May be fatal if swallowed and enters airways |
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage |
| H335 | May cause respiratory irritation |
| H373 | May cause damage to organs through prolonged or repeated |
| | exposure |
| H400 | Very toxic to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |

NFPA health hazard

 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
 1 - Must be preheated before ignition can occur.

NFPA fire hazard NFPA reactivity

 O - Normally stable, even under fire exposure conditions, and are not reactive with water.



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| HMIS III Rating | |
|-----------------|---|
| Health | : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given |
| Flammability | 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) |
| Physical | : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. |

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.