

Material Safety Data Sheet

Transportation Emergency: 1-800-451-8346

Date last revised: September 7, 2010 Date printed: September 7, 2010

SECTION 1. ----- CHEMICAL IDENTIFICATION-----

CATALOG #: 3130-3-X2

NAME: 2-AMINO-3-METHYL-1,1,1-TRIFLUOROBUTANE

SECTION 2. ---- COMPOSITION/INFORMATION ON INGREDIENTS -----

CAS #: 1582-18-9 MF: $C_5H_{10}F_3N = 141.13$

SECTION 3. ----- HAZARDS IDENTIFICATION -----

LABEL PRECAUTIONARY STATEMENTS

CORROSIVE.

CAUSES BURNS.

IRRITANT.

IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.

COMBUSTIBLE LIQUID.

SECTION 4. ----- FIRST-AID MEASURES-----

ORAL EXPOSURE

IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN IMMEDIATELY.

INHALATION EXPOSURE

IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE

ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

EYE EXPOSURE

ASSURE ADEQUATE FLUSHING OF THE EYES BY SEPARATING THE EYELIDS WITH FINGERS.

SECTION 5. ----- FIRE FIGHTING MEASURES -----

FLASH POINT

NOT AVAILABLE

EXTINGUISHING MEDIA

CARBON DIOXIDE, DRY CHEMICAL POWDER OR APPROPRIATE FOAM.

SPECIAL FIREFIGHTING PROCEDURES

WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.

EXTREMELY FLAMMABLE.

UNUSUAL FIRE AND EXPLOSIONS HAZARDS

EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

CONTAINER EXPLOSION MAY OCCUR UNDER FIRE CONDITIONS.

SECTION 6. ----- ACCIDENTAL RELEASE MEASURES-----

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL

EVACUATE AREA. SHUT OFF ALL SOURCES OF IGNITION.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS, AND HEAVY RUBBER GLOVES.

METHODS FOR CLEANING UP

ABSORB ON SAND OR VERMICULITE AND PLACE IN CLOSED CONTAINERS FOR DISPOSAL. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

SECTION 7. ----- HANDLING AND STORAGE-----

HANDLING

USER EXPOSURE: AVOID INHALATION. DO NOT GET IN EYES, ON SKIN, ON CLOTHING. AVOID PROLONGED OR REPEATED EXPOSURE.

STORAGE

SUITABLE: KEEP TIGHTLY CLOSED. KEEP AWAY FROM HEAT AND OPEN FLAME. STORE IN A COOL DRY PLACE.

SECTION 8. ----- EXPOSURE CONTROLS/PERSONAL PROTECTION-----

ENGINEERING CONTROLS

USE ONLY IN A CHEMICAL FUME HOOD. SAFETY SHOWER AND EYE BATH. PERSONAL PROTECTIVE EQUIPMENT

OTHER: WEAR APPROPRIATE GOVERNMENT APPROVED RESPIRATOR, CHEMICAL-RESISTANT GLOVES, SAFETY GOGGLES, OTHER PROTECTIVE CLOTHING. FACESHIELD (8-INCH MINIMUM).

GENERAL HYGIENE MEASURES

WASH THOROUGHLY AFTER HANDLING. WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 9. ----- PHYSICAL AND CHEMICAL PROPERTIES -----

APPEARANCE AND ODOR LIQUID PHYSICAL PROPERTIES REFRACTIVE INDEX:

1.324 @ 20 °C

SECTION 10. -----STABILITY AND REACTIVITY -----

STABILITY

STABLE: AIR SENSITIVE.

MATERIALS TO AVOID: STRONG OXIDIZING AGENTS, STRONG ACIDS, ACID CHLORIDES, ACID ANHYDRIDES, CARBON DIOXIDE.

HAZARDOUS DECOMPOSITION PRODUCTS

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN OXIDES, HYDROGEN FLUORIDE.

HAZARDOUS POLYMERIZATION

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION 11. ----- TOXICOLOGICAL INFORMATION -----

ROUTE OF EXPOSURE

MULTIPLE ROUTES: IRRITATING TO THE EYES, RESPIRATORY SYSTEM AND SKIN. MAY BE HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. SIGNS AND SYMPTOMS OF EXPOSURE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED. SYMPTOMS OF EXPOSURE MAY INCLUDE BURNING SENSATION, COUGHING, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA, AND VOMITING. INHALATION MAY RESULT IN SPASM, INFLAMMATION AND EDEMA OF THE LARYNX AND BRONCHI, CHEMICAL PNEUMONITIS, AND PULMONARY EDEMA. MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN.

SECTION 12. ----- ECOLOGICAL INFORMATION -----

DATA NOT YET AVAILABLE.

SECTION 13. ----- DISPOSAL CONSIDERATIONS -----

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION THIS COMBUSTIBLE MATERIAL MAY BE BURNED IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OBSERVE ALL FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

SECTION 14. ----- TRANSPORT INFORMATION -----

DOT

PROPER SHIPPING NAME: AMINES, FLAMMABLE, CORROSIVE, N.O.S.

UN#: 2733 CLASS: [3&8]

PACKING GROUP: PACKING GROUP II

HAZARD LABEL: AMINES, LIQUID CORROSIVE.

SECTION 15. ----- REGULATORY INFORMATION -----

EU ADDITIONAL CLASSIFICATION

SYMBOL OF DANGER: C, Xi

INDICATION OF DANGER: CORROSIVE, IRRITANT.

R: 34-20/21/22-36/37/39

RISK STATEMENTS: CAUSES BURNS. IRRITATING TO THE EYES RESPIRATORY SYSTEM AND SKIN.

S: 26-27-36/37/39-45

SAFETY STATEMENTS: IN CASE OF CONTACT WITH EYES, RINSE

IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. TAKE

OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. WEAR SUITABLE

PROTECTIVE CLOTHING, GLOVES, AND EYE/FACE PROTECTION.

US CLASSIFICATION AND LABEL TEXT

INDICATION OF DANGER: CORROSIVE, IRRITANT.

RISK STATEMENTS: CAUSES BURNS. IRRITATING TO THE EYES RESPIRATORY SYSTEM AND SKIN.

SAFETY STATEMENTS: IN CASE OF CONTACT WITH EYES, RINSE

IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. TAKE

OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. WEAR SUITABLE

PROTECTIVE CLOTHING, GLOVES, AND EYE/FACE PROTECTION.

US STATEMENTS: CORROSIVE. CAUSES BURNS.

UNITED STATES REGULATORY INFORMATION

TSCA LISTED: NO

SECTION 16. ----- OTHER INFORMATION-----

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SYNQUEST LABS, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.