

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 3130701 Issue date: 10.07.2019 Revision date: 18.12.2023 Version: 1.1

| SECTION 1: Identification | |
|--|---|
| 1.1. Identification | |
| Product form Substance name CAS-No. Product code Formula Other means of identification | Substance 2,2,3,3,3-Pentafluoropropylamine hydrochloride 374-14-1 3130-7-01 C3H5CIF5N MFCD00054747 |
| 1.2. Recommended use and restrictions on |) use |
| Use of the substance/mixture | : Laboratory chemicals Manufacture of substances Scientific research and development |
| 1.3. Supplier | |
| SynQuest Laboratories, Inc. Inc. P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com | |
| 1.4. Emergency telephone number | |
| Emergency number | : (844) 523-4086 (3E Company - Account 10069) |
| SECTION 2: Hazard(s) identification | |
| 2.1. Classification of the substance or mix | ture |
| GHS US classification | |
| Acute toxicity (oral) Category 3 Acute toxicity (inhalation:dust,mist) Category 4 | H301Toxic if swallowedH332Harmful if inhaled |

| Actic toxicity (oral) category 5 | 11501 | |
|---|-------|----------------------------------|
| Acute toxicity (inhalation:dust,mist) Category 4 | H332 | Harmful if inhaled |
| Skin corrosion/irritation Category 2 | H315 | Causes skin irritation |
| Serious eye damage/eye irritation Category 2A | H319 | Causes serious eye irritation |
| Specific target organ toxicity – Single exposure, Category 3, | H335 | May cause respiratory irritation |
| Respiratory tract irritation | | |
| Full text of H statements : see section 16 | | |
| | | |

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US)



: H301 - Toxic if swallowed

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Precautionary statements (GHS US) | H332 - Harmful if inhaled H335 - May cause respiratory irritation P261 - Avoid breathing dust, mist, spray. P264 - Wash skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 - If swallowed: Immediately call a poison center or doctor. P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P330 - Rinse mouth. P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/container to an approved waste disposal plant |
|-----------------------------------|---|
|-----------------------------------|---|

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type

: Mono-constituent

| Name | Product identifier | % | GHS US classification |
|--|--------------------|---|--|
| 2,2,3,3,3-Pentafluoropropylamine hydrochloride (Main constituent) | CAS-No.: 374-14-1 | | Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

| SECTION 4: First-aid measures | |
|--|--|
| 4.1. Description of first aid measures | |
| First-aid measures general | : In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention. |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| First-aid measures after skin contact First-aid measures after eye contact | Wash with plenty of soap and water. Get immediate medical advice/attention. Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. |
|---|--|
| First-aid measures after ingestion | : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention. |
| 4.2. Most important symptoms and eff | fects (acute and delayed) |

Symptoms/effects

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

| SECTION 5: Fire-fighting measures | ; |
|---|---|
| 5.1. Suitable (and unsuitable) extinguis | shing media |
| Suitable extinguishing media | : Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire. |
| 5.2. Specific hazards arising from the c | :hemical |
| Fire hazard | : Thermal decomposition generates: Carbon oxides. Hydrogen chloride. Hydrogen fluoride. Nitrogen oxides. |
| 5.3. Special protective equipment and | precautions for fire-fighters |
| Firefighting instructions Protection during firefighting | In case of fire: Evacuate area. Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". |

| SECTION 6: Accidental release measu | ires |
|---|---|
| | |
| 6.1. Personal precautions, protective equip | pment and emergency procedures |
| General measures | : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust. |
| 6.1.1. For non-emergency personnel | |
| Emergency procedures | : Only qualified personnel equipped with suitable protective equipment may intervene. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

| 6.3. Methods and material for contain | ment and cleaning up |
|---|---|
| For containment Methods for cleaning up Other information | Stop leak if safe to do so. Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust. For disposal of solid materials or residues refer to section 13 : "Disposal considerations". |

6.4. Reference to other sections

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 7: Handling and storage | |
|---|--|
| 7.1. Precautions for safe handling | |
| Ŭ | Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage, including a | ny incompatibilities |
| Storage conditions | Comply with applicable regulations. Keep container closed when not in use. Hygroscopic. Keep contents under inert gas. Refer to Section 10 on Incompatible Materials. Store in dry, cool, well-ventilated area. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| 2,2,3,3,3-Pentafluoropropylamine hydrochloride (374-14-1) |
|---|
| No additional information available |
| 8.2. Appropriate engineering controls |
| |

Appropriate engineering controls

: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

protective gloves. 29 CFR 1910.138: Hand Protection

Eye protection:

Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

Personal protective equipment symbol(s):



Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 9.1. Information on basic physical and ch | emical properties | |
|---|---------------------|--|
| Physical state | : Solid | |
| Color | : No data available | |
| Odor | : No data available | |
| Odor threshold | : No data available | |
| рН | : No data available | |
| Melting point | : 247 – 248 °C | |
| Freezing point | : No data available | |
| Boiling point | : No data available | |
| Flash point | : No data available | |
| Relative evaporation rate (butyl acetate=1) | : No data available | |
| Flammability (solid, gas) | : No data available | |
| Vapor pressure | : No data available | |
| Relative vapor density at 20 °C | : No data available | |
| Relative density | : No data available | |
| Molecular mass | : 185,524 g/mol | |
| Solubility | : No data available | |
| Partition coefficient n-octanol/water (Log Pow) | : No data available | |
| Auto-ignition temperature | : No data available | |
| Decomposition temperature | : No data available | |
| Viscosity, kinematic | : No data available | |
| Viscosity, dynamic | : No data available | |
| Explosion limits | : No data available | |
| Explosive properties | : No data available | |
| Oxidizing properties | : No data available | |

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 11: Toxicological information | | |
|--|--|--|
| 11.1. Information on toxicological effects | | |
| Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) | Toxic if swallowed. Not classified Harmful if inhaled. | |
| 2,2,3,3,3-Pentafluoropropylamine hydrochloride (374-14-1) | | |
| ATE US (oral) | 100 mg/kg body weight | |
| ATE US (dust, mist) | 1,5 mg/l/4h | |
| Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Viscosity, kinematic | Causes skin irritation. Causes serious eye irritation. Not classified Not classified Not classified Not classified May cause respiratory irritation. Not classified | |
| Symptoms/effects | : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11. | |

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

| 12.2. Persistence and degradability | | |
|---|---|--|
| 2,2,3,3,3-Pentafluoropropylamine hydrochloride (374-14-1) | | |
| Persistence and degradability | Not readily biodegradable. May cause long-term adverse effects in the environment. PBT - Persistent, Bioaccumulative and Toxic. | |
| 12.3. Bioaccumulative potential | | |
| 2,2,3,3,3-Pentafluoropropylamine hy | drochloride (374-14-1) | |
| Bioaccumulative potential | Perfluorinated alkanes (PFAs, "forever chemicals") are long lasting, widely used chemicals that break down slowly over time. The potential hazards of PFAs are under investigation and have not been established. | |
| 12.4. Mobility in soil | | |

No additional information available

12.5. Other adverse effects

No additional information available

:

·

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations Additional information Ecology - waste materials

- : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
- : See the EPA's Interim Guidance on PFAS Destruction and Disposal.

Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible.

: This material is considered to be a "Forever chemical". Prevent any possible release to the environment. Do not discharge into drains. Take all necessary measures to prevent accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems, or emergency response.

SECTION 14: Transport information

| 14.1. UN number | |
|--|---|
| DOT NA No UN-No. (TDG) UN-No. (IMDG) UN-No. (IATA) | : UN2811 : Not applicable : 2811 : 2811 |
| 14.2. UN proper shipping name | |
| Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) | Toxic solids, organic, n.o.s. Not applicable TOXIC SOLID, ORGANIC, N.O.S. Toxic solid, organic, n.o.s. |
| 14.3. Transport hazard class(es) | |
| DOT Transport hazard class(es) (DOT) Hazard labels (DOT) | : 6.1 : 6.1 |
| TDG Transport hazard class(es) (TDG) | : Not applicable |
| IMDG Transport hazard class(es) (IMDG) Hazard labels (IMDG) | : 6.1 : 6.1 |
| IATA Transport hazard class(es) (IATA) Hazard labels (IATA) | : 6.1 : 6.1 |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | 6 |
|--|--|
| 14.4. Packing group | |
| Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA) | : III : Not applicable : III : III |
| 14.5. Environmental hazards | |
| Other information | : No supplementary information available. |
| 14.6. Special precautions for user | |
| DOT UN-No.(DOT) DOT Special Provisions (49 CFR 172.102) | UN2811 IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal |
| DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) | : 153 : 213 : 240 |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 100 kg |
| DOT Quantity Limitations Cargo aircraft only (49 | : 200 kg |
| CFR 175.75) DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. |
| TDG No data available | |
| IMDG Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) | 223, 274 5 kg E1 P002 IBC08 B3 T1 TP33 |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) | : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE : S-A - SPILLAGE SCHEDULE Alfa - TOXIC SUBSTANCES : A |
|---|--|
| IATA PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provision (IATA) | : E1 : Y645 : 10kg : 670 : 100kg : 677 : 200kg : A3, A5 |
| ERG code (IATA) | : 6L |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

| All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for: | | |
|---|------------------|------|
| 2,2,3,3,3-Pentafluoropropylamine hydrochloride | CAS-No. 374-14-1 | 100% |
| 15.2. International regulations | | |
| CANADA | | |
| No additional information available | | |
| EU-Regulations | | |
| No additional information available | | |
| National regulations | | |
| No additional information available | | |
| 15.3. US State regulations | | |
| | | |

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 18.12.2023

| Full text of H-phrases | |
|------------------------|----------------------------------|
| H301 | Toxic if swallowed |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled |
| H335 | May cause respiratory irritation |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| NFPA health hazard | : 3 - Materials that, under emergency conditions, can cause serious or permanent injury. |
|--------------------|---|
| NFPA fire hazard | O - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. |
| NFPA reactivity | : 0 - Material that in themselves are normally stable, even under fire conditions. |
| Hazard Rating | |
| Health | : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given |
| Flammability | : 0 Minimal Hazard - Materials that will not burn |
| Physical | : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. |

Safety Data Sheet (SDS), USA