

N-Methylethylamine Safety Data Sheet 3131102 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/17/2018 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: N-Methylethylamine		
CAS No	624-78-2		
Product code	: 3131-1-02		
Formula	: C3H9N		
Synonyms	: Ethyl(methyl)amine		
Other means of identification	: MFCD00009030		
	substance or mixture and uses adv	vised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and deve	lopment	
1.3. Details of the supplier of the sa	fety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab			
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Compar	ny - Account 10069)	
SECTION 2: Hazard(s) identificat	ion		
2.1. Classification of the substance			
Classification (GHS-US)			
Skin Corr. 1CH314 - Causes severe skiEye Dam. 1H318 - Causes serious eySTOT SE 3H335 - May cause respiraFull text of H-phrases: see section 16	e damage		
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: GHS02 GHS05	GHS07	
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H225 - Highly flammable liq H314 - Causes severe skin H335 - May cause respirato	burns and eye damage	
Precautionary statements (GHS-US)	P233 - Keep container tightl P240 - Ground/bond contain P241 - Use explosion-proof P242 - Use only non-sparkir P243 - Take precautionary r P260 - Do not breathe dust// P264 - Wash skin thoroughl P271 - Use only outdoors or P280 - Wear protective glov P301+P330+P331 - If swall P303+P361+P353 - If on ski skin with water/shower P304+P340 - If inhaled: Rer	er and receiving equipment electrical/ventilating/lighting equipment ng tools neasures against static discharge fume/gas/mist/vapors/spray y after handling	ection ated clothing. Rinse e for breathing
07/17/2018	EN (English US)	SDS ID: 3131102	Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P31 P32 P36 P37 P40 P40 P40	lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician P321 - Specific treatment (see supplemental first aid instructions on this label) P363 - Wash contaminated clothing before reuse P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant		
2.3. Other hazards				
Other hazards not contributing to the classification	: Risl	c of explosion if heated under confinemen	t.	
2.4. Unknown acute toxicity (GHS US	5)			
Not applicable				
SECTION 3: Composition/informa	ition on i	ngredients		
3.1. Substance				
Substance type	: Mor	no-constituent		
Name		Product identifier	%	Classification (GHS-US)
N-Methylethylamine (Main constituent)		(CAS No) 624-78-2	<= 100	Flam. Liq. 2, H225 Skin Corr. 1C, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16			•	
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures	6			
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.			
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.			
First-aid measures after skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention.			
First-aid measures after eye contact	<ul> <li>Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.</li> <li>Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse</li> </ul>			
First-aid measures after ingestion	mou	uth out with water. Get immediate medical		
4.2. Most important symptoms and e	,			
Symptoms/injuries	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.			
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.			
4.3. Indication of any immediate med Treat symptomatically.	lical attenti	on and special treatment needed		
SECTION 5: Firefighting measure	S			
5.1. Extinguishing media		abol registrant form Carbon diavide Drive	owdor Motor o	prov. Uso ovtinguishing modia
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.			
5.2. Special hazards arising from the			data Niji	
Fire hazard	: Thermal decomposition generates: Carbon oxides. Nitrogen oxides.			
Explosion hazard	: Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture.			
5.3. Advice for firefighters				
Firefighting instructions		ase of fire: Evacuate area. Fight fire remo	•	•
Protection during firefighting		ar gas tight chemically protective clothing aratus. For further information refer to see		
07/17/2018		nglish LIS)	SDS ID: 313110	2 2/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protective equ	ipment and emergency procedures
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. May cause suffocation by reducing oxygen available for breathing. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify authoritie	es if product enters sewers or public waters.
6.3. Methods and material for containment	nt and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includin	g any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Prohibitions on mixed storage	: Do not store with: Acids.
Storage area	: Store in dry, cool, well-ventilated area.

# SECTION 8: Exposure controls/personal protection

#### **Control parameters** 8.1.

No additional information available

Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Systems under pressure should be regularily checked for leakage. Oxygen detectors should be used when asphyxiating gases may be released. Gas detectors should be used when toxic gases may be released.
: Protective gloves. 29 CFR 1910.138: Hand Protection.
: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
: Wear suitable protective clothing.
: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

: Safety shoes, 29 CFR 1910,136; Foot Protection,

Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.		
SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: 36 - 37 °C		
Flash point	: <-34 °C		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: No data available		
Relative density	: No data available		
Relative vapor density at 20 °C	: No data available		
Specific gravity / density	: 0.688 g/ml (@ 25 °C)		
Molecular mass	: 59.1103 g/mol		
Solubility	: No data available		
Log Pow	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Viscosity	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
9.2. Other information			
Refractive index	: 1.37 (@ 20 °C)		
SECTION 10: Stability and reactivity			
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
The product is stable at normal handling and stora	age conditions.		
10.3. Possibility of hazardous reactions			
No additional information available			
10.4. Conditions to avoid			
Keep away from heat, sparks and flame.			
10.5. Incompatible materials			
Strong oxidizing agents.			
10.6. Hazardous decomposition products			
	rdous decomposition products should not be produced. Hazardous decomposition products in case of		
fire, see Section 5.			
SECTION 11: Toxicological information	on		
11.1. Information on toxicological effects			

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	

SECTION 13: Disposal consideration	ons
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

## **SECTION 14: Transport information**

**Department of Transportation (DOT)** 

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols : UN2733 Amines, flammable, corrosive, n.o.s., 3, II

#### : UN2733

- : Amines, flammable, corrosive, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid
- 8 Corrosive



- : II Medium Danger
- : 202
- : 243
- : G Identifies PSN requiring a technical name

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Exceptions (49 CFR 173.xxx)       : 150         DOT Quantity Limitations Passenger aircraft/rail       : 1 L         (49 CFR 173.27)       : 5 L         DOT Quantity Limitations Cargo aircraft only (49)       : 5 L         CFR 175.75)       : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.         DOT Vessel Stowage Other       : 40 - Stow "clear of living quarters",52 - Stow "separated from" acids         Other information       : No supplementary information available.         TDG       : 2733         Proper Shipping Name (IMDG)       : 2733         Proper Shipping Name (IMDG)       : 1 - substances presenting medium danger         Air transport       : 1 - substances presenting medium danger         Air transport       : 2733         Proper Shipping Name (IATA)       : 2733         Proper Shipping Name (IATA)       : 2733         Proper Shipping Name (IATA)       : 3 - Flammable, corrosive, n.o.s.         Class (IATA)       : 3 - Flammable, corrosive, n.o.s.         Class (IATA)       : 3 - Flammable Liquids	DOT Special Provisions (49 CFR 172.102)	<ul> <li>IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T11 - 6 178.274(d)(2) Normal</li></ul>
(49 CFR 173.27)         DOT Quantity Limitations Cargo aircraft only (49 : 5 L         CFR 175.75)         DOT Vessel Stowage Location       : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passenger seesel in which the number of passengers limited to not more than the larger of 25 passenger vessel is which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.         DOT Vessel Stowage Other       : 40 - Stow "clear of living quarters",52 - Stow "separated from" acids         Other information       : No supplementary information available.         TDG       No additional information available         Transport by sea	DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
CFR 175.75)       Image: CFR 175.75)         DOT Vessel Stowage Location       : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" or passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.         DOT Vessel Stowage Other       : 40 - Stow "clear of living quarters",52 - Stow "separated from" acids         Other information       : No supplementary information available.         TDG       No additional information available         Transport by sea       UN-No. (IMDG)       : 2733         Proper Shipping Name (IMDG)       : AMINES, FLAMMABLE, CORROSIVE, N.O.S.       Class (IMDG)         Class (IMDG)       : II - substances presenting medium danger         Air transport       UN-No. (IATA)       : 2733         Proper Shipping Name (IATA)       : Amines, flammable, corrosive, n.o.s.       Class (IATA)	,	: 1L
passenger vessel carrying a number of passengers limited to not more than the larger of 25         passenger, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" of         passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.         DOT Vessel Stowage Other       : 40 - Stow "clear of living quarters",52 - Stow "separated from" acids         Other information       : No supplementary information available.         TDG       No additional information available         Transport by sea		: 5L
Other information       : No supplementary information available.         TDG         No additional information available         Transport by sea         UN-No. (IMDG)       : 2733         Proper Shipping Name (IMDG)       : AMINES, FLAMMABLE, CORROSIVE, N.O.S.         Class (IMDG)       : 3 - Flammable liquids         Packing group (IMDG)       : II - substances presenting medium danger         Air transport       UN-No. (IATA)       : 2733         Proper Shipping Name (IATA)       : 3 - Flammable, corrosive, n.o.s.         Class (IATA)       : 3 - Flammable, corrosive, n.o.s.	DOT Vessel Stowage Location	passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this
TDG         No additional information available         Transport by sea         UN-No. (IMDG)       : 2733         Proper Shipping Name (IMDG)       : AMINES, FLAMMABLE, CORROSIVE, N.O.S.         Class (IMDG)       : 3 - Flammable liquids         Packing group (IMDG)       : 11 - substances presenting medium danger         Air transport       UN-No. (IATA)         UN-No. (IATA)       : 2733         Proper Shipping Name (IATA)       : 3 - Flammable, corrosive, n.o.s.         Class (IATA)       : 3 - Flammable Liquids	DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters",52 - Stow "separated from" acids
No additional information available         Transport by sea         UN-No. (IMDG)       : 2733         Proper Shipping Name (IMDG)       : AMINES, FLAMMABLE, CORROSIVE, N.O.S.         Class (IMDG)       : 3 - Flammable liquids         Packing group (IMDG)       : 1I - substances presenting medium danger         Air transport       UN-No. (IATA)         UN-No. (IATA)       : 2733         Proper Shipping Name (IATA)       : 3 - Flammable, corrosive, n.o.s.         Class (IATA)       : 3 - Flammable Liquids	Other information	: No supplementary information available.
Transport by seaUN-No. (IMDG): 2733Proper Shipping Name (IMDG): AMINES, FLAMMABLE, CORROSIVE, N.O.S.Class (IMDG): 3 - Flammable liquidsPacking group (IMDG): 1I - substances presenting medium dangerAir transportUN-No. (IATA)UN-No. (IATA): 2733Proper Shipping Name (IATA): Amines, flammable, corrosive, n.o.s.Class (IATA): 3 - Flammable Liquids	TDG	
UN-No. (IMDG): 2733Proper Shipping Name (IMDG): AMINES, FLAMMABLE, CORROSIVE, N.O.S.Class (IMDG): 3 - Flammable liquidsPacking group (IMDG): II - substances presenting medium dangerAir transportUN-No. (IATA): 2733Proper Shipping Name (IATA): Amines, flammable, corrosive, n.o.s.Class (IATA): 3 - Flammable Liquids	No additional information available	
Proper Shipping Name (IMDG): AMINES, FLAMMABLE, CORROSIVE, N.O.S.Class (IMDG): 3 - Flammable liquidsPacking group (IMDG): II - substances presenting medium dangerAir transportUN-No. (IATA)UN-No. (IATA): 2733Proper Shipping Name (IATA): Amines, flammable, corrosive, n.o.s.Class (IATA): 3 - Flammable Liquids	Transport by sea	
Class (IMDG)       : 3 - Flammable liquids         Packing group (IMDG)       : II - substances presenting medium danger         Air transport	UN-No. (IMDG)	: 2733
Packing group (IMDG)       : II - substances presenting medium danger         Air transport		
Air transport         UN-No. (IATA)       : 2733         Proper Shipping Name (IATA)       : Amines, flammable, corrosive, n.o.s.         Class (IATA)       : 3 - Flammable Liquids	Class (IMDG)	: 3 - Flammable liquids
UN-No. (IATA): 2733Proper Shipping Name (IATA): Amines, flammable, corrosive, n.o.s.Class (IATA): 3 - Flammable Liquids	Packing group (IMDG)	: II - substances presenting medium danger
UN-No. (IATA): 2733Proper Shipping Name (IATA): Amines, flammable, corrosive, n.o.s.Class (IATA): 3 - Flammable Liquids	Air transport	
Proper Shipping Name (IATA): Amines, flammable, corrosive, n.o.s.Class (IATA): 3 - Flammable Liquids		: 2733
Class (IATA) : 3 - Flammable Liquids		: Amines, flammable, corrosive, n.o.s.
	Packing group (IATA)	: II - Medium Danger
	15.1. US Federal regulations	

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

	N-Methylethylamine	CAS No 624-78-2	100%
--	--------------------	-----------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

### CANADA

No additional information available

#### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 16: Other information**

### Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Flam. Liq. 2	Flammable liquids Category 2	
Skin Corr. 1C	Skin corrosion/irritation Category 1C	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H225	Highly flammable liquid and vapor	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H335	May cause respiratory irritation	
NFPA health hazard NFPA fire hazard	<ul> <li>3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.</li> <li>3 - Liquids and solids that can be ignited under almost all</li> </ul>	
NFFA IIIe IIdzalu	ambient conditions.	
NFPA reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.	
HMIS III Rating		
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given	
Flammability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)	
Physical	1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at hig temperatures and pressures. Materials may react non-violently with water or undergy hazardous polymerization in the absence of inhibitors.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.