

**2,3,3,3-Tetrafluoropropionitrile** Safety Data Sheet 3137305 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/24/2016 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 2,3,3,3-Tetrafluoropropionitrile		
CAS No	: 431-32-3		
Product code	: 3137-3-05		
Formula	: C3HF4N		
Synonyms	: 2,3,3,3-Tetrafluoropropanenitrile		
Other means of identification	: MFCD00069113		
1.2. Relevant identified uses of the subst	ance or mixture and uses advised a	jainst	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and developmen		
1.3. Details of the supplier of the safety of	lata sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	1		
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company - Acc	ount 10069)	
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or m	ixture		
Classification (GHS-US)			
Acute Tox. 3 (Oral)H301 - Toxic if swallAcute Tox. 3 (Dermal)H311 - Toxic in contaAcute Tox. 4 (Inhalation)H332 - Harmful if inhSkin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes sericSTOT SE 3H335 - May cause reFull text of H-phrases: see section 16	act with skin aled irritation us eye irritation		
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: GHS06 GHS07		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H301+H311 - Toxic if swallowed or H315 - Causes skin irritation H319 - Causes serious eye irritation H332 - Harmful if inhaled H335 - May cause respiratory irritati		
Precautionary statements (GHS-US)	P301+P310 - If swallowed: Immedia P302+P352 - If on skin: Wash with p P304+P340 - If inhaled: Remove pe P305+P351+P338 - If in eyes: Rinst lenses, if present and easy to do. C P312 - Call a POISON CENTER or	andling hen using this product II-ventilated area ctive clothing/eye protection/face protection tely call a poison center/doctor/ olenty of soap and water rson to fresh air and keep comfortable for breathin e cautiously with water for several minutes. Remo pontinue rinsing doctor/physician if you feel unwell	ve contact
12/08/2016	EN (English US)	SDS ID: 3137305	Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		P330 P332 P337 P361 P362 P363 P403 P405	<ul> <li>Specific treatment (see supplemental f</li> <li>Rinse mouth</li> <li>+P313 - If skin irritation occurs: Get med</li> <li>+P313 - If eye irritation persists: Get med</li> <li>Take off immediately all contaminated</li> <li>+P364 - Take off contaminated clothing a</li> <li>Wash contaminated clothing before ret</li> <li>+P233 - Store in a well-ventilated place.</li> <li>Store locked up</li> <li>Dispose of contents/container to an ap</li> </ul>	ical advice/atter lical advice/atte clothing and wash it befo use Keep container	tion ntion re reuse tightly closed
2.3.	Other hazards				
Other haz classificat	8	: Risk	of explosion if heated under confinement		
	Unknown acute toxicity (GHS US)				
Not applic	cable				
SECTIC	ON 3: Composition/information	on in	gredients		
3.1.	Substance				
Substance	e type	: Mono	p-constituent		
Name			Product identifier	%	Classification (GHS-US)
2,3,3,3-Te (Main cons	etrafluoropropionitrile tituent)		(CAS No) 431-32-3	100	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text o	f H-phrases: see section 16				
3.2.	Mixture				
lot applic	able				
SECTIC	ON 4: First aid measures				
l.1.	Description of first aid measures				
First-aid m	neasures general		se of accident or if you feel unwell, seek is possible). Move the affected personnel		
First-aid n	neasures after inhalation		ove person to fresh air and keep comforta ration. Get immediate medical advice/atte		g. If not breathing, give artificial
			with plenty of soap and water. Get imme		
	,	prese	ediately flush eyes thoroughly with water the and easy to do. Continue rinsing. Get	immediate med	ical advice/attention.
First-aid m	neasures after ingestion		OT induce vomiting. Never give anything h out with water. Get immediate medical		
1.2.	Most important symptoms and effects	s, both	acute and delayed		
	- /initian	: The r	nost important known symptoms and effe	ects are describe	ed in the labelling (see section
Symptoms	s/injunes	2.2) a	and/or in section 11.		
Symptoms	Indication of any immediate medical	,			
Symptoms		,			
Symptoms I.3. Freat sym	Indication of any immediate medical	,			
Symptoms I.3. Freat sym	Indication of any immediate medical aptomatically.	,			
Symptoms I.3. Freat sym SECTIC	Indication of any immediate medical a optomatically. ON 5: Firefighting measures Extinguishing media	attentio		owder. Water sp	ray. Use extinguishing media
Symptoms .3. Freat sym SECTIO 5.1. Suitable e	Indication of any immediate medical a optomatically. ON 5: Firefighting measures Extinguishing media	: Alcoh appro	n and special treatment needed nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
Symptoms 1.3. Freat sym SECTIO 5.1. Suitable e 5.2. Fire hazar	Indication of any immediate medical a optomatically. DN 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the sub- rd	: Alcoh appro	n and special treatment needed tol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox	ides. Hydrogen	fluoride. Nitrogen oxides.
Symptoms Treat sym SECTIO 5.1. Suitable e 5.2. Fire hazar	Indication of any immediate medical a optomatically. DN 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the sub- rd	: Alcoh appro stance ( : Therr : Risk (	n and special treatment needed ol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire.	ides. Hydrogen	fluoride. Nitrogen oxides.
Symptoms <b>1.3.</b> Freat sym <b>SECTIO</b> <b>5.1.</b> Suitable e <b>5.2.</b> Fire hazar Explosion	Indication of any immediate medical a optomatically. DN 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the sub- rd	: Alcoh appro stance ( : Therr : Risk (	n and special treatment needed ool resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement	ides. Hydrogen	fluoride. Nitrogen oxides.
Symptoms I.3. Freat sym SECTIO 5.1. Suitable e 5.2. Fire hazar Explosion 5.3.	Indication of any immediate medical a aptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the sub- rd hazard Advice for firefighters	: Alcoh appro stance ( : Therr : Risk conta	n and special treatment needed ool resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement	ides. Hydrogen . Use water spra	fluoride. Nitrogen oxides. ay or fog for cooling exposed

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. May cause suffocation by reducing oxygen available for breathing. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	
Avoid release to the environment. Notify authorit	es if product enters sewers or public waters.
6.3. Methods and material for containme	nt and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Close valve after each use and when empty.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Safe handling of the gas receptacle	: Securely chain cylinders when in use and protect against physical damage.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep container closed when not in use.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.
SECTION 8: Exposure controls/pers	onal protection

#### 8.1. **Control parameters**

No additional information available

8.2.	Exposure controls	
Approp	riate engineering controls	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Systems under pressure should be regularily checked for leakage. Oxygen detectors should be used when asphyxiating gases may be released. Gas detectors should be used when toxic gases may be released.
Hand p	rotection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye pro	otection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin ar	nd body protection	: Wear suitable protective clothing.
Respira	atory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other i	nformation	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemica	I properties
9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 40 - 42 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.362 g/ml (@ 20 °C)
Molecular mass	: 127.04 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.27 (@ 20 °C)
SECTION 10: Stability and reactivi	tv
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and s	storage conditions
10.3. Possibility of hazardous reactions	S
No additional information available	
10.4. Conditions to avoid	
Protect from sunlight. Do not expose to tempe	ratures exceeding 50 °C. Keep away from heat, sparks and flame.
10.5. Incompatible materials	
Strong acids. Strong bases. Strong oxidizing a	agents. Strong reducing agents.
10.6. Hazardous decomposition produc	cts
Under normal conditions of storage and use, h fire, see Section 5.	nazardous decomposition products should not be produced. Hazardous decomposition products in case of
SECTION 11: Toxicological inform	ation
11.1. Information on toxicological effect	
Acute toxicity	: Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Harmful if inhaled.
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	

SECTION 13: Disposal consideratio	ns
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

## **SECTION 14: Transport information**

### Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols : UN3276 Nitriles, liquid, toxic, n.o.s., 6.1, III

: Nitriles, liquid, toxic, n.o.s.

- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : 6.1 Poison

: UN3276



- : III Minor Danger
- : 203
- : 241
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	<ul> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T7 - 4 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 153
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 52 - Stow "separated from" acids
Other information	: No supplementary information available.
<b>TDG</b> No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3276
Proper Shipping Name (IMDG)	: NITRILES, LIQUID, TOXIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3276
Proper Shipping Name (IATA)	: Nitriles, toxic, liquid, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	

### SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic

Substances Control Act (TSCA) Inventory except for:			
2,3,3,3-Tetrafluoropropionitrile	CAS No 431-32-3	100%	

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

#### CANADA

No additional information available

### **EU-Regulations**

No additional information available

### **National regulations**

2,3,3,3-Tetrafluoropropionitrile (431-32-3)
Listed on the Japanese ISHL (Industrial Safety and Health Law)

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 16: Other information**

	Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
	Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
	Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H301	Toxic if swallowed
	H311	Toxic in contact with skin
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H332	Harmful if inhaled
	H335	May cause respiratory irritation
NFPA f	nealth hazard ire hazard eactivity	<ul> <li>: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.</li> <li>: 1 - Must be preheated before ignition can occur.</li> <li>: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.</li> </ul>
HMIS I	I Rating	
Health		: 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures
Flamm	ability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physica	al	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.