

4,4,4-Trifluorocrotononitrile Safety Data Sheet 3337305 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/23/2017 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 4,4,4-Trifluorocrotononitrile
CAS No	: 406-86-0
Product code	: 3337-3-05
Formula	: C4H2F3N
	: 4,4,4-Trifluorobut-2-enenitrile
Synonyms Other means of identification	
Other means of identification	: MFCD00190645
	ance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safety d	ata sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	1
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mi	xture
Classification (GHS-US)	
Acute Tox. 2 (Oral)H300 - Fatal if swalloAcute Tox. 2 (Dermal)H310 - Fatal in contaAcute Tox. 1 (Inhalation)H330 - Fatal if inhaleSkin Irrit. 2H315 - Causes skin iEye Irrit. 2AH319 - Causes seriorSTOT SE 3H335 - May cause reEvel toxt of H phropage and actionH316 - Cause	ct with skin d rritation us eye irritation
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS06 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	 H300+H310+H330 - Fatal if swallowed, in contact with skin or if inhaled H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P260 - Do not breathe fumes, mist, spray, vapors P262 - Do not get in eyes, on skin, or on clothing P264 - Wash skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P284 - In case of inadequate ventilation wear respiratory protection P301+P310 - If swallowed: Immediately call a poison center/doctor/ P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
01/23/2017	EN (English US) SDS ID: 3337305 Page 1

4,4,4-Trifluorocrotononitrile Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P310 - Immediately call a POISC P320 - Specific treatment is urge P321 - Specific treatment (see st P330 - Rinse mouth P332+P313 - If skin irritation occ P337+P313 - If eye irritation pers P361 - Take off immediately all c P362+P364 - Take off contamina P363 - Wash contaminated cloth P403+P233 - Store in a well-ven P405 - Store locked up P501 - Dispose of contents/conta	ent (see supplemental first upplemental first aid instru surs: Get medical advice/at sosts: Get medical advice/a contaminated clothing ated clothing and wash it b ing before reuse tilated place. Keep contair	aid instructions on this label) ctions on this label) itention attention efore reuse ner tightly closed
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS L	JS)		
Not applicable			
SECTION 3: Composition/inform	nation on ingredients		
3.1. Substance			
Substance type	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
4,4,4-Trifluorocrotononitrile (Main constituent)	(CAS No) 406-86-0	<= 100	Acute Tox. 2 (Oral), H300 Acute Tox. 2 (Dermal), H310 Acute Tox. 1 (Inhalation), H330 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16	· · · ·	i	,
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measure	es		
First-aid measures general First-aid measures after inhalation	 In case of accident or if you feel where possible). Move the affect Remove person to fresh air and 	ed personnel away from the	
First-aid measures after skin contact	respiration. Get immediate media Wash with plenty of soap and wa	cal advice/attention.	
First-aid measures after eye contact	: Immediately flush eyes thorough present and easy to do. Continue		5 minutes. Remove contact lenses, if nedical advice/attention.
First-aid measures after ingestion		: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.	
4.2. Most important symptoms and	effects, both acute and delayed		
Symptoms/injuries	: The most important known symp 2.2) and/or in section 11.	toms and effects are desc	ribed in the labelling (see section
4.3. Indication of any immediate me Treat symptomatically.	edical attention and special treatment n	eeded	
SECTION 5: Firefighting measure	es		
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbon d appropriate for surrounding fire.	ioxide. Dry powder. Water	r spray. Use extinguishing media
5.2. Special hazards arising from th			
Fire hazard	: Thermal decomposition generate		
Explosion hazard	: Risk of explosion if heated under containers.	confinement. Use water s	spray or fog for cooling exposed
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area. Fi	ght fire remotely due to the	e risk of explosion.
Protection during firefighting	: Wear gas tight chemically protec apparatus. For further informatio		n with self contained breathing sure controls/personal protection".
Protection during firefighting 01/23/2017			sure controls/personal protection".

4,4,4-Trifluorocrotononitrile Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measu	
6.1. Personal precautions, protective equi	
General measures	
	Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures :	Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures :	Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	
Avoid release to the environment. Notify authorities	s if product enters sewers or public waters.
6.3. Methods and material for containment	and cleaning up
For containment :	Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information :	For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures :	Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	Comply with applicable regulations.
Storage conditions :	Keep container closed when not in use.
Incompatible materials	Refer to Section 10 on Incompatible Materials.
Storage area	Store in dry, cool, well-ventilated area.
SECTION 8: Exposure controls/persor	nal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection :	Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection :	Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection :	Wear suitable protective clothing.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information :	Safety shoes. 29 CFR 1910.136: Foot Protection.
SECTION 9: Physical and chemical pro-	operties
9.1. Information on basic physical and che	·
	Liquid

9.1.	Information on basic physical and	chemical properties	
Physi	cal state	: Liquid	
Color		: No data available	
Odor		: No data available	
Odor	threshold	: No data available	
01/23/	2017	EN (English US)	SDS ID: 3337305

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 84 - 85 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 121.06 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

Other information 9.2.

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
The product is stable at normal handling and storage conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Keep away from heat, sparks and flame.
10.5. Incompatible materials
Strong acids. Strong bases. Strong oxidizing agents. Strong reducing agents.
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case o fire, see Section 5.
SECTION 11: Toxicological information

11.1.	Information on toxicological effects	

Acute toxicity

: Oral: Fatal if swallowed. Dermal: Fatal in contact with skin. Inhalation: Fatal if inhaled.

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	Not classifiedMay cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspirati	on hazard	: Not classified
SECT	ION 12: Ecological information	
12.1.	Toxicity	
No add	itional information available	
12.2.	Persistence and degradability	
No add	itional information available	
12.3.	Bioaccumulative potential	
No add	itional information available	
12.4.	Mobility in soil	
No add	itional information available	
12.5.	Other adverse effects	
No add	itional information available	

SECTION 13: Disposal considera	tions
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport informati	ion

: UN3276 Nitriles, liquid, toxic, n.o.s., 6.1, II

: 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132

Department	of Tran	sportation	(DOT)

In accordance with DOT

Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) : II - Medium Danger DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 243 DOT Symbols : G - Identifies PSN requiring a technical name DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T11 - 6 178.274(d)(2) Normal..... 178.275(d)(3) TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively. TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous

: UN3276

: 6.1 - Poison

: Nitriles, liquid, toxic, n.o.s.

MAWP. DOT Packaging Exceptions (49 CFR 173.xxx) : 153 DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27)

material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 52 - Stow "separated from" acids
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3276
Proper Shipping Name (IMDG)	: NITRILES, LIQUID, TOXIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: II - substances presenting medium danger
Air transport	
UN-No. (IATA)	: 3276
Proper Shipping Name (IATA)	: Nitriles, toxic, liquid, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
	: II - Medium Danger

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

4,4,4-Trifluorocrotononitrile	CAS No 406-86-0	100%		

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full tex	t of H-phrases:			
	Acute Tox. 1 (Inhalation)		Acute toxicity (inhalation) Category 1	
	Acute Tox. 2 (Dermal)		Acute toxicity (dermal) Category 2	
	Acute Tox. 2 (Oral)		Acute toxicity (oral) Category 2	
	Eye Irrit. 2A Skin Irrit. 2 STOT SE 3		Serious eye damage/eye irritation Category 2A Skin corrosion/irritation Category 2 Specific target organ toxicity (single exposure) Category 3	
	H300		Fatal if swallowed	
	H310		Fatal in contact with skin	
	H315		Causes skin irritation	
	H319		Causes serious eye irritation	
	H330		Fatal if inhaled	
	H335		May cause respiratory irritation	
NFPA health hazard NFPA fire hazard		 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. 1 - Must be preheated before ignition can occur. 		
				NFPA reactivity
			~	

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.