

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 34371X1 Issue date: 6/24/2022 Version: 1.0

SECTION 1: Identification		
1.1. Identification		
Product form Substance name CAS-No. Product code Formula Other means of identification	: Substance : 1-Cyclohexenylacetonitrile : 6975-71-9 : 3437-1-X1 : C8H11N : MFCD00001566	
1.2. Recommended use and restrictions on	use	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and dev	
1.3. Supplier		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com		
1.4. Emergency telephone number		
Emergency number	: (844) 523-4086 (3E Comp	any - Account 10069)
SECTION 2: Hazard(s) identification		
2.1. Classification of the substance or mixt	ure	
GHS US classification		
Flammable liquids Category 4 Acute toxicity (oral) Category 4 Acute toxicity (dermal) Category 4 Acute toxicity (inhalation) Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A	H227 H302 H312 H332 H315 H319	Combustible liquid Harmful if swallowed Harmful in contact with skin Harmful if inhaled Causes skin irritation Causes serious eye irritation
Specific target organ toxicity – Single exposure, Cate	egory 3, H335	May cause respiratory irritation

2.2. GHS Label elements, including precautionary statements

### **GHS US labeling**

Hazard pictograms (GHS US)

Full text of H statements : see section 16

Respiratory tract irritation

Signal word (GHS US) Hazard statements (GHS US)



: Warning

:

: H227 - Combustible liquid H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled H315 - Causes skin irritation

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	H319 - Causes serious eye irritation
	H335 - May cause respiratory irritation
Precautionary statements (GHS US)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
	P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
	P264 - Wash skin thoroughly after handling
	P270 - Do not eat, drink or smoke when using this product.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P312 - If swallowed: Call a POISON CENTER or doctor/ physician if you feel unwell
	P302+P352 - If on skin: Wash with plenty of soap and water
	P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P312 - Call a POISON CENTER or doctor/physician if you feel unwell
	P321 - Specific treatment (see supplemental first aid instructions on this label)
	P322 - Specific treatment (see supplemental first aid instruction on this label)
	P330 - Rinse mouth.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P362+P364 - Take off contaminated clothing and wash it before reuse.
	P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
	P403+P235 - Store in a well-ventilated place. Keep cool.
	P405 - Store locked up.
	P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

# **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%	GHS US classification
1-Cyclohexenylacetonitrile (Main constituent)	CAS-No.: 6975-71-9	≤ 100	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

### 3.2. Mixtures

### Not applicable

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.
: Wash with plenty of soap and water. Get immediate medical advice/attention.
: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.
(acute and delayed)
: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguish	ing media	
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.	
5.2. Specific hazards arising from the ch	emical	
Fire hazard Explosion hazard	<ul> <li>Thermal decomposition generates: Carbon oxides. Nitrogen oxides.</li> <li>Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers.</li> </ul>	
5.3. Special protective equipment and pr	recautions for fire-fighters	
Firefighting instructions Protection during firefighting	<ul> <li>In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.</li> <li>Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".</li> </ul>	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipm	nent and emergency procedures	
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **6.2. Environmental precautions**

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containm	nent and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion- proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	

### No additional information available

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
, , , , , , , , , , , , , , , , , , ,	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including an	y incompatibilities
Storage conditions : Incompatible materials :	Comply with applicable regulations. Keep container closed when not in use. Air sensitive. Keep contents under inert gas. Refer to Section 10 on Incompatible Materials. Store in dry, cool, well-ventilated area.

# SECTION 8: Exposure controls/personal protection

8.1. Control parameters	
1-Cyclohexenylacetonitrile (6975-71-	9)
No additional information available	
8.2. Appropriate engineering controls	i de la construcción de la constru La construcción de la construcción d
Appropriate engineering controls	. Ensure good ventilation of the work station. Emergency eve wash fountains and safety showers

Appropriate engineering controls

: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.3. Individual protection measures/Personal protective equipment

### Hand protection:

protective gloves. 29 CFR 1910.138: Hand Protection

#### Eye protection:

Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection

#### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

#### Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 144 °C (@ 90 mm Hg)
Flash point	: 84 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.947 g/ml (@ 25 °C)
Molecular mass	: 121.1796 g/mol
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	

Refractive index

: 1.4769 (@ 25 °C)

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

**10.3. Possibility of hazardous reactions** 

No additional information available

**10.4. Conditions to avoid** 

Keep away from heat, sparks and flame.

**10.5. Incompatible materials** 

Strong acids. Strong bases. Strong oxidizing agents. Strong reducing agents.

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

# **SECTION 11: Toxicological information**

### **11.1. Information on toxicological effects**

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Harmful in contact with skin.
	: Harmful if inhaled.
Acute toxicity (inhalation)	
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# 12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations	5
13.1. Disposal methods	
Waste treatment methods Product/Packaging disposal recommendations Additional information	<ul> <li>Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Recycle the material as far as possible.</li> </ul>
SECTION 14: Transport information	
14.1. UN number	
DOT NA No UN-No. (TDG) UN-No. (IMDG) UN-No. (IATA)	: NA1993 : Not applicable : 1993 : 1993
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	<ul> <li>Combustible liquid, n.o.s.</li> <li>Not applicable</li> <li>FLAMMABLE LIQUID, N.O.S.</li> <li>Flammable liquid, n.o.s.</li> </ul>
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	: Combustible liquid
<b>TDG</b> Transport hazard class(es) (TDG)	: Not applicable
IMDG Transport hazard class(es) (IMDG) Hazard labels (IMDG)	: 3 : 3

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IATA Transport hazard class(es) (IATA) Hazard labels (IATA)	: 3 : 3
14.4. Packing group	
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	: III : Not applicable : III : III
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT UN-No.(DOT) DOT Special Provisions (49 CFR 172.102) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) DOT Vessel Stowage Location	<ul> <li>NA1993</li> <li>148 - Except for transportation by aircraft, when transported as a limited quantity or a consumer commodity, the maximum net capacity specified in §173.150(b)(2) of this subchapter for inner packaging may be increased to 5 L (1.3 gallons).</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T1 - 1.5 178.274(d)(2) Normal</li></ul>
TDG No data available	
IMDG Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	<ul> <li>223, 274, 955</li> <li>5 L</li> <li>E1</li> <li>LP01, P001</li> <li>IBC03</li> <li>T4</li> <li>TP1, TP29</li> <li>F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS</li> <li>S-E - SPILLAGE SCHEDULE Echo - FLAMMABLE LIQUIDS, FLOATING ON WATER</li> <li>A</li> </ul>

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ΙΑΤΑ	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provision (IATA)	: A3
ERG code (IATA)	: 3L

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

**15.1. US Federal regulations** 

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

100%

1-Cyclohexenylacetonitrile

CAS-No. 6975-71-9

### 15.2. International regulations

### CANADA

1-Cyclohexenylacetonitrile (6975-71-9)

Listed on the Canadian NDSL (Non-Domestic Substances List)

### **EU-Regulations**

1-Cyclohexenylacetonitrile (6975-71-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### National regulations

1-Cyclohexenylacetonitrile (6975-71-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Inactive Japanese Poisonous and Deleterious Substances Control Law Listed on the TCSI (Taiwan Chemical Substance Inventory)

### **15.3. US State regulations**

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases			
H315	Causes skin irritation		
H319	Causes serious eye irritation		
H332	Harmful if inhaled		
H335	May cause respiratory irritation		
NFPA health hazar	peri : 2 - I	Materials that, under emergency conditions, can cause serious or manent injury. Materials that must be moderately heated or exposed to relatively heated or ex	
NFPA reactivity	: 0-1	h ambient temperatures before ignition can occur. Material that in themselves are normally stable, even under fire aditions.	
Hazard Rating			
Health	: 3 Si give	erious Hazard - Major injury likely unless prompt action is taken and medical treatment is en	
Flammability	tem	Ioderate Hazard - Materials which must be moderately heated or exposed to high ambient aperatures before ignition will occur. Includes liquids having a flash point at or above 100 F below 200 F. (Classes II IIIA)	
Physical		linimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT ct with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

Safety Data Sheet (SDS), USA

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.