

2,3,4,5,6-Pentafluoroaniline Safety Data Sheet 3630305 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/03/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 2,3,4,5,6-Pentafluoroaniline
CAS No	: 771-60-8
Product code	: 3630-3-05
Formula	: C6H2F5N
Synonyms	: 2,3,4,5,6-Pentafluorobenzenamine
Other means of identification	: MFCD00007643
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the saf	iety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificati	ion
2.1. Classification of the substance	
Classification (GHS-US)	
Skin Irrit. 2H315 - Causes skin irrEye Irrit. 2AH319 - Causes seriousSTOT SE 3H335 - May cause resAquatic Acute 3H402 - Harmful to aqua	s eye irritation piratory irritation atic life
Skin Irrit. 2H315 - Causes skin irrEye Irrit. 2AH319 - Causes seriousSTOT SE 3H335 - May cause respAquatic Acute 3H402 - Harmful to aquaAquatic Chronic 3H412 - Harmful to aqua	s eye irritation piratory irritation
Skin Irrit. 2H315 - Causes skin irrEye Irrit. 2AH319 - Causes seriousSTOT SE 3H335 - May cause resAquatic Acute 3H402 - Harmful to aqua	s eye irritation piratory irritation atic life
Skin Irrit. 2 H315 - Causes skin irr Eye Irrit. 2A H319 - Causes serious STOT SE 3 H335 - May cause respective Aquatic Acute 3 H402 - Harmful to aquate Aquatic Chronic 3 H412 - Harmful to aquate Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	s eye irritation piratory irritation atic life
Skin Irrit. 2H315 - Causes skin irriEye Irrit. 2AH319 - Causes seriousSTOT SE 3H335 - May cause respAquatic Acute 3H402 - Harmful to aquaAquatic Chronic 3H412 - Harmful to aquaFull text of H-phrases: see section 162.2.Label elements	s eye irritation piratory irritation atic life
Skin Irrit. 2 H315 - Causes skin irr Eye Irrit. 2A H319 - Causes serious STOT SE 3 H335 - May cause respective Aquatic Acute 3 H402 - Harmful to aquate Aquatic Chronic 3 H412 - Harmful to aquate Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	s eye irritation piratory irritation atic life atic life with long lasting effects
Skin Irrit. 2 H315 - Causes skin irr Eye Irrit. 2A H319 - Causes serious STOT SE 3 H335 - May cause resp Aquatic Acute 3 H402 - Harmful to aqua Aquatic Chronic 3 H412 - Harmful to aqua Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	s eye irritation piratory irritation atic life atic life with long lasting effects : : : : GHS07

5.3.

6.1.

01/31/2020

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Mono	lay, March 26	, 2012 / Rules and Regulations		
	P403 P405	 P364 - Take off contaminated clothing P233 - Store in a well-ventilated place. Store locked up Dispose of contents/container to an approximation 	Keep container	tightly closed
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)			
Not applicable				
SECTION 3: Composition/informa	tion on ir	gredients		
3.1. Substance				
Substance type	: Mone	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
2,3,4,5,6-Pentafluoroaniline (Main constituent)		(CAS No) 771-60-8	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Full text of H-phrases: see section 16				·
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		se of accident or if you feel unwell, seek e possible). Move the affected personnel		
First-aid measures after inhalation		ove person to fresh air and keep comfort ration. Get medical advice/attention.	able for breathin	g. If not breathing, give artificial
First-aid measures after skin contact	: Was	h with plenty of soap and water. Get med	lical advice/atten	ntion.
First-aid measures after eye contact		ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get		
First-aid measures after ingestion	: Do N mout	IOT induce vomiting. Never give anything h out with water. Get medical advice/atte	g by mouth to an ention.	unconscious person. Rinse
4.2. Most important symptoms and e	fects, both	acute and delayed		
Symptoms/injuries		most important known symptoms and effo and/or in section 11.	ects are describe	ed in the labelling (see section
4.3. Indication of any immediate med	cal attentio	on and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measures	:			
5.1. Extinguishing media				
Suitable extinguishing media	: Alcol appro	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
5.2. Special hazards arising from the	substance	or mixture		
Fire hazard	: Ther	mal decomposition generates: Carbon o>	kides. Hydrogen	fluoride. Nitrogen oxides.
Explosion hazard		n mixed with air and exposed to an ignition ode if confined. Risk of explosion if heate		

General measures

Firefighting instructions

Protection during firefighting

Advice for firefighters

SECTION 6: Accidental release measures

breathe gas, fumes, vapor or spray.

Personal precautions, protective equipment and emergency procedures

cooling exposed containers. May form flammable/explosive vapor-air mixture.

: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.

: Wear gas tight chemically protective clothing in combination with self contained breathing

apparatus. For further information refer to section 8: "Exposure controls/personal protection".

: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust. Do not

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Avoid raising dust. Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify authoritie	es if product enters sewers or public waters.
6.3. Methods and material for containment	nt and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Minimize generation of dust. Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includin	g any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Air sensitive. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.
SECTION 8: Exposure controls/perso	onal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Melting point	: 33 - 35 °C	
рН	: No data available	
Odor threshold	: No data available	
Odor	: No data available	
Color	: No data available	
Appearance	: Low melting solid.	
Physical state	: Solid	
9.1. Information on ba	sic physical and chemical properties	
SECTION 9: Physical	and chemical properties	

OFOTION A. DI

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing point	: No data available	
Boiling point	: 153 °C	
Flash point	: 73 °C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Vapor pressure	: No data available	
Relative density	: No data available	
Relative vapor density at 20 °C	: No data available	
Specific gravity / density	: 1.744 g/ml (@ 20 °C)	
Molecular mass	: 183.08 g/mol	
Solubility	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	

9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
The product is stable at normal handling and storage conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Keep away from heat, sparks and flame.
10.5. Incompatible materials
Acids. Acid chlorides. Acid anhydrides. Strong oxidizing agents.
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	

, ,	,
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential Adverse human health effects and symptoms	: Overexposure to this material may result in methemoglobinemia. Cyanosis may occur (lips and fingernails turn blue).
SECTION 12: Ecological information	
12.1. Toxicity	
2,3,4,5,6-Pentafluoroaniline (771-60-8)	
LC50 fish 1	37.1 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	

No additional information available

SECTION 13: Disposal considera	tions
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport informat	ion

Department of Transportation (DOT)

Department of Transportation (
In accordance with DOT
Not regulated for transport

TDG No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information			
15.1. US Federal regulations			
2,3,4,5,6-Pentafluoroaniline (771-60-8)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations			
CANADA			
2,3,4,5,6-Pentafluoroaniline (771-60-8)			
Listed on the Canadian NDSL (Non-Domestic Substances List)			

EU-Regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

2,3,4,5,6-Pentafluoroaniline	
2.3.4.5 b-Pentatilloroanilline i	//1-bU-81

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

ext of fi philases.	
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.