

Safety Data Sheet 3630MX1 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/14/2016 Version: 1.0

A Librard Constant	
1.1. Identification	
Product form	: Substance
Substance name	: 4-Chloro-3-iodoaniline
CAS No	: 573764-31-5
Product code	: 3630-M-X1
Formula	: C6H5CIIN
Other means of identification	: MFCD11521292
1.2. Relevant identified uses of the sub	stance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safety	/ data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.ccc	<u>om</u>
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or r	
Classification (GHS-US)	
Skin Irrit. 2 H315 - Causes skir	n irritation
Skin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes serSTOT SE 3H335 - May causeFull text of H-phrases: see section 16	n irritation rious eye irritation
Skin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes serSTOT SE 3H335 - May causeFull text of H-phrases: see section 162.2.Label elements	n irritation rious eye irritation
Skin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes serSTOT SE 3H335 - May causeFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling	n irritation rious eye irritation
Skin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes serSTOT SE 3H335 - May causeFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling	n irritation rious eye irritation
Skin Irrit. 2       H315 - Causes skin         Eye Irrit. 2A       H319 - Causes ser         STOT SE 3       H335 - May cause         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling         Hazard pictograms (GHS-US)	n irritation rious eye irritation respiratory irritation
Skin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes serSTOT SE 3H335 - May causeFull text of H-phrases: see section 16	n irritation rious eye irritation respiratory irritation
Skin Irrit. 2 H315 - Causes skin Eye Irrit. 2A H319 - Causes ser STOT SE 3 H335 - May cause Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	n irritation rious eye irritation respiratory irritation : : : : : : : : : : : : : : : : : : :

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P330 - Rinse mouth P332+P313 - If skin irritation occurs: Get medical ac P337+P313 - If eye irritation persists: Get medical a P362+P364 - Take off contaminated clothing and wa P403+P233 - Store in a well-ventilated place. Keep P405 - Store locked up P501 - Dispose of contents/container to an approver			Get medical advice/a lothing and wash it be g place. Keep contain	ttention efore reuse er tightly closed	
2.3. Other hazards					
No additional information available					
2.4. Unknown acute toxicity (GHS US)					
lot applicable					
<b>ECTION 3: Composition/informatic</b>	n on ir	gredients			
.1. Substance					
Substance type	: Mone	o-constituent			
Name		Product identifier	%	Classification (GHS-US)	
4-Chloro-3-iodoaniline (Main constituent)		(CAS No) 573764-31-5	<= 100	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335	
ull text of H-phrases: see section 16					
.2. Mixture					
lot applicable					
SECTION 4: First aid measures					
1. Description of first aid measures					
rst-aid measures general		se of accident or if you feel unwe e possible). Move the affected pe			
irst-aid measures after inhalation		ove person to fresh air and keep ration. Get immediate medical ad		hing. If not breathing, give artificial	
irst-aid measures after skin contact	: Was	h with plenty of soap and water. C	Get immediate medica	al advice/attention.	
First-aid measures after eye contact		Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.			
irst-aid measures after ingestion		IOT induce vomiting. Never give a the out with water. Get immediate r			
.2. Most important symptoms and effe	cts, both	acute and delayed			
ymptoms/injuries		most important known symptoms and/or in section 11.	and effects are descr	ibed in the labelling (see section	
.3. Indication of any immediate medica	l attentio	on and special treatment neede	d		
reat symptomatically.					
ECTION 5: Firefighting measures					
.1. Extinguishing media					
uitable extinguishing media		nol resistant foam. Carbon dioxide	e. Dry powder. Water	spray. Use extinguishing media	
.2. Special hazards arising from the su	bstance	or mixture			
ire hazard	: Ther	mal decomposition generates: Ca gen oxides.	rbon oxides. Hydroge	en chloride. Hydrogen iodide.	
.3. Advice for firefighters					
irefighting instructions	: In ca	se of fire: Evacuate area.			
rotection during firefighting		r gas tight chemically protective c ratus. For further information refe		n with self contained breathing sure controls/personal protection".	
SECTION 6: Accidental release mea	sur <u>es</u>				
		and emergency procedures			
. reisonal precautions, protective et					

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

Avoid release to the environment. Notify autionnes if product enters sewers of public waters.				
6.3. Methods and material for containme	nt and cleaning up			
For containment	: Stop leak if safe to do so.			
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.			
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".			
6.4. Reference to other sections				
No additional information available				
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.			
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, includin	ng any incompatibilities			
Technical measures	: Comply with applicable regulations.			
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Keep contents under			

Storage conditions	<ul> <li>Keep container closed when not in use. Keep away from ignition sources. Keep contents un inert gas.</li> </ul>
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage temperature	: 2 - 8 °C Use explosion proof refrigerator
Storage area	: Store in dry, cool, well-ventilated area. Light sensitive.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties					
9.1. Information on basi	c physical and chemical properties				
Physical state	: Solid				
Color	: No data available				
Odor	: No data available				
Odor threshold	: No data available				
рН	: No data available				
Melting point	: 68 - 70 °C				
Freezing point	: No data available				
Boiling point	: No data available				
Flash point	: No data available				

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 253.47 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. **Other information**

No additional information available							
SECTION 10: Stability and reactivity							
10.1. Reactivity							
No additional information available							
10.2. Chemical stability							
The product is stable at normal handling and storage conditions.							
10.3. Possibility of hazardous reactions							
No additional information available							
10.4. Conditions to avoid							
Keep away from heat, sparks and flame.							
10.5. Incompatible materials							
Strong oxidizing agents.							
10.6. Hazardous decomposition products							
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.							

SECTI	SECTION 11: Toxicological information				
11.1.	Information on toxicological effects				
Acute to	xicity	: Oral: Toxic if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.			

/ louis toxiony	•	
Skin corrosion/irritation	:	Causes skin irritation.
Serious eye damage/irritation	:	Causes serious eye irritation.
Respiratory or skin sensitization	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
Specific target organ toxicity (single exposure)	:	May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	:	Not classified
Aspiration hazard	:	Not classified

SECTION 12: Ecological information							
12.1. Toxicity							
No additional information available							
12/08/2016	EN (English LIS)		A/7				

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2.	Persistence and degradability
No addit	tional information available
12.3.	Bioaccumulative potential
No addit	tional information available
12.4.	Mobility in soil
No addit	tional information available
12.5.	Other adverse effects
	tional information available
NU auun	

3.1. Waste treatment methods	
Waste treatment methods Waste disposal recommendations Additional information	<ul> <li>Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Recycle the material as far as possible.</li> </ul>
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT Transport document description	: UN2811 Toxic solids, organic, n.o.s., 6.1, III
UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)	<ul> <li>: UN2811</li> <li>: Toxic solids, organic, n.o.s.</li> <li>: 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132</li> <li>: 6.1 - Poison</li> </ul>
Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols DOT Special Provisions (49 CFR 172.102)	<ul> <li>III - Minor Danger</li> <li>213</li> <li>240</li> <li>G - Identifies PSN requiring a technical name</li> <li>IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).</li> <li>IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.</li> <li>T1 - 1.5 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49	: 153 : 100 kg
CFR 175.75) DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
12/08/2016	EN (English US) SDS ID: 3630MX1 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information : No supplementary information available.

#### 100

No additional information available

#### Transport by sea

UN-No. (IMDG)	: 2811
Proper Shipping Name (IMDG)	: TOXIC SOLID, ORGANIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 2811
Proper Shipping Name (IATA)	: Toxic solid, organic, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: III - Minor Danger

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

4-Chloro-3-iodoaniline

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

CAS No 573764-31-5

#### 15.2. International regulations

CANADA

No additional information available

**EU-Regulations** No additional information available

#### **National regulations**

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

Full text of H-phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H301	Toxic if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

100%

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.