

(R)-N-[1-(4-fluorophenyl)ethyl]methylamine

Safety Data Sheet 36313R4 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 08/28/2017 Version: 1.0

SECTION 1: Identification	
.1. Identification	
Product form	: Substance
Substance name	: (R)-N-[1-(4-fluorophenyl)ethyl]methylamine
CAS No	: 672906-68-2
Product code	: 3631-3-R4
Formula	: C9H12FN
Synonyms	: [(1R)-1-(4-Fluorophenyl)ethyl](methyl)amine
Other means of identification	: MFCD07779101
	substance or mixture and uses advised against
Jse of the substance/mixture	: Laboratory chemicals
	Manufacture of substances Scientific research and development
.3. Details of the supplier of the safe	ety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ Γ (386) 462-0788 - F (386) 462-7097	
nfo@synquestlabs.com - www.synquestlabs	s.com
.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16	rritation
Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16	rritation
Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements	rritation
Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16	rritation
Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	rritation y irritation
Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	rritation y irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

0.0 Others have a la					
2.3. Other hazards					
No additional information available 2.4. Unknown acute toxicity (GHS US)					
2.4. Unknown acute toxicity (GHS US) Not applicable					
SECTION 3: Composition/informatic	on on ingred	ients			
3.1. Substance					
Substance type	: Mono-cons	ituent			
Name	-	duct identifier	%	Classification (GHS-US)	
(R)-N-[1-(4-fluorophenyl)ethyl]methylamine (Main constituent)	(R)-N-[1-(4-fluorophenyl)ethyl]methylamine (CAS No) 672906-68-2 <= 100 Skin Irrit. 2, H315 (Main constituent) STOT SE 3, H335				
Full text of H-phrases: see section 16				·	
3.2. Mixture					
Not applicable					
SECTION 4: First aid measures					
4.1. Description of first aid measures					
First-aid measures general		ccident or if you feel unwell, seek bible). Move the affected personnel			
First-aid measures after inhalation		rson to fresh air and keep comforta Get medical advice/attention.	able for breathin	g. If not breathing, give artificial	
First-aid measures after skin contact	: Wash with	plenty of soap and water. Get med	ical advice/atten	ition.	
First-aid measures after eye contact		I flush eyes thoroughly with water l easy to do. Continue rinsing. Get			
First-aid measures after ingestion		luce vomiting. Never give anything vith water. Get medical advice/atte		unconscious person. Rinse	
4.2. Most important symptoms and effective	cts, both acute	and delayed			
Symptoms/injuries		nportant known symptoms and effe in section 11.	ects are describe	ed in the labelling (see section	
4.3. Indication of any immediate medica	I attention and	special treatment needed			
Treat symptomatically.					
SECTION 5: Firefighting measures					
5.1. Extinguishing media					
Suitable extinguishing media		stant foam. Carbon dioxide. Dry po for surrounding fire.	owder. Water sp	ray. Use extinguishing media	
5.2. Special hazards arising from the su	bstance or mix	ture			
Fire hazard	: Thermal de	composition generates: Carbon ox			
Explosion hazard : Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed					
	: Risk of exp containers.			-	
5.3. Advice for firefighters				-	
•	containers.		. Use water spra	ay or fog for cooling exposed	
5.3. Advice for firefighters	containers. : In case of f : Wear gas t	osion if heated under confinement	. Use water spra	ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing	
5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mean	 containers. : In case of f : Wear gas t apparatus. 	osion if heated under confinement re: Evacuate area. Fight fire remot ght chemically protective clothing i For further information refer to sec	. Use water spra	ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing	
5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mean 6.1.	containers. : In case of f : Wear gas t apparatus. sures uipment and e	osion if heated under confinement re: Evacuate area. Fight fire remot ght chemically protective clothing i For further information refer to sec mergency procedures	. Use water spra rely due to the ris n combination w tion 8: "Exposur	ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection".	
5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mean	containers. : In case of f : Wear gas t apparatus. sures uipment and e	osion if heated under confinement re: Evacuate area. Fight fire remot ght chemically protective clothing i For further information refer to sec mergency procedures nnecessary personnel. Ensure ade	. Use water spra rely due to the ris n combination w tion 8: "Exposur	ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection".	
5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mean 6.1.	containers. : In case of f : Wear gas t apparatus. sures uipment and e : Evacuate u	osion if heated under confinement re: Evacuate area. Fight fire remot ght chemically protective clothing i For further information refer to sec mergency procedures nnecessary personnel. Ensure ade	. Use water spra rely due to the ris n combination w tion 8: "Exposur	ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection".	
5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea 6.1. 6.1. Personal precautions, protective explanation of the state o	containers. : In case of f : Wear gas t apparatus. SURES juipment and e : Evacuate u vapor or sp	osion if heated under confinement re: Evacuate area. Fight fire remot ght chemically protective clothing i For further information refer to sec mergency procedures nnecessary personnel. Ensure ade	. Use water spra ely due to the ris n combination w tion 8: "Exposur equate air ventila	ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection".	
 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release means 6.1. Personal precautions, protective experimental measures 6.1.1. For non-emergency personnel 	containers. : In case of f : Wear gas t apparatus. SURES juipment and e : Evacuate u vapor or sp : Only qualifi	osion if heated under confinement re: Evacuate area. Fight fire remoti ght chemically protective clothing i For further information refer to sec mergency procedures nnecessary personnel. Ensure ade ray.	Use water spra ely due to the ris n combination w tion 8: "Exposur equate air ventila le protective equ	ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes, uipment may intervene.	
 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release means 6.1. Personal precautions, protective experimental measures 6.1.1. For non-emergency personnel Emergency procedures 	containers. : In case of f : Wear gas t apparatus. SURES juipment and e : Evacuate u vapor or sp : Only qualifi : Do not atte refer to sec	osion if heated under confinement re: Evacuate area. Fight fire remoti ght chemically protective clothing i For further information refer to sec mergency procedures nnecessary personnel. Ensure addr ray. ed personnel equipped with suitable ion 8: "Exposure controls/persona	. Use water spra ely due to the ris n combination w tion 8: "Exposur equate air ventila le protective equip protective equip l protection".	ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes, uipment may intervene.	
 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meat 6.1. Personal precautions, protective ed General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders 	containers. : In case of f : Wear gas t apparatus. SURES juipment and e : Evacuate u vapor or sp : Only qualifi : Do not atte refer to sec	osion if heated under confinement re: Evacuate area. Fight fire remot ght chemically protective clothing i For further information refer to sec mergency procedures nnecessary personnel. Ensure ade ray. ed personnel equipped with suitable	. Use water spra ely due to the ris n combination w tion 8: "Exposur equate air ventila le protective equip protective equip l protection".	ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes, uipment may intervene.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions				
Avoid release to the environment. Notify authorities if product enters sewers or public waters.				
6.3. Methods and material for containment and cleaning up				
For containment : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.				
Methods for cleaning up	 Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. 			
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".			
6.4. Reference to other sections				
No additional information available				
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.			
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, including	ng any incompatibilities			
Technical measures	: Comply with applicable regulations.			
Storage conditions	: Keep container closed when not in use. Air sensitive. Keep contents under inert gas.			
Incompatible materials	: Refer to Section 10 on Incompatible Materials.			
Storage area	: Store in dry, cool, well-ventilated area.			

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemica	I properties		
9.1. Information on basic physical and	d chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: No data available		
0/00/0017		000 ID 000100 1	<u> </u>

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 153.2 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No add	itional information available
10.4.	Conditions to avoid
Keep a	way from heat, sparks and flame.
10.5.	Incompatible materials
Acids. A	Acid chlorides. Acid anhydrides. Strong oxidizing agents.
10.6.	Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

1	11,	.1		In	forma	tion	on	tox	ico	logi	ica	l ef	fec	ts

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTI	ECTION 12: Ecological information				
12.1.	Toxicity				
No addit	ional information available				
12.2.	Persistence and degradability				
No addit	ional information available				
12.3.	Bioaccumulative potential				
No addit	ional information available				

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consider	tions	
13.1. Waste treatment methods		
Waste treatment methods Waste disposal recommendations Additional information	 Remove to an authorized incinerator equipped with Dispose of contents/container in accordance with li Recycle the material as far as possible. 	-
SECTION 14: Transport information	ion	
Department of Transportation (DOT) In accordance with DOT Not regulated for transport TDG No additional information available Transport by sea No additional information available		
Air transport No additional information available		
SECTION 15: Regulatory information	ition	
15.1. US Federal regulations		
All components of this product are listed, Substances Control Act (TSCA) inventory	or excluded from listing, on the United States Environmental except for:	Protection Agency Toxic
(R)-N-[1-(4-fluorophenyl)ethyl]methylamir	e CAS No 672906-68-2	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.