

Safety Data Sheet 3637325 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/07/2020 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 2,5-Difluorobenzonitrile		
CAS No	: 64248-64-2		
Product code	: 3637-3-25		
Formula	: C7H3F2N		
Other means of identification	: MFCD00001777		
	ubstance or mixture and uses advised	against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and developm	ent	
1.3. Details of the supplier of the safe	ety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs			
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company - A	account 10069)	
SECTION 2: Hazard(s) identification	on		
2.1. Classification of the substance of			
Classification (GHS-US)			
	haled		
rui lext of n-philases, see section to			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: GHS06 GHS07		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	<ul> <li>H301+H311+H331 - Toxic if swa H315 - Causes skin irritation H319 - Causes serious eye irritat H335 - May cause respiratory irri</li> </ul>		
Precautionary statements (GHS-US)	P301+P310 - If swallowed: Imme P302+P352 - If on skin: Wash wi P304+P340 - If inhaled: Remove	er handling e when using this product well-ventilated area otective clothing/eye protection/face protection diately call a poison center/doctor/ th plenty of soap and water person to fresh air and keep comfortable for bre nse cautiously with water for several minutes. Re Continue rinsing or doctor/physician	
		or doctor/physician if you reel unwell	
12/07/2020	EN (English US)	SDS ID: 3637325	Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		P330 P332- P337- P361 P362- P363 P403- P405	<ul> <li>Specific treatment (see supplemental fields)</li> <li>Rinse mouth</li> <li>P313 - If skin irritation occurs: Get medite</li> <li>P313 - If eye irritation persists: Get medite</li> <li>Take off immediately all contaminated</li> <li>P364 - Take off contaminated clothing at Wash contaminated clothing before reactive</li> <li>P233 - Store in a well-ventilated place.</li> <li>Store locked up</li> <li>Dispose of contents/container to an ap</li> </ul>	cal advice/atten lical advice/atten clothing und wash it befo lise Keep container	tion ntion re reuse tightly closed
	Other hazards				
	nal information available				
2.4. I Not applica	Unknown acute toxicity (GHS US)				
	N 3: Composition/information	on in	gredients		
	Substance	Mana			
Substance	type .	IVIONO	-constituent		
Name			Product identifier	%	Classification (GHS-US)
2,5-Difluor (Main consti	obenzonitrile ituent)		(CAS No) 64248-64-2	<= 100	Flam. Liq. 4, H227 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of	H-phrases: see section 16				
	Mixture				
Not applica					
SECTIO	N 4: First aid measures				
	Description of first aid measures				
First-aid m	easures general :		e of accident or if you feel unwell, seek i possible). Move the affected personnel		
First-aid m	easures after inhalation :	Remo	ve person to fresh air and keep comforta ation. Get immediate medical advice/atte	ble for breathin	
First-aid m	easures after skin contact :	Wash	with plenty of soap and water. Get imme	ediate medical a	dvice/attention.
First-aid m	easures after eye contact :		diately flush eyes thoroughly with water t nt and easy to do. Continue rinsing. Get		
First-aid m	easures after ingestion		OT induce vomiting. Never give anything out with water. Get immediate medical		
4.2. I	Most important symptoms and effects,	, both a	acute and delayed		
Symptoms	/injuries :		nost important known symptoms and effe nd/or in section 11.	cts are describe	ed in the labelling (see section
	Indication of any immediate medical at ptomatically.	tentio	n and special treatment needed		
	N 5: Firefighting measures				
SECTIO					
	Extinguishing media				
5.1. E	Extinguishing media xtinguishing media :		ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
5.1. E Suitable ex		appro	priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
5.1.         I           Suitable ex         5.2. <t< td=""><td>xtinguishing media :</td><td>appro t<mark>ance c</mark></td><td>priate for surrounding fire.</td><td></td><td></td></t<>	xtinguishing media :	appro t <mark>ance c</mark>	priate for surrounding fire.		
5.1. E Suitable ex 5.2. S Fire hazard	xtinguishing media :	appro t <mark>ance c</mark>	priate for surrounding fire.		
5.1.ISuitable ex5.2.Fire hazard5.3.	xtinguishing media : Special hazards arising from the subst d Advice for firefighters	appro tance o Thern	priate for surrounding fire.		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accider	ital release measu	res
6.1. Personal preca	itions, protective equip	oment and emergency procedures
General measures	:	Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emerger Emergency procedures		Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency	responders	
Protective equipment	:	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental	precautions	
Avoid release to the enviro	nment. Notify authorities	if product enters sewers or public waters.
6.3. Methods and m	aterial for containment	and cleaning up
For containment	:	Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	:	Minimize generation of dust. Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	:	For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to ot	ner sections	
No additional information a	vailable	
<b>SECTION 7: Handlin</b>	g and storage	
7.1. Precautions for	safe handling	
Additional hazards when p	rocessed :	When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined. Handle empty containers with care because residual vapors are flammable.
Precautions for safe handli	ng :	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for s	safe storage, including	any incompatibilities
Technical measures	:	Comply with applicable regulations.
Storage conditions	:	Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.
Incompatible materials	:	Refer to Section 10 on Incompatible Materials.
Storage area	:	Store in dry, well-ventilated area.
SECTION 8: Exposu	re controls/person	hal protection
8.1. Control parame		
No additional information a	vailable	
8.2. Exposure contr	ols	
Appropriate engineering co	ntrols :	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	:	Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	:	Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	:	Wear suitable protective clothing.

- Respiratory protection In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory : Protection.
- Other information : Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTIO	ON 9: Physical and chemical p	properties
9.1.	Information on basic physical and c	hemical properties
Physical	state	: Solid

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

······,	-	
Appearance	:	Low melting solid.
Color	:	No data available
Odor	:	No data available
Odor threshold	:	No data available
рН	:	No data available
Melting point	:	33 - 35 °C
Freezing point	:	No data available
Boiling point	:	188 °C
Flash point	:	78 °C
Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability (solid, gas)	:	No data available
Explosion limits	:	No data available
Explosive properties	:	No data available
Oxidizing properties		No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Relative vapor density at 20 °C	:	No data available
Molecular mass	:	139.1022 g/mol
Solubility	:	No data available
Log Pow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature		No data available
Viscosity		No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
0.2 Other information		

Other information 9.2.

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
The product is stable at normal handling and storage conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Keep away from heat, sparks and flame.
10.5. Incompatible materials
Strong acids. Strong bases. Strong oxidizing agents. Strong reducing agents.
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Acute toxicity	: Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Toxic if inh	aled.
2,5-Difluorobenzonitrile (64248-64-2)		
ATE US (oral)	100.000 mg/kg body weight	
ATE US (dermal)	300.000 mg/kg body weight	
ATE US (gases)	700.000 ppmV/4h	
ATE US (vapors)	3.000 mg/l/4h	
ATE US (dust, mist)	0.500 mg/l/4h	
12/07/2020	EN (English US) SDS ID: 3637325	4/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information
12.1. Toxicity
No additional information available
12.2. Persistence and degradability
No additional information available
12.3. Bioaccumulative potential
No additional information available
12.4. Mobility in soil
No additional information available
12.5. Other adverse effects
No additional information available

SECTION 13: Disposal considerat	ions
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

### SECTION 14: Transport information

Department of Transportation (DOT)
In accordance with DOT
Transport document description

#### UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

- : UN3439 Nitriles, solid, toxic, n.o.s., 6.1, III
- : UN3439
- : Nitriles, solid, toxic, n.o.s.
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : 6.1 Poison



- : III Minor Danger
- : 213
- : 240
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	<ul> <li>IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).</li> <li>IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.</li> <li>T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2)</li> <li>TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.</li> </ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 153
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 100 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 30 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Packing group (IMDG)	<ul> <li>3439</li> <li>NITRILES, SOLID, TOXIC, N.O.S.</li> <li>6.1 - Toxic substances</li> <li>III - substances presenting low danger</li> </ul>
Air transport UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA) Packing group (IATA) SECTION 15: Regulatory information	<ul> <li>: 3439</li> <li>: Nitriles, toxic, solid, n.o.s.</li> <li>: 6.1 - Toxic Substances</li> <li>: III - Minor Danger</li> </ul>

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2,5-Difluorobenzonitrile	CAS No 64248-64-2	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

CANADA

No additional information available

**EU-Regulations** No additional information available

National regulations No additional information available

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

#### **SECTION 16: Other information**

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Flam. Liq. 4	Flammable liquids Category 4	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H227	Combustible liquid	
H301	Toxic if swallowed	
H311	Toxic in contact with skin	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H331	Toxic if inhaled	
H335	May cause respiratory irritation	

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	: 2 - Normally unstable and readily undergo violent decomposition but do not detonate. Also: may react violently with water or may form potentially explosive mixtures with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 2 Moderate Hazard - Materials that are unstable and may undergo violent chemical changes at normal temperature and pressure with low risk for explosion. Materials may react violently with water or form peroxides upon exposure to air.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.