

Safety Data Sheet 3637734

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/03/2015 Revision date: 02/22/2019 Version: 1.1

**SECTION 1: Identification** 1.1. Identification Product form : Substance Substance name : 3-Chloro-4-fluorobenzonitrile CAS No : 117482-84-5 Product code : 3637-7-34 Formula : C7H3CIFN Other means of identification : MFCD00015431 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture : Laboratory chemicals Manufacture of substances Scientific research and development 1.3. Details of the supplier of the safety data sheet SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. **Emergency telephone number** Emergency number : (844) 523-4086 (3E Company - Account 10069) SECTION 2: Hazard(s) identification

#### Classification of the substance or mixture 2.1.

#### **Classification (GHS-US)**

Full text of H-phrases: see section 16

#### 2.2. **Label elements**

**GHS-US** labeling

Hazard pictograms (GHS-US)

	GH506 GH507		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H302+H332 - Harmful if swa H311 - Toxic in contact with H315 - Causes skin irritation H319 - Causes serious eye i H335 - May cause respirator	rritation	
Precautionary statements (GHS-US)	P271 - Use only outdoors or P280 - Wear protective glove P301+P312 - If swallowed: C P302+P352 - If on skin: Was P304+P340 - If inhaled: Ren P305+P351+P338 - If in eye lenses, if present and easy t P312 - Call a POISON CEN	r after handling moke when using this product in a well-ventilated area es/protective clothing/eye protection/face prote call a POISON CENTER or doctor/ physician i h with plenty of soap and water hove person to fresh air and keep comfortable s: Rinse cautiously with water for several mine	if you feel unwell for breathing utes. Remove contact
02/22/2019	EN (English US)	SDS ID: 3637734	Page 1

:

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		P332 P337 P361 P362 P363 P403 P405	<ul> <li>Rinse mouth</li> <li>+P313 - If skin irritation occurs: Get me</li> <li>+P313 - If eye irritation persists: Get me</li> <li>Take off immediately all contaminated</li> <li>+P364 - Take off contaminated clothing</li> <li>Wash contaminated clothing before re</li> <li>+P233 - Store in a well-ventilated place</li> <li>Store locked up</li> <li>Dispose of contents/container to an a</li> </ul>	edical advice/atte d clothing and wash it befo euse . Keep container	ention pre reuse tightly closed
2.3.	Other hazards				
√o addit	tional information available				
2.4.	Unknown acute toxicity (GHS US)				
Not appl					
SECTI	ION 3: Composition/information	on on in	gredients		
3.1.	Substance				
Substan	nce type	: Mono	p-constituent		
Name			Product identifier	%	Classification (GHS-US)
(Main cor	ro-4-fluorobenzonitrile anstituent)		(CAS No) 117482-84-5	<= 100	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
	of H-phrases: see section 16				
3.2.	Mixture				
Not appl					
	ION 4: First aid measures				
l.1. Tirot old	Description of first aid measures			madical advice	immediately (above the label
	l measures general I measures after inhalation	wher	se of accident or if you feel unwell, seel e possible). Move the affected personne ove person to fresh air and keep comfor	el away from the	contaminated area.
not alu			ration. Get immediate medical advice/at		ig. If flot breatining, give artificial
irst-aid	I measures after skin contact	: Wasł	n with plenty of soap and water. Get imr	nediate medical	advice/attention.
	I measures after eye contact	prese	ediately flush eyes thoroughly with wate ant and easy to do. Continue rinsing. Ge	et immediate med	dical advice/attention.
-irst-aid	I measures after ingestion		OT induce vomiting. Never give anythin h out with water. Get immediate medica		
4.2.	Most important symptoms and effe	cts, both	acute and delayed		
Sympton	ms/injuries		nost important known symptoms and ef and/or in section 11.	fects are describ	ed in the labelling (see section
4.3.	Indication of any immediate medica	al attentio	n and special treatment needed		
	mptomatically.				
Freat sy	ION 5. Eirofighting monourog				
	ION 5: Firefighting measures				
SECTI	Extinguishing media				
<b>SECTI</b> 5.1.			ol resistant foam. Carbon dioxide. Dry priate for surrounding fire.	oowder. Water s	oray. Use extinguishing media
<b>SECTI</b> 5.1.	Extinguishing media	appro	opriate for surrounding fire.	oowder. Water s	oray. Use extinguishing media
SECTI 5.1. Suitable	Extinguishing media e extinguishing media Special hazards arising from the su	appro Ibstance : Therr	opriate for surrounding fire.		
5.1. Suitable 5.2. Fire haza	Extinguishing media e extinguishing media Special hazards arising from the su	appro Ibstance : Therr	opriate for surrounding fire. or mixture mal decomposition generates: Carbon c		
5.1. Suitable 5.2. Fire haza	Extinguishing media e extinguishing media Special hazards arising from the su card	appro Ibstance : Therr Nitro	opriate for surrounding fire. or mixture mal decomposition generates: Carbon c		
5.1. 5.1. 5.2. Fire haza 5.3.	Extinguishing media e extinguishing media Special hazards arising from the su card Advice for firefighters	appro <b>Ibstance</b> : Therr Nitrop : In ca : Wear	opriate for surrounding fire. or mixture nal decomposition generates: Carbon c gen oxides.	xides. Hydrogen	chloride. Hydrogen fluoride.
5.1. 5.1. 5.2. Fire haza 5.3. Firefighti	Extinguishing media e extinguishing media Special hazards arising from the su card Advice for firefighters ting instructions	appro ibstance : Them Nitrop : In ca : Wear appa	opriate for surrounding fire. or mixture mal decomposition generates: Carbon of gen oxides. se of fire: Evacuate area. gas tight chemically protective clothing	xides. Hydrogen	chloride. Hydrogen fluoride.
SECTI Suitable S.2. S.3. Firefighti Protection SECTI	Extinguishing media e extinguishing media Special hazards arising from the su eard Advice for firefighters ting instructions on during firefighting	appro <b>Ibstance</b> : Then Nitroy : In ca : Wea appa <b>SURES</b>	opriate for surrounding fire. or mixture mal decomposition generates: Carbon of gen oxides. se of fire: Evacuate area. r gas tight chemically protective clothing ratus. For further information refer to se	xides. Hydrogen	chloride. Hydrogen fluoride.
SECTI 5.1. Suitable 5.2. Fire haza 5.3. Firefighti Protectic SECTI 5.1.	Extinguishing media e extinguishing media Special hazards arising from the su card Advice for firefighters ting instructions on during firefighting ION 6: Accidental release mea	appro <b>Ibstance</b> : Therr Nitrop : In ca : Wear appa <b>SURES</b> <b>Quipment</b>	opriate for surrounding fire. or mixture mal decomposition generates: Carbon of gen oxides. se of fire: Evacuate area. r gas tight chemically protective clothing ratus. For further information refer to se	vxides. Hydrogen in combination v ction 8: "Exposu	chloride. Hydrogen fluoride. with self contained breathing re controls/personal protection".

Safety Data Sheet

Protective equipment

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
6.1.1. For non-emergency personnel
Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.1.2. For emergency responders

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3.	Methods and material for containment and cleaning up		
For cont	ainment	: Stop leak if safe to do so.	
Methods for cleaning up		: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.	
Other in	formation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4.	Reference to other sections		

No additional information available

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includir	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

#### SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and	d chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 67 - 69 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 155.56 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity

: Oral: Harmful if swallowed. Dermal: Toxic in contact with skin. Inhalation: Harmful if inhaled.

3-Chloro-4-fluorobenzonitrile (117482-84-5)			
ATE US (oral)	500.000 mg/kg body weight		
ATE US (dermal)	300.000 mg/kg body weight		
ATE US (gases)	4500.000 ppmV/4h		
ATE US (vapors)	11.000 mg/l/4h		
ATE US (dust, mist)	1.500 mg/l/4h		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.		
Specific target organ toxicity (repeated exposure)	: Not classified		
Aspiration hazard	: Not classified		
02/22/2019	EN (English US)	SDS ID: 3637734	4/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	itional information available
12.2.	Persistence and degradability
No addi	itional information available
12.3.	Bioaccumulative potential
No addi	itional information available
12.4.	Mobility in soil
No addi	itional information available
12.5.	Other adverse effects
No addi	itional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	

### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT Transport document description

#### UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)

- : UN3439 Nitriles, solid, toxic, n.o.s., 6.1, III
- : UN3439
- : Nitriles, solid, toxic, n.o.s.
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : 6.1 Poison



- : III Minor Danger
- : 213
- : 240
- : G Identifies PSN requiring a technical name
- : IB8 Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.
  - T1 1.5 178.274(d)(2) Normal..... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 153 DOT Quantity Limitations Passenger aircraft/rail : 100 kg (49 CFR 173.27)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft of CFR 175.75)	nly (49 : 30 L
DOT Vessel Stowage Location	B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3439
Proper Shipping Name (IMDG)	: NITRILES, SOLID, TOXIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3439
Proper Shipping Name (IATA)	: Nitriles, toxic, solid, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory inform	nation
15.1. US Federal regulations	
All components of this product are listed Substances Control Act (TSCA) invento	d, or excluded from listing, on the United States Environmental Protection Agency Toxic bry except for:

3-Chloro-4-fluorobenzonitrile CAS No 117482-84-5	100%
--	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

CANADA

No additional information available

#### **EU-Regulations**

No additional information available

#### National regulations

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

Revision date

: 02/22/2019

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ull text of H-phrases:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H302	Harmful if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn

SDS US (GHS HazCom 2012)

Physical

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.