

Safety Data Sheet 36377X2 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/09/2019 Version: 1.0

1.1. Identification	
Product form	: Substance
Substance name	: 4-Chloro-2,6-difluorophenylacetonitrile
CAS No	: 537033-53-7
Product code	: 3637-7-X2
Formula	: C8H4CIF2N
Other means of identification	: MFCD03094465
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the saf	fety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificati	ion
2.1. Classification of the substance	
Classification (GHS-US)	
Skin Irrit. 2H315 - CausesEye Irrit. 2AH319 - CausesSTOT SE 3H335 - May cau	
Skin Irrit. 2H315 - CausesEye Irrit. 2AH319 - CausesSTOT SE 3H335 - May cauFull text of H-phrases: see section 162.2.Label elements	skin irritation serious eye irritation
Skin Irrit. 2       H315 - Causes         Eye Irrit. 2A       H319 - Causes         STOT SE 3       H335 - May cau         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	skin irritation serious eye irritation
Skin Irrit. 2       H315 - Causes         Eye Irrit. 2A       H319 - Causes         STOT SE 3       H335 - May cau         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	skin irritation serious eye irritation use respiratory irritation
Skin Irrit. 2       H315 - Causes         Eye Irrit. 2A       H319 - Causes         STOT SE 3       H335 - May cau         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling         Hazard pictograms (GHS-US)	skin irritation serious eye irritation use respiratory irritation
Skin Irrit. 2H315 - CausesEye Irrit. 2AH319 - CausesSTOT SE 3H335 - May cauFull text of H-phrases: see section 16	skin irritation serious eye irritation use respiratory irritation
Skin Irrit. 2 H315 - Causes Eye Irrit. 2A H319 - Causes STOT SE 3 H335 - May cau Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	<ul> <li>skin irritation serious eye irritation use respiratory irritation</li> <li>: i i i i i i i i i i i i i i i i i i</li></ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P3 P3 P3 P3 P4 P4 P4 P4	<ul> <li>330 - Rinse mouth</li> <li>332+P313 - If skin irritation occurs:</li> <li>337+P313 - If eye irritation persists:</li> <li>361 - Take off immediately all conta</li> <li>362+P364 - Take off contaminated (</li> <li>363 - Wash contaminated clothing b</li> <li>403+P233 - Store in a well-ventilate</li> <li>405 - Store locked up</li> <li>501 - Dispose of contents/container</li> </ul>	Get medical advice/a minated clothing clothing and wash it b before reuse d place. Keep contain	attention efore reuse ner tightly closed
2.3. Other hazards				
No additional information	available			
2.4. Unknown acut	te toxicity (GHS US)			
Not applicable				
SECTION 3: Compo	osition/information on	ingredients		
3.1. Substance				
Substance type	: M	ono-constituent		
Name		Product identifier	%	Classification (GHS-US)
4-Chloro-2,6-difluorophenyl (Main constituent)	acetonitrile	(CAS No) 537033-53-7	<= 100	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see	e section 16			
3.2. Mixture				
Not applicable				
SECTION 4: First a	id measures			
.1. Description of	first aid measures			
irst-aid measures genera	w	case of accident or if you feel unwer here possible). Move the affected po	ersonnel away from t	ne contaminated area.
First-aid measures after in	re	emove person to fresh air and keep spiration. Get immediate medical ac	dvice/attention.	
First-aid measures after s First-aid measures after e		ash with plenty of soap and water.		ai advice/attention. 5 minutes. Remove contact lenses, if
First-aid measures after in	pr	esent and easy to do. Continue rins o NOT induce vomiting. Never give	ing. Get immediate n	nedical advice/attention.
	m	outh out with water. Get immediate	medical advice/atten	ion.
	it symptoms and effects, bo			
Symptoms/injuries		ne most important known symptoms 2) and/or in section 11.	and effects are desc	ribed in the labelling (see section
4.3. Indication of a	ny immediate medical atter	ntion and special treatment neede	ed	
Freat symptomatically.				
SECTION 5: Firefig	hting measures			
SECTION 5: Firefig 5.1. Extinguishing Suitable extinguishing me	media : Al	cohol resistant foam. Carbon dioxid opropriate for surrounding fire.	e. Dry powder. Wate	r spray. Use extinguishing media
5.1. Extinguishing Suitable extinguishing me	media : Al	opropriate for surrounding fire.	e. Dry powder. Wate	r spray. Use extinguishing media
Extinguishing           Suitable extinguishing me           Suitable extinguishing me           Suitable extinguishing me	media edia : Al ap ds arising from the substan : Th	opropriate for surrounding fire.		
5.1. Extinguishing Suitable extinguishing me 5.2. Special hazard Fire hazard	media edia : Al ap ds arising from the substan : Th Ni	ppropriate for surrounding fire. ce or mixture nermal decomposition generates: C		
Extinguishing         Suitable extinguishing me         Suitable extinguishing me <t< td=""><td>media edia : Al ap ds arising from the substan : Th Ni fighters</td><td>ppropriate for surrounding fire. ce or mixture nermal decomposition generates: C</td><td></td><td></td></t<>	media edia : Al ap ds arising from the substan : Th Ni fighters	ppropriate for surrounding fire. ce or mixture nermal decomposition generates: C		
5.1. Extinguishing Suitable extinguishing me 5.2. Special hazard Fire hazard	media edia : Al ap ds arising from the substand : Th Ni fighters : In ing : W	opropriate for surrounding fire. <b>ce or mixture</b> nermal decomposition generates: C itrogen oxides.	arbon oxides. Hydrog clothing in combinatic	en chloride. Hydrogen fluoride. n with self contained breathing
Extinguishing         Suitable extinguishing me         Suitable extinguishing         Suitable extinguishing         Suitable extinguishing         Suitable extinguishing instructions         Protection during firefighting	media edia : Al ap ds arising from the substand : Th Ni fighters : In ing : W	opropriate for surrounding fire. <b>ce or mixture</b> hermal decomposition generates: C itrogen oxides. case of fire: Evacuate area. fear gas tight chemically protective of oparatus. For further information refe	arbon oxides. Hydrog clothing in combinatic	en chloride. Hydrogen fluoride. n with self contained breathing
Extinguishing         Suitable extinguishing me         Suitable extinguishing instructions         Protection during firefighti         SECTION 6: Accide	media edia : Al ap ds arising from the substand : Th Ni fighters : In ing : W ap ental release measures autions, protective equipment	opropriate for surrounding fire. <b>ce or mixture</b> hermal decomposition generates: C- itrogen oxides. case of fire: Evacuate area. Year gas tight chemically protective of oparatus. For further information references <b>S</b> <b>ent and emergency procedures</b>	arbon oxides. Hydrog clothing in combinatic er to section 8: "Expo	en chloride. Hydrogen fluoride. n with self contained breathing sure controls/personal protection".
5.1.       Extinguishing         Suitable extinguishing me         Suitable extinguishing me         S.2.       Special hazard         Fire hazard         S.3.       Advice for fire         Firefighting instructions         Protection during firefighti         SECTION 6: Accide	media edia : Al ap ds arising from the substand : Th Ni fighters : In ing : W ap ental release measures autions, protective equipment	opropriate for surrounding fire. <b>ce or mixture</b> nermal decomposition generates: C itrogen oxides. case of fire: Evacuate area. Year gas tight chemically protective of oparatus. For further information refe	arbon oxides. Hydrog clothing in combinatic er to section 8: "Expo	en chloride. Hydrogen fluoride. n with self contained breathing sure controls/personal protection".

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5 5	<i></i>
6.1.1. For non-emergency personne	1
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment. Notify a	uthorities if product enters sewers or public waters.
6.3. Methods and material for cont	ainment and cleaning up
For containment	: Stop leak if safe to do so.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
<b>SECTION 7: Handling and stora</b>	ge
7.1. Precautions for safe handling	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

## **SECTION 8: Exposure controls/personal protection**

8.1. **Control parameters** 

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and	a chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 180 - 182 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available

Information on basis abusised and abamical properties

0.4

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 187.574 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

# 10.4. Conditions to avoid

Keep away from heat, sparks and flame.

### 10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity

: Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Toxic if inhaled.

4-Chloro-2,6-difluorophenylacetonitrile (537033-53-7)			
ATE US (oral)	100.000 mg/kg body weight		
ATE US (dermal)	300.000 mg/kg body weight		
ATE US (gases)	700.000 ppmV/4h		
ATE US (vapors)	3.000 mg/l/4h		
ATE US (dust, mist)	0.500 mg/l/4h		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.		
Specific target organ toxicity (repeated exposure)	: Not classified		
Aspiration hazard	: Not classified		
01/14/2019	EN (English US)	SDS ID: 36377X2	4/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

•	
SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects
No addi	tional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	

## **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT Transport document description

### UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)

- : UN3439 Nitriles, solid, toxic, n.o.s., 6.1, II
- : UN3439
- : Nitriles, solid, toxic, n.o.s.
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : 6.1 Poison



- : II Medium Danger
- : 212
- : 242
- : G Identifies PSN requiring a technical name

: IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter. : 153

DOT Packaging Exceptions (49 CFR 173.xxx)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	March 20, 2012 / Naroo and Rogalatorio
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 25 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 200 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 52 - Stow "separated from" acids
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3439
Proper Shipping Name (IMDG)	: NITRILES, SOLID, TOXIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: II - substances presenting medium danger
Air transport	
UN-No. (IATA)	: 3439
Proper Shipping Name (IATA)	: Nitriles, toxic, solid, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: II - Medium Danger
SECTION 15: Regulatory information	

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

4-Chloro-2.6-difluorophenylacetonitrile CAS No 537033-53-7 100%	Substances Control Act (13CA) Inventory exception.		
	4-Chloro-2,6-difluorophenylacetonitrile	CAS No 537033-53-7	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

#### CANADA

No additional information available

### **EU-Regulations**

No additional information available

### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

#### **SECTION 16: Other information**

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H301	Toxic if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation
NFPA health hazard NFPA fire hazard NFPA reactivity	<ul> <li>3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.</li> <li>1 - Must be preheated before ignition can occur.</li> <li>0 - Normally stable, even under fire exposure conditions, and are not reactive with water.</li> </ul>
HMIS III Rating Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is
Flammability	<ul> <li>given</li> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.