

Safety Data Sheet 3637BX1 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 08/20/2020 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 4-Bromo-2,6-difluorobenzonitrile
CAS No	: 123843-67-4
Product code	: 3637-B-X1
Formula	: C7H2BrF2N
Other means of identification	: MFCD01310981
1.2. Relevant identified uses of the subst	ance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safety d	ata sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number	1
6 7 1	: (844) 523-4086 (3E Company - Account 10069)
Emergency number	$\frac{1}{2} (044) 525 + 000 (SE COMpany - Account 10003)$
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mi	xture
Classification (GHS-US)	
Acute Tox. 3 (Oral)H301 - Toxic if swalldAcute Tox. 4 (Dermal)H312 - Harmful in colAcute Tox. 4 (Inhalation)H332 - Harmful if inhomoreSkin Irrit. 2H315 - Causes skin iEye Irrit. 2AH319 - Causes seriorSTOT SE 3H335 - May cause reFull text of H-phrases: see section 16	ntact with skin aled rritation us eye irritation
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS06 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	<ul> <li>Hanger</li> <li>Hanger</li> <li>Hander</li> <li>Harmful in contact with skin or if inhaled</li> <li>H312+H332 - Harmful in contact with skin or if inhaled</li> <li>H315 - Causes skin irritation</li> <li>H319 - Causes serious eye irritation</li> <li>H335 - May cause respiratory irritation</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>P261 - Avoid breathing dust, mist, spray</li> <li>P264 - Wash skin thoroughly after handling</li> <li>P270 - Do not eat, drink or smoke when using this product</li> <li>P271 - Use only outdoors or in a well-ventilated area</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P301+P310 - If swallowed: Immediately call a poison center/doctor/</li> <li>P302+P352 - If on skin: Wash with plenty of soap and water</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>P312 - Call a POISON CENTER or doctor/physician if you feel unwell</li> <li>P321 - Specific treatment (see supplemental first aid instructions on this label)</li> </ul>
08/20/2020	EN (English US) SDS ID: 3637BX1 Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P337+P313 - If eye irritation persist P362+P364 - Take off contaminate P403+P233 - Store in a well-ventila P405 - Store locked up	P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed	
2.3. Other hazards			
Other hazards not contributing to the classification	: Vesicant.		
2.4. Unknown acute toxicity (GHS US	3)		
Not applicable			
SECTION 3: Composition/informa	tion on ingredients		
3.1. Substance Substance type	: Mono-constituent		
	Product identifier	%	Classification (CHS US)
A-Bromo-2.6-difluorobenzonitrile	(CAS No) 123843-67-4	<= 100	Classification (GHS-US) Acute Tox. 3 (Oral), H301
(Main constituent)			Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
.1. Description of first aid measures			
First-aid measures general	: In case of accident or if you feel un where possible). Move the affected		
First-aid measures after inhalation	: Remove person to fresh air and kee respiration. Get immediate medical	p comfortable for breat	
First-aid measures after skin contact	: Wash with plenty of soap and water	. Get immediate medica	al advice/attention.
irst-aid measures after eye contact	: Immediately flush eyes thoroughly v present and easy to do. Continue ri		
First-aid measures after ingestion	: Do NOT induce vomiting. Never giv mouth out with water. Get immediat		
4.2. Most important symptoms and e	ffects, both acute and delayed		
Symptoms/injuries	: The most important known symptor 2.2) and/or in section 11.	ns and effects are descr	ibed in the labelling (see section
Indication of any immediate med	ical attention and special treatment nee	ded	
reat symptomatically.			
SECTION 5: Firefighting measures	S		
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbon diox appropriate for surrounding fire.	ide. Dry powder. Water	spray. Use extinguishing media
5.2. Special hazards arising from the	substance or mixture		
ire hazard	: Thermal decomposition generates: Nitrogen oxides.	Carbon oxides. Hydroge	en bromide. Hydrogen fluoride.
.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area.		
Protection during firefighting	: Wear gas tight chemically protective apparatus. For further information re		
SECTION 6: Accidental release mo	easures		
.1. Personal precautions, protective	equipment and emergency procedures		
General measures	: Evacuate unnecessary personnel.	Ensure adequate air ven	tilation. Do not breathe dust.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 6.1.1. For non-emergency personnel Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. For emergency responders 6.1.2. : Do not attempt to take action without suitable protective equipment. For further information Protective equipment refer to section 8: "Exposure controls/personal protection". 6.2. **Environmental precautions** Avoid release to the environment. Notify authorities if product enters sewers or public waters. Methods and material for containment and cleaning up 6.3. For containment : Stop leak if safe to do so. Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust. : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". Other information **Reference to other sections** 6.4. No additional information available SECTION 7: Handling and storage Precautions for safe handling 7.1. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes. : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or Hygiene measures smoke when using this product. Always wash hands after handling the product. Conditions for safe storage, including any incompatibilities 7.2. **Technical measures** : Comply with applicable regulations.

 Storage conditions
 : Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.

 Incompatible materials
 : Refer to Section 10 on Incompatible Materials.

 Storage area
 : Store in dry, cool, well-ventilated area.

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

- 1	8.2. Exposure controls	
/	Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
ł	Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
E	Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
ŝ	Skin and body protection	: Wear suitable protective clothing.
ł	Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
(	Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

## SECTION 9: Physical and chemical properties

9.1.	Information on basic physical and	d chemical properties
Physica	l state	: Solid
Color		: No data available
Odor		: No data available
Odor the	reshold	: No data available
рН		: No data available
Melting	point	: 79 - 82 °C
Freezing	g point	: No data available
Boiling p	point	: No data available
Flash po	pint	: No data available
Relative	evaporation rate (butyl acetate=1)	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 217.998 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. **Other information**

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
The pro	oduct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No add	itional information available
10.4.	Conditions to avoid
Keep a	way from heat, sparks and flame.
10.5.	Incompatible materials
Strong	acids. Strong bases. Strong oxidizing agents. Strong reducing agents.
10.6.	Hazardous decomposition products
	normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of e Section 5.

## **SECTION 11: Toxicological information**

#### Information on toxicological effects 11.1.

## Acute toxicity

Acute toxicity	: Oral: Toxic if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information			
12.1.	Toxicity		
No additio	onal information available		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability
No additional information available
12.3. Bioaccumulative potential
No additional information available
12.4. Mobility in soil
No additional information available
12.5. Other adverse effects
No additional information available

13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized	ncinerator equipped with an afterburner and a flue gas	scrubber.
Waste disposal recommendations	: Dispose of contents/conta	ner in accordance with licensed collector's sorting insti	ructions.
Additional information	: Recycle the material as fa	r as possible.	
SECTION 14: Transport information			
Department of Transportation (DOT) In accordance with DOT			
Transport document description	: UN3439 Nitriles, solid, tox	c, n.o.s., 6.1, III	
UN-No.(DOT)	: UN3439		
Proper Shipping Name (DOT)	: Nitriles, solid, toxic, n.o.s.		
Transport hazard class(es) (DOT)	: 6.1 - Class 6.1 - Poisonou	s materials 49 CFR 173.132	
Hazard labels (DOT)	: 6.1 - Poison		
	6		
Packing group (DOT)	: III - Minor Danger		
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 213		
DOT Packaging Bulk (49 CFR 173.xxx)	: 240		
DOT Symbols	: G - Identifies PSN requirin	g a technical name	
DOT Special Provisions (49 CFR 172.102)	<ul> <li>IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).</li> <li>IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof ar water-resistant liner.</li> <li>T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2)</li> <li>TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transporte or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.</li> </ul>		, 21HZ1, xible (13H1, sift-proof and bove their s transported in portable nces of h more pressure, ingent tank with portable ure material
DOT Packaging Exceptions (49 CFR 173.xxx)	: 153	•••••	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 100 kg		
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 30 L		
08/20/2020	EN (English US)	SDS ID: 3637BX1	5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Other information	: No supplementary information available.
TDG	
No additional information available	
Fransport by sea	
JN-No. (IMDG)	: 3439
Proper Shipping Name (IMDG)	: NITRILES, SOLID, TOXIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
JN-No. (IATA)	: 3439
Proper Shipping Name (IATA)	: Nitriles, toxic, solid, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: III - Minor Danger

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic

Substances Control Act (TSCA) inventory except for:	0.	<b>C</b> <i>Y</i>
4-Bromo-2,6-difluorobenzonitrile	CAS No 123843-67-4	100%
4-Diomo-2,0-dindolobenzonitine	CAS NO 123043-07-4	10078

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

**CANADA** 

No additional information available

EU-Regulations No additional information available

#### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:				
	Acute Tox. 3 (Oral)		Acute toxicity (oral) Category 3	
	Acute Tox. 4 (Dermal)		Acute toxicity (dermal) Category 4	
	Acute Tox. 4 (Inhalation)		Acute toxicity (inhalation) Category 4	
	Eye Irrit. 2A		Serious eye damage/eye irritation Category 2A	
	Skin Irrit. 2		Skin corrosion/irritation Category 2	
	STOT SE 3		Specific target organ toxicity (single exposure) Category 3	
	H301		Toxic if swallowed	
	H312		Harmful in contact with skin	
	H315		Causes skin irritation	
	H319		Causes serious eye irritation	
	H332		Harmful if inhaled	
	H335		May cause respiratory irritation	
NFPA health hazard		: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.		
NFPA fire hazard		: 1 - Must be preheated before ignition can occur.		
NFPA reactivity		: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.		
HMIS III Rating				
		: 3 Serious Hazard - Majo given	3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given	
Flammability		<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>		

Physical

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.