

N-Methylbenzhydrylamine

Safety Data Sheet 37311X0

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/11/2019 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: N-Methylbenzhydrylamine
CAS No	: 14683-47-7
Product code	: 3731-1-X0
Formula	: C14H15N
Synonyms	: N-(Diphenylmethyl)methylamine; 1,1-Diphenyl-N-methylmethylamine
Other means of identification	: MFCD00467853
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	fety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab 1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
2.1. Classification of the substance Classification (GHS-US) Skin Corr. 1B H314 - Causes severe skin Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirat Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	n burns and eye damage e damage
Hazard pictograms (GHS-US)	HS05 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	 H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P260 - Do not breathe dust, fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P304 P3

- P310 Immediately call a POISON CENTER or doctor/ physician
- P321 Specific treatment (see supplemental first aid instructions on this label) P363 Wash contaminated clothing before reuse
- - P403+P233 Store in a well-ventilated place. Keep container tightly closed
 - P405 Store locked up
 - P501 Dispose of contents/container to an approved waste disposal plant

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monda	y, March 26, 2012 / Rules and Regulations					
2.3. Other hazards						
No additional information available						
2.4. Unknown acute toxicity (GHS US)	4. Unknown acute toxicity (GHS US)					
Not applicable						
SECTION 3: Composition/informati	on on ingredients					
3.1. Substance						
Substance type	: Mono-constituent					
Name	Product identifier	%	Classification (GHS-US)			
N-Methylbenzhydrylamine (Main constituent)	(CAS No) 14683-47-7					
Full text of H-phrases: see section 16	,		· · · · · · · · · · · · · · · · · · ·			
3.2. Mixture						
Not applicable						
SECTION 4: First aid measures						
4.1. Description of first aid measures						
First-aid measures general	: In case of accident or if you feel unwell, where possible). Move the affected pers	seek medical advice onnel away from the	e immediately (show the label e contaminated area.			
First-aid measures after inhalation	: Remove person to fresh air and keep correspiration. Get immediate medical advi		ing. If not breathing, give artificial			
First-aid measures after skin contact	: Wash with plenty of soap and water. Re medical advice/attention.	move contaminated	clothing and shoes. Get immediate			
First-aid measures after eye contact	: Immediately flush eyes thoroughly with present and easy to do. Continue rinsing					
First-aid measures after ingestion	 Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention. 					
4.2. Most important symptoms and eff	ects, both acute and delayed					
Symptoms/injuries	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.					
Symptoms/injuries after inhalation	: Material is destructive to tissue of the m shortness of breath, headache, nausea.	ucuous membranes	and upper respiratory tract. Cough,			
4.3. Indication of any immediate medic	al attention and special treatment needed					
Treat symptomatically.						
SECTION 5: Firefighting measures						
5.1. Extinguishing media						
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. appropriate for surrounding fire.	Dry powder. Water	spray. Use extinguishing media			
5.2. Special hazards arising from the s	ubstance or mixture					
Fire hazard	: Thermal decomposition generates: Carb	oon oxides. Nitrogen	oxides.			
5.3. Advice for firefighters						
Firefighting instructions	: In case of fire: Evacuate area.					
Protection during firefighting	rotection during firefighting : Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".					
SECTION 6: Accidental release me						
	equipment and emergency procedures					
General measures	: Evacuate unnecessary personnel. Ensu breathe gas, fumes, vapor or spray.	re adequate air vent	ilation. Do not breathe dust. Do not			
6.1.1. For non-emergency personnel						
Emergency procedures	: Only qualified personnel equipped with s	suitable protective e	quipment may intervene.			
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without su	itable protective equ	ipment. For further information			
	refer to section 8: "Exposure controls/pe					

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions					
Avoid release to the environment. Notify author	rities if product enters sewers or public waters.				
6.3. Methods and material for contain	B. Methods and material for containment and cleaning up				
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.				
Methods for cleaning up	Minimize generation of dust. Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.				
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".				
6.4. Reference to other sections					
No additional information available					
SECTION 7: Handling and storage					
7.1. Precautions for safe handling					
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.				
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.				
7.2. Conditions for safe storage, include	ding any incompatibilities				
Technical measures	: Comply with applicable regulations.				
Storage conditions	: Keep container closed when not in use.				
Incompatible materials	: Refer to Section 10 on Incompatible Materials.				
Storage area	: Store in dry, cool, well-ventilated area.				

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties		
Physical state	: Solid		
Appearance	: Low melting solid.		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
PH	: No data available		
Melting point	: 38 - 42 °C		
Freezing point	: No data available		
Boiling point	: 168 °C (@ 20 mm Hg)		
Flash point	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
		0D0 ID 070441/0	0/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 197.2756 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

ECTION 10: Stability and reactivity
1. Reactivity
additional information available
2. Chemical stability
e product is stable at normal handling and storage conditions.
3. Possibility of hazardous reactions
additional information available
4. Conditions to avoid
ep away from heat, sparks and flame.
5. Incompatible materials
ong acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information				
11.1. Information on toxicological effects	i de la constante de la constan			
Acute toxicity	: Not classified			
Skin corrosion/irritation	: Causes severe skin burns and eye damage.			
Serious eye damage/irritation	: Causes serious eye damage.			
Respiratory or skin sensitization	: Not classified			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: Not classified			
Reproductive toxicity	: Not classified			
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.			
Specific target organ toxicity (repeated exposure)	: Not classified			
Aspiration hazard	: Not classified			

Symptoms/injuries after inhalation

: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTI	ON 12: Ecological information
12.1.	Toxicity
No additi	ional information available
12.2.	Persistence and degradability
No additi	ional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3.	Bioaccumulative potential			
No addi	tional information available			
12.4.	Mobility in soil			
	tional information available			
12.5.	Other adverse effects			
No addi	tional information available			

SECTION 13: Disposal considerations

Waste treatment methods 13.1.

Waste treatment methods Waste disposal recommendations

- : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
- Additional information
- : Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible.
- **SECTION 14: Transport information**

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

- : UN3259 Amines, solid, corrosive, n.o.s., 8, III
- : UN3259
- : Amines, solid, corrosive, n.o.s.
- 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



: III - Minor Danger

- Packing group (DOT)
- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)
- : 213 : 240 : G - Identifies PSN requiring a technical name : IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter. DOT Packaging Exceptions (49 CFR 173.xxx) : 154 DOT Quantity Limitations Passenger aircraft/rail : 25 kg DOT Quantity Limitations Cargo aircraft only (49 : 100 kg
- CFR 175.75) : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a DOT Vessel Stowage Location passenger vessel. DOT Vessel Stowage Other : 52 - Stow "separated from" acids Other information : No supplementary information available.

(49 CFR 173.27)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG

No additional information available

Transport by sea	
UN-No. (IMDG)	: 3259
Proper Shipping Name (IMDG)	: AMINES, SOLID, CORROSIVE, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3259
Proper Shipping Name (IATA)	: Amines, solid, corrosive, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

	N-Methylbenzhydrylamine
--	-------------------------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

CAS No 14683-47-7

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.	
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	

100%

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.