

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 3737305 Issue date: 10/6/2017 Revision date: 8/15/2022 Version: 1.1

SECTION 1: Identification

| 1.1. Identification | | |
|--|---|--|
| Product form Substance name CAS-No. Product code Formula Synonyms Other means of identification | Substance 2-(Pentafluorophenyl)acetonitrile 653-30-5 3737-3-05 C8H2F5N 2,3,4,5,6-Pentafluorophenylacetonitrile MFCD00013814 | |
| 1.2. Recommended use and restrictions on use | | |
| Use of the substance/mixture | : Laboratory chemicals Manufacture of substances Scientific research and development | |
| 1.3. Supplier | | |
| SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number | | |
| Emergency number | : (844) 523-4086 (3E Company - Account 10069) | |

SECTION 2: Hazard(s) identification

GHS US classification

| Acute toxicity (oral) Category 3 | H301 | Toxic if swallowed |
|---|------|----------------------------------|
| Acute toxicity (dermal) Category 3 | H311 | Toxic in contact with skin |
| Acute toxicity (inhalation:gas) Category 3 | H331 | Toxic if inhaled |
| Skin corrosion/irritation Category 2 | H315 | Causes skin irritation |
| Serious eye damage/eye irritation Category 2A | H319 | Causes serious eye irritation |
| Specific target organ toxicity – Single exposure, Category 3, | H335 | May cause respiratory irritation |
| Respiratory tract irritation | | |
| Full text of H statements : see section 16 | | |

:

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) Hazard statements (GHS US)

: Danger

: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled H315 - Causes skin irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | H319 - Causes serious eye irritation |
|-----------------------------------|--|
| | H335 - May cause respiratory irritation |
| Precautionary statements (GHS US) | : P261 - Avoid breathing fumes, mist, spray, vapors. |
| | P264 - Wash skin thoroughly after handling |
| | P270 - Do not eat, drink or smoke when using this product. |
| | P271 - Use only outdoors or in a well-ventilated area. |
| | P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
| | P301+P310 - If swallowed: Immediately call a poison center or doctor. |
| | P302+P352 - If on skin: Wash with plenty of soap and water |
| | P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. |
| | P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove |
| | contact lenses, if present and easy to do. Continue rinsing. |
| | P311 - Call a POISON CENTER or doctor/physician |
| | P312 - Call a POISON CENTER or doctor/physician if you feel unwell |
| | P321 - Specific treatment (see supplemental first aid instructions on this label) |
| | P322 - Specific treatment (see supplemental first aid instruction on this label) |
| | P330 - Rinse mouth. |
| | P332+P313 - If skin irritation occurs: Get medical advice/attention. |
| | P337+P313 - If eye irritation persists: Get medical advice/attention. |
| | P361+P364 - Take off immediately all contaminated clothing and wash it before reuse. |
| | P362+P364 - Take off contaminated clothing and wash it before reuse. |
| | P403+P233 - Store in a well-ventilated place. Keep container tightly closed. |
| | P405 - Store locked up. |
| | P501 - Dispose of contents/container to an approved waste disposal plant |

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type

: Mono-constituent

| Name | Product identifier | % | GHS US classification |
|---|--------------------|---|---|
| 2-(Pentafluorophenyl)acetonitrile (Main constituent) | CAS-No.: 653-30-5 | | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:gas), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 4: First-aid measures | | |
|--|---|--|
| 4.1. Description of first aid measures | | |
| First-aid measures general | : In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area. | |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention. | |
| First-aid measures after skin contact | : Wash with plenty of soap and water. Get immediate medical advice/attention. | |
| First-aid measures after eye contact | : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. | |
| First-aid measures after ingestion | : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention. | |
| 4.2. Most important symptoms and effects (acute and delayed) | | |
| Symptoms/effects | : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11. | |
| | and/or in section 11. | |

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

| SECTION 5: Fire-fighting measures | |
|---|---|
| 5.1. Suitable (and unsuitable) extinguish | ing media |
| Suitable extinguishing media | : Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire. |
| 5.2. Specific hazards arising from the ch | emical |
| Fire hazard Explosion hazard | Thermal decomposition generates: Carbon oxides. Hydrogen fluoride. Nitrogen oxides. Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. |
| 5.3. Special protective equipment and pr | ecautions for fire-fighters |
| Firefighting instructions Protection during firefighting | In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". |

| SECTION 6: Accidental release measures | | |
|--|---|--|
| 6.1. Personal precautions, protective equipm | nent and emergency procedures | |
| General measures | : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray. | |
| 6.1.1. For non-emergency personnel | | |
| Emergency procedures | : Only qualified personnel equipped with suitable protective equipment may intervene. | |
| 6.1.2. For emergency responders | | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". | |
| Emergency procedures | : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

| 6.3. Methods and material for containment and cleaning up | | |
|---|--|--|
| For containment | : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. | |
| Methods for cleaning up | : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion- proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. | |
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". | |
| 6.4. Reference to other sections | | |

No additional information available

| SECTION 7: Handling and storage | | | |
|--|---|--|--|
| 7.1. Precautions for safe handling | | | |
| Precautions for safe handling Hygiene measures | Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. | | |
| 7.2. Conditions for safe storage, including any incompatibilities | | | |
| Technical measures Storage conditions Incompatible materials Storage area | Comply with applicable regulations. Keep container closed when not in use. Air sensitive. Keep contents under inert gas. Refer to Section 10 on Incompatible Materials. Store in dry, cool, well-ventilated area. | | |

SECTION 8: Exposure controls/personal protection

| 8.1. Control parameters | |
|--------------------------------------|--|
| 2-(Pentafluorophenyl)acetonitrile (6 | \$ 53-30-5) |
| No additional information available | |
| 8.2. Appropriate engineering contro | Is |
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eve wash fountains and safety showers |

Appropriate engineering controls

: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

Hand protection:

protective gloves. 29 CFR 1910.138: Hand Protection

Eye protection:

Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state Color Odor Odor the shold pH Melting point Freezing point Fash point Flash point Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) Vapor pressure Relative vapor density at 20 °C Relative density Density Molecular mass Solubility Partition coefficient n-octanol/water (Log Pow) Auto-ignition temperature Decomposition temperature Viscosity, kinematic | Liquid No data available 107 - 109 °C (@ 17 mm Hg) No data available |
|--|---|
| Decomposition temperature | : No data available |
| 9.2. Other information | |

Refractive index

: 1.4406 (@ 20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Strong reducing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| Acute toxicity (oral) | : Toxic if swallowed. |
|-----------------------------------|--|
| Acute toxicity (dermal) | : Toxic in contact with skin. |
| Acute toxicity (inhalation) | : Toxic if inhaled. |
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| Viscosity, kinematic | : No data available |
| Symptoms/effects | : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11. |

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

No additional information available

| SECTION 13: Disposal considerations | |
|--|--|
| 13.1. Disposal methods | |
| Waste treatment methods Product/Packaging disposal recommendations Additional information | Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible. |
| SECTION 14: Transport information | |
| 14.1. UN number | |
| DOT NA No UN-No. (TDG) UN-No. (IMDG) UN-No. (IATA) | : UN3276 : Not applicable : 3276 : 3276 |
| 14.2. UN proper shipping name | |
| Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) | Nitriles, liquid, toxic, n.o.s. Not applicable NITRILES, LIQUID, TOXIC, N.O.S. Nitriles, liquid, toxic, n.o.s. |
| 14.3. Transport hazard class(es) | |
| DOT Transport hazard class(es) (DOT) Hazard labels (DOT) | : 6.1 : 6.1 |
| TDG Transport hazard class(es) (TDG) | : Not applicable |
| IMDG Transport hazard class(es) (IMDG) Hazard labels (IMDG) | : 6.1 : 6.1 |
| IATA Transport hazard class(es) (IATA) Hazard labels (IATA) | : 6.1 : 6.1 |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | 6 |
|--|---|
| 14.4. Packing group | |
| Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA) | : III : Not applicable : III : III |
| 14.5. Environmental hazards | |
| Other information | : No supplementary information available. |
| 14.6. Special precautions for user | |
| DOT UN-No.(DOT) DOT Special Provisions (49 CFR 172.102) | UN3276 IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T7 - 4 178.274(d)(2) Normal |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 153 |
| DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) | : 203 : 241 |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : 220 L |
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. |
| DOT Vessel Stowage Other | : 52 - Stow "separated from" acids |
| TDG Emergency Response Guide (ERG) Number | : 151 |
| | . 000.074 |
| Special provision (IMDG) Limited quantities (IMDG) | : 223, 274 : 5L |
| Excepted quantities (IMDG) | : 5L : E1 |
| Packing instructions (IMDG) | : P001, LP01 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T7 |
| Tank special provisions (IMDG) | : TP1, TP28 |
| EmS-No. (Fire) | : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE |
| EmS-No. (Spillage) | : S-A - SPILLAGE SCHEDULE Alfa - TOXIC SUBSTANCES |
| Stowage category (IMDG) | : A |
| | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Properties and observations (IMDG) | : Liquids, evolving toxic vapour. React with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Miscible with water. Toxic if swallowed, by skin contact or by inhalation. |
|--|---|
| ΙΑΤΑ | |
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y642 |
| PCA limited quantity max net quantity (IATA) | : 2L |
| PCA packing instructions (IATA) | : 655 |
| PCA max net quantity (IATA) | : 60L |
| CAO packing instructions (IATA) | : 663 |
| CAO max net quantity (IATA) | : 220L |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: A3, A4, A137

: 6L

Not applicable

ERG code (IATA)

Special provision (IATA)

SECTION 15: Regulatory information

15.1. US Federal regulations

| All components of this product are present and listed as (TSCA) inventory, except for: | s Active on the United States Environme | ntal Protection Agency Toxic Substances Control Act |
|--|---|---|
| 2-(Pentafluorophenyl)acetonitrile | CAS-No. 653-30-5 | 100% |

15.2. International regulations

CANADA

No additional information available

EU-Regulations

2-(Pentafluorophenyl)acetonitrile (653-30-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

2-(Pentafluorophenyl)acetonitrile (653-30-5) Japanese Poisonous and Deleterious Substances Control Law

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 08/15/2022

| Full text of H-phrases | |
|------------------------|--------------------|
| H301 | Toxic if swallowed |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Full text of H-phrases | | |
|--|----------------------------------|---|
| H311 | Toxic in contact with skin | |
| H315 | Causes skin irritation | |
| H319 | Causes serious eye irritation | |
| H331 | Toxic if inhaled | |
| H335 | May cause respiratory irritation | |
| NFPA health hazar NFPA fire hazard NFPA reactivity | d | 3 - Materials that, under emergency conditions, can cause serious or permanent injury. 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. 0 - Material that in themselves are normally stable, even under fire conditions. |
| Hazard Rating Health Flammability Physical | | 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given 0 Minimal Hazard - Materials that will not burn 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. |

Safety Data Sheet (SDS), USA

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.