

# **Material Safety Data Sheet**

Transportation Emergency: 1-800-451-8346

Date last revised: January 31, 2011 Date printed: January 31, 2011

# SECTION 1. ----- CHEMICAL IDENTIFICATION-----

CATALOG #: 3830-3-14

NAME: 4-AMINO-2-FLUOROBENZOTRIFLUORIDE SYNONYM: 3-FLUORO-4-(TRIFLUOROMETHYL)ANILINE

# SECTION 2. ---- COMPOSITION/INFORMATION ON INGREDIENTS -----

CAS #: 69411-68-3 MF: C<sub>7</sub>H<sub>5</sub>F<sub>4</sub>N = 179.11

## SECTION 3. ----- HAZARDS IDENTIFICATION -----

LABEL PRECAUTIONARY STATEMENTS

HARMFUL.

HARMFUL IF SWALLOWED.

IRRITANT.

IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.

## SECTION 4. ----- FIRST-AID MEASURES-----

## ORAL EXPOSURE

IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN.

## INHALATION EXPOSURE

IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE

ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

## DERMAL EXPOSURE

IN CASE OF CONTACT, IMMEDIATELY WASH SKIN WITH SOAP AND COPIOUS AMOUNTS OF WATER.

#### EYE EXPOSURE

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES.

# SECTION 5. ----- FIRE FIGHTING MEASURES -----

FLASH POINT

NOT ESTABLISHED

**EXTINGUISHING MEDIA** 

SUITABLE: FOR SMALL (INCIPIENT) FIRES, USE MEDIA SUCH AS "ALCOHOL" FOAM, DRY CHEMICAL, OR CARBON DIOXIDE. FOR LARGE FIRES, APPLY WATER FROM AS FAR AS POSSIBLE. USE VERY LARGE QUANTITIES (FLOODING) OF WATER APPLIED AS A MIST OR SPRAY; SOLID STREAMS OF WATER MAY BE INEFFECTIVE. COOL ALL AFFECTED CONTAINERS WITH FLOODING QUANTITIES OF WATER.

#### **FIREFIGHTING**

PROTECTIVE EQUIPMENT: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES. SPECIFIC HAZARD(S): COMBUSTIBLE LIQUID. EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

EXPOSURE HAZARD(S)

MATERIAL: IRRITANT. HARMFUL LIQUID AND FUMES.

#### SECTION 6. ----- ACCIDENTAL RELEASE MEASURES-----

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL EVACUATE AREA.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS, AND HEAVY RUBBER GLOVES.

METHODS FOR CLEANING UP

SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL. AVOID RAISING DUST. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

#### SECTION 7. ----- HANDLING AND STORAGE-----

#### **HANDLING**

USER EXPOSURE: AVOID CONTACT AND INHALATION. DO NOT GET IN EYES, ON SKIN, ON CLOTHING.

**STORAGE** 

SUITABLE: KEEP TIGHTLY CLOSED. STORE IN A COOL DRY PLACE.

# SECTION 8. ----- EXPOSURE CONTROLS/PERSONAL PROTECTION-----

#### **ENGINEERING CONTROLS**

SAFETY SHOWER AND EYE BATH. MECHANICAL EXHAUST REQUIRED. PERSONAL PROTECTIVE EOUIPMENT

RESPIRATORY: USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU). WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. HAND: COMPATIBLE CHEMICAL-RESISTANT GLOVES.

EYE: CHEMICAL SAFETY GOGGLES.

# GENERAL HYGIENE MEASURES

WASH THOROUGHLY AFTER HANDLING. WASH CONTAMINATED CLOTHING BEFORE REUSE.

## SECTION 9. ----- PHYSICAL AND CHEMICAL PROPERTIES -----

APPEARANCE AND ODOR SOLID

PHYSICAL PROPERTIES

MELTING POINT: 54 - 58 °C

#### SECTION 10. -----STABILITY AND REACTIVITY -----

#### **STABILITY**

MATERIALS TO AVOID: STRONG OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN OXIDES, HYDROGEN FLUORIDE.

# SECTION 11. ----- TOXICOLOGICAL INFORMATION -----

# ROUTE OF EXPOSURE

SKIN CONTACT: CAUSES SKIN IRRITATION.

INGESTION: HARMFUL IF SWALLOWED.

MULTIPLE ROUTES: MAY BE HARMFUL BY INHALATION OR

SKIN ABSORPTION. VAPOR OR MIST IS IRRITATING TO THE EYES, MUCOUS

MEMBRANES, AND UPPER RESPIRATORY TRACT.

# SIGNS AND SYMPTOMS OF EXPOSURE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED. ABSORPTION INTO THE BODY LEADS TO THE FORMATION OF METHEMOGLOBIN WHICH IN SUFFICIENT CONCENTRATION CAUSES CYANOSIS. ONSET MAY BE DELAYED 2 TO 4 HOURS OR LONGER.

#### SECTION 12. ----- ECOLOGICAL INFORMATION -----

DATA NOT YET AVAILABLE.

# SECTION 13. ----- DISPOSAL CONSIDERATIONS -----

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION THIS COMBUSTIBLE MATERIAL MAY BE BURNED IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OBSERVE ALL FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

## SECTION 14. ----- TRANSPORT INFORMATION -----

DOT

UNRESTRICTED

#### SECTION 15. ----- REGULATORY INFORMATION -----

EU ADDITIONAL CLASSIFICATION

SYMBOL OF DANGER: Xn

INDICATION OF DANGER: HARMFUL.

R: 22-36/37/38

RISK STATEMENTS: HARMFUL BY IF SWALLOWED. IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.

S: 26-36/37/39-45

SAFETY STATEMENTS: IN CASE OF CONTACT WITH EYES, RINSE

IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. WEAR

SUITABLE PROTECTIVE CLOTHING, GLOVES, AND EYE/FACE PROTECTION.

IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).

US CLASSIFICATION AND LABEL TEXT

INDICATION OF DANGER: HARMFUL.

RISK STATEMENTS: HARMFUL BY IF SWALLOWED. IRRITATING TO EYES,

RESPIRATORY SYSTEM AND SKIN.

SAFETY STATEMENTS: IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL,

SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).

IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF

WATER AND SEEK MEDICAL ADVICE. WEAR SUITABLE PROTECTIVE

CLOTHING, GLOVES, AND EYE/FACE PROTECTION.

**US INFORMATION** 

NOT INCLUDED ON TSCA INVENTORY, FOR R&D USE ONLY

# SECTION 16. ----- OTHER INFORMATION-----

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SYNQUEST LABS, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.