

Safety Data Sheet 3830321

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/16/2021 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 2,4-Bis(trifluoromethyl)benzylamine		
CAS No	: 286010-20-6		
Product code	: 3830-3-21		
Formula	: C9H7F6N		
Synonyms	: [2,4-Bis(trifluoromethyl)phenyl]methanamine		
Other means of identification	: MFCD06212780		
1.2. Relevant identified uses of the subs	tance or mixture and uses advised against		
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development		
1.3. Details of the supplier of the safety of	data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	<u>n</u>		
1.4. Emergency telephone number	(0.44) 500 (000 (0E O		
Emergency number	: (844) 523-4086 (3E Company - Account 10069)		
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or m	ixture		
Classification (GHS-US)			
Skin Corr. 1B       H314 - Causes severe skin burns and eye damage         Eye Dam. 1       H318 - Causes serious eye damage         STOT SE 3       H335 - May cause respiratory irritation         Full text of H-phrases: see section 16			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	GHS05 GHS07		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation		
Precautionary statements (GHS-US)	<ul> <li>P260 - Do not breathe fumes, mist, spray, vapors</li> <li>P264 - Wash skin thoroughly after handling</li> <li>P271 - Use only outdoors or in a well-ventilated area</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact</li> </ul>		

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician

P321 - Specific treatment (see supplemental first aid instructions on this label) P363 - Wash contaminated clothing before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to an approved waste disposal plant

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<ul><li>ccording to Federal Register / Vol. 77, No.</li><li><b>2.3.</b> Other hazards</li></ul>				
No additional information available				
2.4. Unknown acute toxicity (	GHS US)			
Not applicable	,			
SECTION 3: Composition/in	formation on ir	ngredients		
3.1. Substance				
Substance type	: Mon	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
2,4-Bis(trifluoromethyl)benzylamine (Main constituent)		(CAS No) 286010-20-6	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16	6			
3.2. Mixture				
Not applicable				
SECTION 4: First aid measu	ires			
4.1. Description of first aid m	easures			
First-aid measures general		se of accident or if you feel unv e possible). Move the affected		, , , , , , , , , , , , , , , , , , , ,
First-aid measures after inhalation		ove person to fresh air and kee iration. Get immediate medical		hing. If not breathing, give artificial
First-aid measures after skin contact		h with plenty of soap and water ical advice/attention.	. Remove contaminated	d clothing and shoes. Get immediate
First-aid measures after eye contact		ediately flush eyes thoroughly v ent and easy to do. Continue rir		5 minutes. Remove contact lenses, if nedical advice/attention.
First-aid measures after ingestion		IOT induce vomiting. Never given the out with water. Get immediat		
4.2. Most important symptom	s and effects, both	acute and delayed		
Symptoms/injuries		most important known sympton and/or in section 11.	ns and effects are desc	ribed in the labelling (see section
Symptoms/injuries after inhalation		erial is destructive to tissue of th tness of breath, headache, nau		s and upper respiratory tract. Cough,
4.3. Indication of any immedia	ate medical attentio	on and special treatment need	led	
Treat symptomatically.				
SECTION 5: Firefighting me	asures			
5.1. Extinguishing media				
Suitable extinguishing media		hol resistant foam. Carbon diox opriate for surrounding fire.	ide. Dry powder. Water	spray. Use extinguishing media
5.2 Creation horardo origina f	and the substance			

5.2. Special hazards arising from the sub	Special hazards arising from the substance or mixture		
Fire hazard	: Thermal decomposition generates: Carbon oxides. Hydrogen fluoride. Nitrogen oxides.		
Explosion hazard	: Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers.		
5.3. Advice for firefighters			
Firefighting instructions Protection during firefighting	<ul> <li>In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.</li> <li>Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".</li> </ul>		

SECTION 6: Accidental release measures			
6.1.	Personal precautions, protective equipment and emergency procedures		
General r	neasures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.	
	For non-emergency personnel cy procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	
Avoid release to the environment. Notify authorit	ies if product enters sewers or public waters.
6.3. Methods and material for containme	ent and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Air sensitive. Moisture sensitive. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, well-ventilated area.

### **SECTION 8: Exposure controls/personal protection**

#### **Control parameters** 8.1.

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

<b>SECTION 9: Physical a</b>	and chemical properties
9.1. Information on bas	sic physical and chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available

Flash point

: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 243.15 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. Other information

No additional information available
SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
The product is stable at normal handling and storage conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Keep away from heat, sparks and flame.
10.5. Incompatible materials
Acids. Acid chlorides. Acid anhydrides. Strong oxidizing agents.
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of

fire, see Section 5.

#### **SECTION 11: Toxicological information** 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

•	
SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	itional information available
12.2.	Persistence and degradability
No addi	itional information available
12.3.	Bioaccumulative potential
No addi	itional information available
12.4.	Mobility in soil
No addi	itional information available
12.5.	Other adverse effects
No addi	itional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

#### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT Transport document description

#### UN-No.(DOT)

Packing group (DOT)

DOT Symbols

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

- : UN2735 Amines, liquid, corrosive, n.o.s., 8, III
- : UN2735
- : Amines, liquid, corrosive, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



: III - Minor Danger

: 203

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

DOT Special Provisions (49 CFR 172.102)

- : 241
  - : G Identifies PSN requiring a technical name
  - : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154 DOT Quantity Limitations Passenger aircraft/rail : 5 L

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

(49 CFR 173.27)

DOT Vessel Stowage Location

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Other	: 52 - Stow "separated from" acids
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 2735
Proper Shipping Name (IMDG)	: AMINES, LIQUID, CORROSIVE, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 2735
Proper Shipping Name (IATA)	: Amines, liquid, corrosive, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2,4-Bis(trifluoromethyl)benzylamine	CAS No 286010-20-6	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

**CANADA** 

No additional information available

**EU-Regulations** No additional information available

#### **National regulations**

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

NFPA health hazard	<ul> <li>3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.</li> </ul>	2
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.	3 0
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	<ul> <li>2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II &amp; IIIA)</li> </ul>
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offend solely for your consideration, investigation, and verificant in the does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.