

2-(Trifluoromethyl)benzylamine Safety Data Sheet 3830342 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/29/2016 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 2-(Trifluoromethyl)benzylamine		
CAS No	: 3048-01-9		
Product code	: 3830-3-42		
Formula	: C8H8F3N		
Other means of identification	: MFCD00010297		
1.2. Relevant identified uses of the sub	stance or mixture and uses advised	against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and developme	ent	
1.3. Details of the supplier of the safety	data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number	<u>əm</u>		
0,1	: (844) 523-4086 (3E Company - A	200upt 10060)	
Emergency number	. (844) 523-4088 (SE Company - A		
SECTION 2: Hazard(s) identification	1		
2.1. Classification of the substance or I	mixture		
Classification (GHS-US)			
Skin Corr. 1A H314 - Causes severe skin bu Eye Dam. 1 H318 - Causes serious eye da STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements	amage		
GHS-US labeling			
Hazard pictograms (GHS-US)	GHS05 GHS07		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H227 - Combustible liquid H314 - Causes severe skin burns H335 - May cause respiratory irrit		
Precautionary statements (GHS-US)	 P210 - Keep away from heat/spar P260 - Do not breathe fumes, mis P264 - Wash skin thoroughly afte P271 - Use only outdoors or in a v P280 - Wear protective gloves/pro P301+P330+P331 - If swallowed: P303+P361+P353 - If on skin (or skin with water/shower P304+P340 - If inhaled: Remove P305+P351+P338 - If in eyes: Rir lenses, if present and easy to do. P310 - Immediately call a POISO P321 - Specific treatment (see su P363 - Wash contaminated clothin 	ks/open flames/hot surfaces. No smoking t, spray, vapors 'handling vell-ventilated area tective clothing/eye protection/face protect rinse mouth. Do NOT induce vomiting hair): Take off immediately all contaminate person to fresh air and keep comfortable for sec cautiously with water for several minute Continue rinsing N CENTER or doctor/ physician oplemental first aid instructions on this labe	d clothing. Rinse er breathing es. Remove contact el)
		dry sand, dry chemical or alcohol-resistant lated place. Keep container tightly closed	foam to extinguish

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P403+P235 Store in a well-ventilated place. Keep cool
- P405 Store locked up

	P501	- Dispose of contents/container to an ap	proved waste d	isposal plant
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/informatio	n on in	gredients		
3.1. Substance				
Substance type	: Mono	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
2-(Trifluoromethyl)benzylamine (Main constituent)		(CAS No) 3048-01-9	<= 100	Flam. Liq. 4, H227 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		se of accident or if you feel unwell, seek e possible). Move the affected personnel		J (
First-aid measures after inhalation		ove person to fresh air and keep comfort ration. Get immediate medical advice/atte		ng. If not breathing, give artificial
First-aid measures after skin contact		n with plenty of soap and water. Remove cal advice/attention.	contaminated c	lothing and shoes. Get immediate
First-aid measures after eye contact		ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get		
First-aid measures after ingestion	: Do N mout	OT induce vomiting. Never give anything hout with water. Get immediate medical	by mouth to an advice/attentior	unconscious person. Rinse n.
4.2. Most important symptoms and effect	ts. both	acute and delayed		
Symptoms/injuries	: The	nost important known symptoms and effe	ects are describ	ed in the labelling (see section
Symptoms/injuries after inhalation		rial is destructive to tissue of the mucuou ness of breath, headache, nausea.	is membranes a	nd upper respiratory tract. Cough,
4.3. Indication of any immediate medica	attentio	n and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media		nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
5.2. Special hazards arising from the su	bstance	or mixture		
Fire hazard	: Ther	mal decomposition generates: Carbon ox	ides. Hydrogen	fluoride. Nitrogen oxides.
Explosion hazard		of explosion if heated under confinement iners. May form flammable/explosive va		ay or fog for cooling exposed
5.3. Advice for firefighters				
Firefighting instructions	: In ca	se of fire: Evacuate area. Fight fire remo	tely due to the ri	sk of explosion.
Protection during firefighting		r gas tight chemically protective clothing i ratus. For further information refer to sec		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equ	ipment and emergency procedures		
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

611 Eor non-omergeney percented	
6.1.1. For non-emergency personnel	· Only qualified nerconnel equipped with quitable protective equipment may intervene
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify author	rities if product enters sewers or public waters.
6.3. Methods and material for contain	nent and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Air sensitive. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.
SECTION 8: Exposure controls/per	sonal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.

Respiratory protection : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory

Other information

- : Safety shoes. 29 CFR 1910.136: Foot Protection.
- SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	Information on basic physical and chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		

Protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monda pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 108 - 110 °C (@ 64 mm Hg)
Flash point	: 69 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
√apor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.249 g/ml (@ 20 °C)
Molecular mass	: 175.15 g/mol
Solubility	: No data available
_og Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
/iscosity	: No data available
/iscosity, kinematic	: No data available
/iscosity, dynamic	: No data available
0.2. Other information	
Refractive index	: 1.471 (@ 20 °C)
SECTION 10: Stability and reactivity	ty
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and s	storage conditions.
10.3. Possibility of hazardous reactions	S
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	

Acids. Acid chlorides. Acid anhydrides. Carbon dioxide. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECT	SECTION 11: Toxicological information				
11.1.	Information on toxicological effects				
Acute to	xicity	: Not classified			
Skin cor	rosion/irritation	: Causes severe skin burns and eye damage.			

Skin corrosion/irritation	: Causes severe skin burns and ey
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

o o	
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECT	ON 12: Ecological information		
12.1.	Toxicity		
No addi	tional information available		
12.2.	Persistence and degradability		
No addi	tional information available		
12.3.	Bioaccumulative potential		
No additional information available			
12.4.	Mobility in soil		
No addi	tional information available		
12.5.	Other adverse effects		

No additional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods Waste disposal recommendations Additional information	 Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible. 		

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

DOT Symbols

DOT Special Provisions (49 CFR 172.102)

- : UN2735 Amines, liquid, corrosive, n.o.s., 8, III
- : UN2735
- : Amines, liquid, corrosive, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- : 203
- : 241
- : G Identifies PSN requiring a technical name

: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.	
DOT Vessel Stowage Other	: 52 - Stow "separated from" acids	
Other information	: No supplementary information available.	
TDG		
No additional information available		
Transport by sea		
UN-No. (IMDG)	: 2735	
Proper Shipping Name (IMDG)	: AMINES, LIQUID, CORROSIVE, N.O.S.	
Class (IMDG)	: 8 - Corrosive substances	
Packing group (IMDG)	: III - substances presenting low danger	
Air transport		
UN-No. (IATA)	: 2735	
Proper Shipping Name (IATA)	: Amines, liquid, corrosive, n.o.s.	
Class (IATA)	: 8 - Corrosives	
Packing group (IATA)	: III - Minor Danger	
SECTION 15: Regulatory information		

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic

2-(Trifluoromethyl)benzylamine	CAS No 3048-01-9	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 4	Flammable liquids Category 4
Skin Corr. 1A	Skin corrosion/irritation Category 1A
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

c		
NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given	
Flammability	2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	
SDS US (GHS HazCom 2012)		

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.