

3,5-Bis(trifluoromethyl)benzylamine

Safety Data Sheet 3830345

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 11/09/2017 Revision date: 09/18/2018 Version: 1.1

| SECTION 1: Identification | |
|--|--|
| 1.1. Identification | |
| Product form | : Substance |
| Substance name | : 3,5-Bis(trifluoromethyl)benzylamine |
| CAS No | : 85068-29-7 |
| Product code | : 3830-3-45 |
| Formula | : C9H7F6N |
| Synonyms | : MBT-BYM |
| Other means of identification | : MFCD00009909 |
| 1.2. Relevant identified uses of the sub | stance or mixture and uses advised against |
| Use of the substance/mixture | : Laboratory chemicals Manufacture of substances Scientific research and development |
| 1.3. Details of the supplier of the safety | / data sheet |
| SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com | <u>om</u> |
| 1.4. Emergency telephone number | |
| Emergency number | : (844) 523-4086 (3E Company - Account 10069) |
| SECTION 2: Hazard(s) identification 2.1. Classification of the substance or r Classification (GHS-US) Skin Corr. 1B H314 - Causes severe skin bu | mixture urns and eye damage |
| Eye Dam. 1 H318 - Causes serious eye da STOT SE 3 H335 - May cause respiratory | |
| Full text of H-phrases: see section 16 | |
| | |
| 2.2. Label elements | |
| GHS-US labeling Hazard pictograms (GHS-US) | |
| Signal word (GHS-US) | : Danger |
| Hazard statements (GHS-US) | H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation |
| Precautionary statements (GHS-US) | P260 - Do not breathe dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing |

lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician

P321 - Specific treatment (see supplemental first aid instructions on this label) P363 - Wash contaminated clothing before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up

P501 - Dispose of contents/container to an approved waste disposal plant

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| ccording | g to Federal Register / Vol. 77, No. 58 / Monda | y, March 26 | 6, 2012 / Rules and Regulations | | |
|----------|---|-------------|---|-------------------|--|
| 2.3. | Other hazards | | | | |
| No ad | ditional information available | | | | |
| 2.4. | Unknown acute toxicity (GHS US) | | | | |
| Not ap | oplicable | | | | |
| SEC | TION 3: Composition/informati | on on ir | ngredients | | |
| 3.1. | Substance | | | | |
| Substa | ance type | : Mon | o-constituent | | |
| Nam | e | | Product identifier | % | Classification (GHS-US) |
| | is(trifluoromethyl)benzylamine constituent) | | (CAS No) 85068-29-7 | <= 100 | Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 |
| Full te | xt of H-phrases: see section 16 | | | | |
| 3.2. | Mixture | | | | |
| Not ap | plicable | | | | |
| SEC | TION 4: First aid measures | | | | |
| 4.1. | Description of first aid measures | | | | |
| First-a | id measures general | | ase of accident or if you feel unwell, seek a re possible). Move the affected personnel | | |
| First-a | id measures after inhalation | | ove person to fresh air and keep comfortation. Get immediate medical advice/atte | | g. If not breathing, give artificial |
| First-a | id measures after skin contact | | h with plenty of soap and water. Remove ical advice/attention. | contaminated c | lothing and shoes. Get immediate |
| First-a | id measures after eye contact | | ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get | | |
| First-a | id measures after ingestion | | IOT induce vomiting. Never give anything the out with water. Get immediate medical | | |
| 4.2. | Most important symptoms and effe | ects, both | acute and delayed | | |
| Sympt | oms/injuries | | most important known symptoms and effe and/or in section 11. | ects are describe | ed in the labelling (see section |
| Sympt | oms/injuries after inhalation | | erial is destructive to tissue of the mucuou tness of breath, headache, nausea. | s membranes a | nd upper respiratory tract. Cough, |
| 4.3. | Indication of any immediate medic | al attentio | on and special treatment needed | | |
| Treat | symptomatically. | | | | |
| SEC | TION 5: Firefighting measures | | | | |
| 5.1. | Extinguishing media | | | | |
| Suitab | le extinguishing media | | hol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. | owder. Water sp | oray. Use extinguishing media |
| 5.2. | Special hazards arising from the s | ubstance | or mixture | | |
| Fire ha | azard | : The | mal decomposition generates: Carbon ox | ides. Hydrogen | fluoride. Nitrogen oxides. |

 Fire hazard
 : Thermal decomposition generates: Carbon oxides. Hydrogen fluoride. Nitrogen oxides.

 Explosion hazard
 : When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined.

 5.3.
 Advice for firefighters

 Firefighting instructions
 : In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.

 Protection during firefighting
 : Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".

| SECTION 6: Accidental release measures | | |
|--|---|---|
| 6.1. | Personal precautions, protective equi | pment and emergency procedures |
| General r | neasures | Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust. |
| | For non-emergency personnel cy procedures | Only qualified personnel equipped with suitable protective equipment may intervene. |
| - | For emergency responders | |
| | | Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Emergency procedures | | : Avoid raising dust. When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined. Eliminate every possible source of ignition. |
|----------------------|---------------------------|---|
| 6.2. | Environmental precautions | |

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

| 6.3. | Methods and material for containment and cleaning up | | |
|----------|--|--|--|
| For con | itainment | : Stop leak if safe to do so. | |
| Method | ls for cleaning up | : Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust. | |
| Other in | nformation | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". | |
| 6.4 | Potoronco to other sections | | |
| 6.4. | Reference to other sections | | |

No additional information available

| SECTION 7: Handling and storage | |
|--|--|
| 7.1. Precautions for safe handling | |
| Additional hazards when processed | : When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined. |
| Precautions for safe handling | : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage, includin | g any incompatibilities |
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep container closed when not in use. Keep away from ignition sources. |
| Incompatible materials | : Refer to Section 10 on Incompatible Materials. |
| Storage area | : Store in dry, cool, well-ventilated area. |

SECTION 8: Exposure controls/personal protection

Control parameters 8.1.

No additional information available

| 8.2. Exposure controls | |
|----------------------------------|--|
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. |
| Hand protection | : Protective gloves. 29 CFR 1910.138: Hand Protection. |
| Eye protection | : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection. |
| Skin and body protection | : Wear suitable protective clothing. |
| Respiratory protection | : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. |
| Other information | : Safety shoes. 29 CFR 1910.136: Foot Protection. |

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical and | d chemical properties |
|---|---------------------------|
| Physical state | : Solid |
| Color | : No data available |
| Odor | : No data available |
| Odor threshold | : No data available |
| рН | : No data available |
| Melting point | : 50 - 55 °C |
| Freezing point | : No data available |
| Boiling point | : 82 - 84 °C (@ 15 mm Hg) |
| Flash point | : 78 °C |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Explosion limits | : No data available |
|---------------------------------|---------------------|
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : No data available |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Molecular mass | : 243.15 g/mol |
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Acids. Acid chlorides. Acid anhydrides. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| Acute toxicity | : Not classified |
|--|--|
| Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity | Causes severe skin burns and eye damage. Causes serious eye damage. Not classified Not classified Not classified Not classified |
| Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) | Not classifiedMay cause respiratory irritation.Not classified |
| Aspiration hazard | : Not classified |
| Potential Adverse human health effects and symptoms Symptoms/injuries after inhalation | Overexposure to this material may result in methemoglobinemia. Cyanosis may occur (lips and fingernails turn blue). Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea. |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECT | ON 12: Ecological information |
|---------|-------------------------------|
| 12.1. | Toxicity |
| No addi | ional information available |
| 12.2. | Persistence and degradability |
| No addi | ional information available |
| 12.3. | Bioaccumulative potential |
| No addi | ional information available |
| 12.4. | Mobility in soil |
| No addi | ional information available |
| 12.5. | Other adverse effects |
| No addi | ional information available |

| SECTION 13: Disposal considerations | | |
|-------------------------------------|---|--|
| 13.1. Waste treatment methods | | |
| Waste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. | |
| Waste disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. | |
| Additional information | : Recycle the material as far as possible. | |

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)

- : UN3259 Amines, solid, corrosive, n.o.s., 8, II
- : UN3259
- : Amines, solid, corrosive, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : II Medium Danger
- : 212
- : 240
- : G Identifies PSN requiring a technical name

: IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx)

: 154

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | - |
|---|---|
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 15 kg |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : 50 kg |
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. |
| DOT Vessel Stowage Other | : 52 - Stow "separated from" acids |
| Other information | : No supplementary information available. |
| TDG | |
| No additional information available | |
| Transport by sea | |
| UN-No. (IMDG) | : 3259 |
| Proper Shipping Name (IMDG) | : AMINES, SOLID, CORROSIVE, N.O.S. |
| Class (IMDG) | : 8 - Corrosive substances |
| Packing group (IMDG) | : II - substances presenting medium danger |
| Air transport | |
| UN-No. (IATA) | : 3259 |
| Proper Shipping Name (IATA) | : Amines, solid, corrosive, n.o.s. |
| Class (IATA) | : 8 - Corrosives |
| Packing group (IATA) | : II - Medium Danger |
| SECTION 15: Regulatory information | h |
| 15.1. US Federal regulations | |
| All components of this product are listed, or exe Substances Control Act (TSCA) inventory exce | cluded from listing, on the United States Environmental Protection Agency Toxic |

| 3,5-Bis(trifluoromethyl)benzylamine CAS No 85068-29-7 | 100% |
|---|------|

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

3,5-Bis(trifluoromethyl)benzylamine (85068-29-7) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Revision date

: 09/18/2018

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Full text of H-phrases: | |
|--------------------------|--|
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Skin Corr. 1B | Skin corrosion/irritation Category 1B |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage |
| H335 | May cause respiratory irritation |
| NFPA health hazard | : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. |
| NFPA fire hazard | : 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur. |
| NFPA reactivity | : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. |
| HMIS III Rating | |
| Health | : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given |
| Flammability | 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA) |
| Physical | : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. |
| SDS US (GHS HazCom 2012) | |

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.