

Safety Data Sheet 3831302 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/06/2017 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: N-{1-[2-(trifluoromethyl)phenyl]ethyl}methylamine
CAS No	: 926259-96-3
Product code	: 3831-3-02
Formula	: C10H12F3N
Synonyms	: Methyl({1-[2-(trifluoromethyl)phenyl]ethyl})amine
1.2. Relevant identified uses of the substa	ance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safety da	ata sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mix	cture
Classification (GHS-US)	
Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye irritationSTOT SE 3H335 - May cause respiratory irritaFull text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P261 - Avoid breathing fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P405 + Store locked up P501 - Dispose of contents/container to an approved waste disposal plant

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monday,2.3. Other hazards					
No additional information available					
2.4. Unknown acute toxicity (GHS US)					
Not applicable					
SECTION 3: Composition/information	n on in	gredients			
3.1. Substance					
Substance type	: Mono	o-constituent			
Name		Product identifier		%	Classification (GHS-US)
N-{1-[2-(trifluoromethyl)phenyl]ethyl}methylamine (Main constituent)		(CAS No) 926259-96-3		<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16		1	I		,
3.2. Mixture					
Not applicable					
SECTION 4: First aid measures					
1.1. Description of first aid measures					
irst-aid measures general		se of accident or if you feel unv e possible). Move the affected			
First-aid measures after inhalation		ove person to fresh air and kee ration. Get medical advice/atte		ble for breathin	ng. If not breathing, give artificial
First-aid measures after skin contact	: Wash	h with plenty of soap and water	. Get medic	cal advice/atter	ntion.
irst-aid measures after eye contact		ediately flush eyes thoroughly v ent and easy to do. Continue rir			ninutes. Remove contact lenses, if /attention.
First-aid measures after ingestion		 Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention. 			
			avice/atten		
.2. Most important symptoms and effec	ts, both	acute and delayed			
Symptoms/injuries	: The r 2.2) a	most important known sympton and/or in section 11.	ns and effec		ed in the labelling (see section
Symptoms/injuries 4.3. Indication of any immediate medical Treat symptomatically.	: The r 2.2) a	most important known sympton and/or in section 11.	ns and effec		ed in the labelling (see section
Symptoms/injuries 4.3. Indication of any immediate medical Freat symptomatically. SECTION 5: Firefighting measures	: The r 2.2) a	most important known sympton and/or in section 11.	ns and effec		ed in the labelling (see section
Symptoms/injuries 4.3. Indication of any immediate medical Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media	: The r 2.2) a attentio	most important known sympton and/or in section 11.	ns and effec	cts are describe	
Symptoms/injuries 4.3. Indication of any immediate medical Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media	: The r 2.2) a attentio	most important known sympton and/or in section 11. on and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture	ns and effect ded ide. Dry por	cts are describe wder. Water sp	oray. Use extinguishing media
Symptoms/injuries 4.3. Indication of any immediate medical Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sut Fire hazard	: The r 2.2) a attentio	most important known sympton and/or in section 11. on and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire.	ns and effect ded ide. Dry por	cts are describe wder. Water sp	oray. Use extinguishing media
Symptoms/injuries	: The r 2.2) a attentio : Alcoh appro ostance : Therr : Risk	most important known sympton and/or in section 11. on and special treatment need nol resistant foam. Carbon diox opriate for surrounding fire. or mixture	ns and effect ded ide. Dry por	cts are describe wder. Water sp des. Hydrogen	oray. Use extinguishing media fluoride. Nitrogen oxides.
Symptoms/injuries 4.3. Indication of any immediate medical Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sub Fire hazard Explosion hazard 5.3. Advice for firefighters	: The r 2.2) a attentio	most important known sympton and/or in section 11. In and special treatment need hol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co ainers.	ns and effect ded ide. Dry por Carbon oxic nfinement.	cts are describe wder. Water sp des. Hydrogen Use water spra	oray. Use extinguishing media fluoride. Nitrogen oxides. ay or fog for cooling exposed
Symptoms/injuries	: The r 2.2) a attentio	most important known sympton and/or in section 11. In and special treatment need hol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co ainers. se of fire: Evacuate area. Fight	ns and effect ded ide. Dry por Carbon oxic nfinement.	cts are describe wder. Water sp des. Hydrogen Use water spra	oray. Use extinguishing media fluoride. Nitrogen oxides. ay or fog for cooling exposed sk of explosion.
Symptoms/injuries 4.3. Indication of any immediate medical Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sut Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions	: The r 2.2) a attentio	most important known sympton and/or in section 11. on and special treatment need hol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co ainers. se of fire: Evacuate area. Fight r gas tight chemically protective	ide. Dry por Carbon oxic nfinement.	cts are describe wder. Water sp des. Hydrogen Use water spra ely due to the ri n combination v	oray. Use extinguishing media fluoride. Nitrogen oxides. ay or fog for cooling exposed sk of explosion.
Symptoms/injuries	: The r 2.2) a attentio : Alcoh appro ostance : Therr : Risk conta : In ca : Wear appa	most important known sympton and/or in section 11. on and special treatment need hol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co ainers. se of fire: Evacuate area. Fight r gas tight chemically protective	ide. Dry por Carbon oxic nfinement.	cts are describe wder. Water sp des. Hydrogen Use water spra ely due to the ri n combination v	oray. Use extinguishing media fluoride. Nitrogen oxides. ay or fog for cooling exposed sk of explosion. vith self contained breathing
Symptoms/injuries	: The r 2.2) a attentio : Alcoh appro ostance : Therr : Risk conta : Risk conta : Un ca : Wear appa	most important known sympton and/or in section 11. on and special treatment need hol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co ainers. se of fire: Evacuate area. Fight r gas tight chemically protective ratus. For further information re	ide. Dry por Carbon oxic nfinement.	cts are describe wder. Water sp des. Hydrogen Use water spra ely due to the ri n combination v	oray. Use extinguishing media fluoride. Nitrogen oxides. ay or fog for cooling exposed sk of explosion. vith self contained breathing
Symptoms/injuries	: The r 2.2) a attentio : Alcof appro ostance : Therr : Risk conta : Near : Wear appa sures uipment : Evac	most important known sympton and/or in section 11. on and special treatment need hol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co ainers. se of fire: Evacuate area. Fight r gas tight chemically protective ratus. For further information re and emergency procedures	ide. Dry por Carbon oxid nfinement. fire remote e clothing in efer to section	cts are describe wder. Water sp des. Hydrogen Use water spra ely due to the ri n combination v ion 8: "Exposur	oray. Use extinguishing media fluoride. Nitrogen oxides. ay or fog for cooling exposed sk of explosion. vith self contained breathing
Symptoms/injuries	: The r 2.2) a attentio : Alcof appro ostance : Therr : Risk conta : Near : Wear appa sures uipment : Evac	most important known sympton and/or in section 11. on and special treatment need hol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co ainers. se of fire: Evacuate area. Fight r gas tight chemically protective ratus. For further information re- and emergency procedures suate unnecessary personnel. E	ide. Dry por Carbon oxid nfinement. fire remote e clothing in efer to section	cts are describe wder. Water sp des. Hydrogen Use water spra ely due to the ri n combination v ion 8: "Exposur	oray. Use extinguishing media fluoride. Nitrogen oxides. ay or fog for cooling exposed sk of explosion. vith self contained breathing re controls/personal protection".
Symptoms/injuries	: The r 2.2) a attentio : Alcor appro ostance : Therr : Risk conta : Near appa sures uipment : Evac vapor	most important known sympton and/or in section 11. on and special treatment need hol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co ainers. se of fire: Evacuate area. Fight r gas tight chemically protective ratus. For further information re- and emergency procedures suate unnecessary personnel. E	ide. Dry por Carbon oxic nfinement. fire remote a clothing in efer to sectio	cts are describe wder. Water sp des. Hydrogen Use water spra ely due to the ri n combination v ion 8: "Exposur quate air ventila	bray. Use extinguishing media fluoride. Nitrogen oxides. ay or fog for cooling exposed sk of explosion. vith self contained breathing re controls/personal protection".
Symptoms/injuries 4.3. Indication of any immediate medical Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media 5.2. Special hazards arising from the sut Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meas 5.1. Personal precautions, protective equ General measures 5.1.1. For non-emergency personnel Emergency procedures	: The r 2.2) a attentio : Alcor appro ostance : Therr : Risk conta : Near appa sures uipment : Evac vapor	most important known sympton and/or in section 11. on and special treatment need hol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co ainers. se of fire: Evacuate area. Fight r gas tight chemically protective ratus. For further information re and emergency procedures suate unnecessary personnel. E r or spray.	ide. Dry por Carbon oxic nfinement. fire remote a clothing in efer to sectio	cts are describe wder. Water sp des. Hydrogen Use water spra ely due to the ri n combination v ion 8: "Exposur quate air ventila	bray. Use extinguishing media fluoride. Nitrogen oxides. ay or fog for cooling exposed sk of explosion. vith self contained breathing re controls/personal protection".
Symptoms/injuries 4.3. Indication of any immediate medical Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sut Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meas 6.1. Personal precautions, protective equiding General measures	: The r 2.2) a attentio : Alcoh appro ostance : Therr : Risk conta : Risk conta : Risk conta : Un ca : Wear appa sures uipment : Evac vapor : Only : Do no	most important known sympton and/or in section 11. on and special treatment need hol resistant foam. Carbon diox opriate for surrounding fire. or mixture mal decomposition generates: of explosion if heated under co ainers. se of fire: Evacuate area. Fight r gas tight chemically protective ratus. For further information re and emergency procedures suate unnecessary personnel. E r or spray.	ns and effect ded ide. Dry por Carbon oxic nfinement. fire remote e clothing in efer to section Ensure adec with suitable it suitable p	cts are describe wder. Water sp des. Hydrogen Use water spra ely due to the ri n combination v ion 8: "Exposur quate air ventila e protective equip	bray. Use extinguishing media fluoride. Nitrogen oxides. ay or fog for cooling exposed sk of explosion. vith self contained breathing re controls/personal protection". ation. Do not breathe gas, fumes, uipment may intervene.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions				
Avoid release to the environment. Notify aut	horities if product enters sewers or public waters.			
6.3. Methods and material for containment and cleaning up				
For containment : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.				
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.			
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".			
6.4. Reference to other sections				
No additional information available				
SECTION 7: Handling and storag	e			
7.1. Precautions for safe handling				
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.			
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, inc	luding any incompatibilities			
Technical measures : Comply with applicable regulations.				
Storage conditions	: Keep container closed when not in use.			
Incompatible materials	Refer to Section 10 on Incompatible Materials.			
incompatible materials	•			

8.1. **Control parameters**

No additional information available

OFOTION A DI

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Oxidizing properties	: No data available : No data available	
Explosive properties	: No data available	
Explosion limits	: No data available	
Flammability (solid, gas)	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flash point	: No data available	
Boiling point	: No data available	
Freezing point	: No data available	
Melting point	: No data available	
PH	: No data available	
Odor threshold	: No data available	
Odor	: No data available	
Color	: No data available	
Physical state	: Liquid	
9.1. Information on basic physical and	l chemical properties	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 203.2 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
No additional information available	

SECTION	ON 10: Stability and reactivity
10.1.	Reactivity
No additi	ional information available
10.2.	Chemical stability
The prod	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No additi	ional information available
10.4.	Conditions to avoid
Keep aw	vay from heat, sparks and flame.
10.5.	Incompatible materials
Strong or	ixidizing agents.
10.6.	Hazardous decomposition products
	ormal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of Section 5.

SECTION 11: Toxicological informa	tion	
11.1. Information on toxicological effects	\$	
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	

SECT	ON 12: Ecological information
12.1.	Toxicity
No addi	ional information available
12.2.	Persistence and degradability
No addi	ional information available
12.3.	Bioaccumulative potential
No addi	ional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consider	ations		
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an a	uthorized incinerator equipped v	with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of cont	ents/container in accordance wit	h licensed collector's sorting instructions.
Additional information	: Recycle the ma	terial as far as possible.	
SECTION 14: Transport informa	tion		
Department of Transportation (DOT)			
In accordance with DOT			
Not regulated for transport			
TDG			
No additional information available			
Transport by sea			
No additional information available			
Air transport			
No additional information available			
SECTION 15: Regulatory inform	ation		
15.1. US Federal regulations			
All components of this product are listed, Substances Control Act (TSCA) inventor		on the United States Environmer	ntal Protection Agency Toxic
N-{1-[2-(trifluoromethyl)phenyl]ethyl}meth	nylamine	CAS No 926259-96-3	100%
		1	1

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.