

Safety Data Sheet 3H311U9 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/14/2019 Version: 1.0

| Substance name CAS No Product code Formula Synonyms Other means of identification 1.2. Relevant identified uses of the substance/mixture 1.3. Details of the supplier of the safety Use of the substance/mixture 1.3. Details of the supplier of the safety SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or n Classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irrita STOT SE 3 H335 - May cause respiratory in Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | a com : (844) 523-4086 (3E Company - Account 10069) on r mixture |
|---|---|
| Product form Substance name CAS No Product code Formula Synonyms Other means of identification 1.2. Relevant identified uses of the substance/mixture 1.3. Details of the supplier of the safety Use of the substance/mixture 1.3. Details of the supplier of the safety SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-7097 info@ synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or no Classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irritation Eye Irrit. 4 H227 - May cause respiratory irritation Eye Irrit. 4 H319 - Causes serious eye irritation Eye Irrit. 5A H335 - May cause respiratory irritation Eye Irrit. 5A H319 - Causes serious eye irritation Eye Irrit. 5A H319 - Causes serious eye irritation Eye Irrit. 5A H335 - May cause respiratory irritation Eye Irrit. 5A H319 - Causes serious eye irritation Eye Irrit. 5A H319 - Causes eye irritation Eye Irritation E | indoline 496-15-1 3H31-1-U9 C8H9N 1-Azaindan; 2,3-Dihydroindole MFCD00005705 ubstance or mixture and uses advised against Laboratory chemicals Manufacture of substances Scientific research and development ity data sheet a com : (844) 523-4086 (3E Company - Account 10069) on r mixture |
| Substance name CAS No Product code Formula Synonyms Other means of identification 1.2. Relevant identified uses of the substance/mixture Use of the substance/mixture 1.3. Details of the supplier of the safety SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@ synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or n Classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irrita STOT SE 3 H335 - May cause respiratory in Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | indoline 496-15-1 3H31-1-U9 C8H9N 1-Azaindan; 2,3-Dihydroindole MFCD00005705 ubstance or mixture and uses advised against Laboratory chemicals Manufacture of substances Scientific research and development ity data sheet a com : (844) 523-4086 (3E Company - Account 10069) on r mixture |
| CAS No Product code Formula Synonyms Other means of identification 1.2. Relevant identified uses of the subs Use of the substance/mixture 1.3. Details of the supplier of the safety SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@ synquestlabs.com - www.synquestlabs.co 1.4. Emergency telephone number Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or n Classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irrita STOT SE 3 H335 - May cause respiratory in Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | : 496-15-1 : 3H31-1-U9 : C8H9N : 1-Azaindan; 2,3-Dihydroindole : MFCD00005705 Ibstance or mixture and uses advised against : Laboratory chemicals Manufacture of substances Scientific research and development ty data sheet a com : (844) 523-4086 (3E Company - Account 10069) on ritation |
| Product code Formula Synonyms Other means of identification 1.2. Relevant identified uses of the substance/mixture 1.3. Details of the supplier of the safety SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@ synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or no Classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irritation Eye Irrit. 2A H319 - Causes serious eye irritation Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | : 3H31-1-U9 : C8H9N : 1-Azaindan; 2,3-Dihydroindole : MFCD00005705 ubstance or mixture and uses advised against : Laboratory chemicals Manufacture of substances Scientific research and development ty data sheet a com : (844) 523-4086 (3E Company - Account 10069) on r mixture |
| Formula Synonyms Other means of identification 1.2. Relevant identified uses of the substance/mixture 1.3. Details of the supplier of the safety SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@ synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or m Classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irrita STOT SE 3 H335 - May cause respiratory im Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | C8H9N 1-Azaindan; 2,3-Dihydroindole MFCD00005705 Ibstance or mixture and uses advised against Laboratory chemicals Manufacture of substances Scientific research and development tty data sheet a com : (844) 523-4086 (3E Company - Account 10069) On r mixture |
| Synonyms Other means of identification 1.2. Relevant identified uses of the substance/mixture Use of the substance/mixture 1.3. Details of the supplier of the safety SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency telephone number Emergency telephone number Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or not classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irrita STOT SE 3 H335 - May cause respiratory in Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling HSU | : 1-Azaindan; 2,3-Dihydroindole : MFCD00005705 Ibstance or mixture and uses advised against : Laboratory chemicals Manufacture of substances Scientific research and development tty data sheet a com : (844) 523-4086 (3E Company - Account 10069) On r mixture |
| Other means of identification 1.2. Relevant identified uses of the substance/mixture Use of the substance/mixture 1.3. Details of the supplier of the safety SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or not classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irrita STOT SE 3 H335 - May cause respiratory in Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling States series | MFCD00005705 Ibstance or mixture and uses advised against Laboratory chemicals Manufacture of substances Scientific research and development Ity data sheet a com : (844) 523-4086 (3E Company - Account 10069) On r mixture |
| 1.2. Relevant identified uses of the substance/mixture 1.3. Details of the supplier of the safety SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or no classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irrita STOT SE 3 H335 - May cause respiratory in Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | <pre>ibstance or mixture and uses advised against</pre> |
| Use of the substance/mixture 1.3. Details of the supplier of the safety SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or not substance or | : Laboratory chemicals Manufacture of substances Scientific research and development ty data sheet a com : (844) 523-4086 (3E Company - Account 10069) on r mixture |
| 1.3. Details of the supplier of the safety SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or no Classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irrita STOT SE 3 H335 - May cause respiratory in Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | Manufacture of substances Scientific research and development a com : (844) 523-4086 (3E Company - Account 10069) on r mixture |
| SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.co 1.4. Emergency telephone number Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or n Classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irrita STOT SE 3 H335 - May cause respiratory in Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | a com : (844) 523-4086 (3E Company - Account 10069) on r mixture |
| P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or no classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irritation FUT SE 3 H335 - May cause respiratory irritation Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | com : (844) 523-4086 (3E Company - Account 10069) on r mixture |
| T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.co 1.4. Emergency telephone number Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or n Classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H315 - Causes serious eye irrita STOT SE 3 H335 - May cause respiratory irr Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | com : (844) 523-4086 (3E Company - Account 10069) on r mixture |
| Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or n Classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irrita STOT SE 3 H335 - May cause respiratory irr Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | r mixture |
| SECTION 2: Hazard(s) identification 2.1. Classification of the substance or n Classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irrita STOT SE 3 H335 - May cause respiratory in Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | r mixture |
| 2.1. Classification of the substance or n Classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irrita STOT SE 3 H335 - May cause respiratory in Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | r mixture |
| 2.1. Classification of the substance or n Classification (GHS-US) Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irrita STOT SE 3 H335 - May cause respiratory in Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | r mixture |
| Classification (GHS-US)Flam. Liq. 4H227 - Combustible liquidSkin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye irritaSTOT SE 3H335 - May cause respiratory irrFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling | ritation |
| Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irrita STOT SE 3 H335 - May cause respiratory irr Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | |
| GHS-US labeling | • |
| • | |
| | |
| | GHS07 |
| Signal word (GHS-US) | : Warning |
| Hazard statements (GHS-US) | : H227 - Combustible liquid H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation |
| Precautionary statements (GHS-US) | P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking P261 - Avoid breathing fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove con lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up

P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards

No additional information available

Unknown acute toxicity (GHS US) 2.4.

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

: Mono-constituent

| Substance type : Mono | -constituent | | |
|--------------------------------|--------------------|--------|---|
| Name | Product identifier | % | Classification (GHS-US) |
| Indoline (Main constituent) | (CAS No) 496-15-1 | <= 100 | Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |

Full text of H-phrases: see section 16

| 3.2. Mixture | | | |
|---|--|--|--|
| Not applicable | | | |
| SECTION 4: First aid measures | | | |
| 4.1. Description of first aid measures | | | |
| First-aid measures general | In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area. | | |
| First-aid measures after inhalation | Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get medical advice/attention. | | |
| First-aid measures after skin contact | : Wash with plenty of soap and water. Get medical advice/attention. | | |
| First-aid measures after eye contact | Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention. | | |
| First-aid measures after ingestion | Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention. | | |
| 4.2. Most important symptoms and effects | , both acute and delayed | | |
| Symptoms/injuries | The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11. | | |
| 4.3. Indication of any immediate medical attention and special treatment needed | | | |
| Treat symptomatically. | | | |
| SECTION 5: Firefighting measures | | | |

Extinguishing media 5.1. Suitable extinguishing media : Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire. 5.2. Special hazards arising from the substance or mixture Fire hazard : Thermal decomposition generates: Carbon oxides. Nitrogen oxides. Explosion hazard : Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. 5.3. Advice for firefighters Firefighting instructions : In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Wear gas tight chemically protective clothing in combination with self contained breathing Protection during firefighting apparatus. For further information refer to section 8: "Exposure controls/personal protection". SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes,

General measures vapor or spray. 6.1.1. For non-emergency personnel Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 6.1.2. | For emergency responders | |
|-------------------------------------|--|---|
| Protective equipment : | | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emerge | ency procedures | : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. |
| 6.2. | Environmental precautions | |
| Avoid re | elease to the environment. Notify authoritie | es if product enters sewers or public waters. |
| 6.3. | .3. Methods and material for containment and cleaning up | |
| For con | tainment | : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. |
| Method | s for cleaning up | : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. |
| Other ir | ofrmation | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". |
| 6.4. | Reference to other sections | |
| No additional information available | | |
| SECT | ION 7: Handling and storage | |
| 7.1. | Precautions for safe handling | |
| Precaut | ions for safe handling | : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. |
| Hygiene | e measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. | Conditions for safe storage, including | g any incompatibilities |
| Technic | al measures | : Comply with applicable regulations. |
| Storage | conditions | : Keep container closed when not in use. |
| Incompatible materials : | | : Refer to Section 10 on Incompatible Materials. |
| Storage area : | | : Store in dry, cool, well-ventilated area. |

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

0.0

No additional information available

| 8.2. Exposure controls | |
|----------------------------------|---|
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. |
| Hand protection | : Protective gloves. 29 CFR 1910.138: Hand Protection. |
| Eye protection | : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection. |
| Skin and body protection | : Wear suitable protective clothing. |
| Respiratory protection | : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. |
| Other information | : Safety shoes. 29 CFR 1910.136: Foot Protection. |

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical an | d chemical properties |
|---|-----------------------|
| Physical state | : Liquid |
| Color | : No data available |
| Odor | : No data available |
| Odor threshold | : No data available |
| рН | : No data available |
| Melting point | : -21 °C |
| Freezing point | : No data available |
| Boiling point | : 220 - 221 °C |
| Flash point | : 92 °C |
| Relative evaporation rate (butyl acetate=1) | : No data available |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Flammability (solid, gas) | : No data available |
|---------------------------------|-------------------------|
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : No data available |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Specific gravity / density | : 1.0672 g/ml (@ 20 °C) |
| Molecular mass | : 119.1638 g/mol |
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| 9.2. Other information | |

Other information 9.2.

Refractive index ----

: 1.592 (@ 20 °C)

| SECT | ON 10: Stability and reactivity | | |
|---|--|--|--|
| 10.1. | Reactivity | | |
| No additional information available | | | |
| 10.2. | Chemical stability | | |
| The product is stable at normal handling and storage conditions. | | | |
| 10.3. | Possibility of hazardous reactions | | |
| No additional information available | | | |
| 10.4. | Conditions to avoid | | |
| Keep away from heat, sparks and flame. | | | |
| 10.5. | Incompatible materials | | |
| Acid anhydrides. Acid chlorides. Strong acids. Strong oxidizing agents. | | | |
| 10.6. | Hazardous decomposition products | | |
| | ormal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of Section 5. | | |
| SECT | ON 11: Toxicological information | | |

| 1.1. Information on toxicological effects | |
|---|---|
| cute toxicity | : Not classified |
| kin corrosion/irritation erious eye damage/irritation espiratory or skin sensitization Germ cell mutagenicity carcinogenicity | Causes skin irritation. Causes serious eye irritation. Not classified Not classified Not classified Not classified |
| eproductive toxicity pecific target organ toxicity (single exposure) | : Not classified : May cause respiratory irritation. |
| pecific target organ toxicity (repeated xposure) | : Not classified |
| spiration hazard | : Not classified |

| SECTION 12: Ecological information | | | | |
|-------------------------------------|------------------|--|-----|--|
| 12.1. Toxicity | | | | |
| No additional information available | | | | |
| 02/14/2019 | EN (English LIS) | | A/7 | |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 12.2. | Persistence and degradability | |
|-------------------------------------|-------------------------------|--|
| | | |
| No addi | tional information available | |
| 12.3. | Bioaccumulative potential | |
| No addi | tional information available | |
| 12.4. | Mobility in soil | |
| No additional information available | | |
| 12.5. | Other adverse effects | |
| No additional information available | | |

| SECTION 13: Disposal considerations | | | |
|--|---|--|--|
| 13.1. Waste treatment methods | | | |
| Waste treatment methods Waste disposal recommendations Additional information | Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible. | | |
| SECTION 14: Transport information | | | |
| Department of Transportation (DOT) In accordance with DOT Transport document description | : NA1993 Combustible liquid, n.o.s., 3, III | | |
| UN-No.(DOT) | : NA1993 | | |
| Proper Shipping Name (DOT) | : Combustible liquid, n.o.s. | | |
| Transport hazard class(es) (DOT) | : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 | | |
| Packing group (DOT) | : III - Minor Danger | | |
| DOT Packaging Non Bulk (49 CFR 173.xxx) | : 203 | | |
| DOT Packaging Bulk (49 CFR 173.xxx) | : 241 | | |
| DOT Symbols | : D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name | | |
| DOT Special Provisions (49 CFR 172.102) | IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal | | |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 150 | | |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 60 L | | |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : 220 L | | |
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. | | |
| Other information | : No supplementary information available. | | |
| TDG | | | |
| No additional information available | | | |
| Transport by sea | | | |

No additional information available

Air transport

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

Indoline (496-15-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Indoline (496-15-1)

Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Indoline (496-15-1)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

| i dii toxt of 11 prilabeo. | | | |
|----------------------------|--|---|-----|
| Eye Irrit. 2A | | Serious eye damage/eye irritation Category 2A | |
| Flam. Liq. 4 | | Flammable liquids Category 4 | |
| Skin Irrit. 2 | | Skin corrosion/irritation Category 2 | |
| STOT SE 3 | | Specific target organ toxicity (single exposure) Category | 3 |
| H227 | | Combustible liquid | |
| H315 | | Causes skin irritation | |
| H319 | | Causes serious eye irritation | |
| H335 | | May cause respiratory irritation | |
| NFPA health hazard | | exposure could cause temporary e residual injury unless prompt n. | |
| NFPA fire hazard | card : 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur. | | > |
| NFPA reactivity | : 0 - Normally stable, ever and are not reactive with | under fire exposure conditions, water. | |
| HMIS III Rating | | | |
| Health | : 2 Moderate Hazard - Temporary or minor injury may occur | | |
| Flammability | 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA) | | |
| Physical | : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. | | |
| SDS US (GHS HazCom 2012) | | | |
| 02/14/2019 | EN (English US) | SDS ID: 3H311U9 | 6/7 |
| | | | |

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.