

Safety Data Sheet 3H32122 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/26/2017 Version: 1.0

1.1. Identification	
Product form	: Substance
Substance name	: 2,2'-Dipyridyl
CAS No	366-18-7
Product code	: 3H32-1-22
Formula	: C10H8N2
Synonyms	: 2,2'-Bipyridine; 2,2'-Dipyridine
Other means of identification	: MFCD00006212
1.2. Relevant identified uses of the s Use of the substance/mixture	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sat	ifety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synguestlabs.com - www.synguestlabs	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
	· · ·
SECTION 2: Hazard(s) identificat	
2.1. Classification of the substance	or mixture
Acute Tox. 3 (Dermal) H311 - Toxic in co	
Eye Irrit. 2AH319 - Causes seSTOT SE 3H335 - May cause	
Eye Irrit. 2AH319 - Causes seSTOT SE 3H335 - May causeFull text of H-phrases: see section 16	erious eye irritation
Eye Irrit. 2AH319 - Causes seSTOT SE 3H335 - May causeFull text of H-phrases: see section 162.2.Label elements	erious eye irritation
Eye Irrit. 2AH319 - Causes seSTOT SE 3H335 - May causeFull text of H-phrases: see section 16	erious eye irritation e respiratory irritation
Eye Irrit. 2A H319 - Causes se STOT SE 3 H335 - May cause Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	erious eye irritation e respiratory irritation
Eye Irrit. 2A     H319 - Causes se       STOT SE 3     H335 - May cause       Full text of H-phrases: see section 16       2.2.     Label elements       GHS-US labeling	erious eye irritation e respiratory irritation
Eye Irrit. 2A H319 - Causes se STOT SE 3 H335 - May cause Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	erious eye irritation e respiratory irritation : GHSO6 : Danger : H301+H311 - Toxic if swallowed or in contact with skin H315 - Causes skin irritation H319 - Causes serious eye irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P337+P313 - If eye irritation p P361 - Take off immediately a P362+P364 - Take off contan P363 - Wash contaminated cl P403+P233 - Store in a well-v P405 - Store locked up	ninated clothing and wash it be	ention fore reuse r tightly closed		
2.3. Other hazards					
No additional information available					
2.4. Unknown acute toxicity (GHS L	IS)				
Not applicable					
SECTION 3: Composition/inform	ation on ingredients				
3.1. Substance					
Substance type	: Mono-constituent				
Name	Product identifier	%	Classification (GHS-US)		
2,2'-Dipyridyl (Main constituent)	(CAS No) 366-18-7	<= 100	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335		
Full text of H-phrases: see section 16					
3.2. Mixture					
Not applicable					
SECTION 4: First aid measures					
4.1. Description of first aid measure		al unually apply modical advice	immediately (about the label		
First-aid measures general	: In case of accident or if you fe where possible). Move the aff	ected personnel away from the			
First-aid measures after inhalation	: Remove person to fresh air a respiration. Get immediate mo		ing. If not breathing, give artificial		
First-aid measures after skin contact	: Wash with plenty of soap and	: Wash with plenty of soap and water. Get immediate medical advice/attention.			
First-aid measures after eye contact	e contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, i present and easy to do. Continue rinsing. Get immediate medical advice/attention.				
First-aid measures after ingestion		: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.			
	effects, both acute and delayed				
Symptoms/injuries	: The most important known sy 2.2) and/or in section 11.		bed in the labelling (see section		
4.3. Indication of any immediate me	edical attention and special treatmen	t needed			
Treat symptomatically.					
SECTION 5: Firefighting measure	es				
5.1. Extinguishing media					
Suitable extinguishing media	: Alcohol resistant foam. Carbo appropriate for surrounding fi		spray. Use extinguishing media		
5.2. Special hazards arising from th					
Fire hazard	: Thermal decomposition gene	ates: Carbon oxides. Nitrogen	oxides.		
5.3. Advice for firefighters					
Firefighting instructions	: In case of fire: Evacuate area		with colf contained by othing		
Protection during firefighting		tective clothing in combination ation refer to section 8: "Exposu	with self contained breathing ire controls/personal protection".		
SECTION 6: Accidental release r	neasures				
6.1. Personal precautions, protectiv	ve equipment and emergency procee	lures			
General measures	: Evacuate unnecessary perso	nnel. Ensure adequate air venti	ilation. Do not breathe dust.		
6.1.1. For non-emergency personnel					
Emergency procedures	: Only qualified personnel equi	oped with suitable protective ec	quipment may intervene.		

# 2,2'-Dipyridyl Safety Data Sheet

ol 77 No. 58 / Monday, March 26, 2012 / Rules and Regulations ac

6.1.2. For	r emergency responders	
Protective eq	uipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. En	vironmental precautions	
Avoid release	e to the environment. Notify authoriti	es if product enters sewers or public waters.
6.3. Me	thods and material for containme	nt and cleaning up
For containm	ent	: Stop leak if safe to do so.
Methods for o	cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other informa	ation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Ref	ference to other sections	
No additional	information available	
SECTION	7: Handling and storage	
7.1. Pre	ecautions for safe handling	
Precautions f	or safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene mea	sures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Co	nditions for safe storage, includir	ng any incompatibilities
1.2. 00		: Comply with applicable regulations.
Technical me	asures	. Comply with applicable regulations.
		: Keep container closed when not in use.
Technical me	litions	

## **SECTION 8: Exposure controls/personal protection**

8.1. **Control parameters** 

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and	d chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 70 - 73 °C
Freezing point	: No data available
Boiling point	: 273 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 156.18 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. **Other information**

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No add	itional information available
10.4.	Conditions to avoid
Keep a	way from heat, sparks and flame.
10.5.	Incompatible materials
Strong	oxidizing agents.
10.6.	Hazardous decomposition products
Under r	normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of

ıg Э, ۱p p F ٦p ı p fire, see Section 5.

SECTION	<b>11:</b> 1	loxico	logical	information

Information on toxicological effects 11.1.

#### Acute toxicity

Acute toxicity	: Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECT	ION 12: Ecological information	1		
12.1.	Toxicity			
No add	itional information available			
12.2.	Persistence and degradability			
No add	itional information available			
12.3.	Bioaccumulative potential			
No add	itional information available			
05/26/20	17	EN (English US)	SDS ID: 3H32122	4/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Mobility in soil 12.4.

No additional information available

#### Other adverse effects 12.5.

No additional information available

CECTION 42. Discussion and interaction	
SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN2811 Toxic solids, organic, n.o.s., 6.1, III
UN-No.(DOT)	: UN2811
Proper Shipping Name (DOT)	: Toxic solids, organic, n.o.s.
Transport hazard class(es) (DOT)	: 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132
Hazard labels (DOT)	: 6.1 - Poison
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 213
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	<ul> <li>IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).</li> <li>IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.</li> <li>T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2)</li> <li>TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.</li> </ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 153
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 100 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 200 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	

#### No additional information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea	
UN-No. (IMDG)	: 2811
Proper Shipping Name (IMDG)	: TOXIC SOLID, ORGANIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 2811
Proper Shipping Name (IATA)	: Toxic solid, organic, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances

### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2,2'-Dipyridyl	CAS No 366-18-7	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

#### CANADA

No additional information available

#### **EU-Regulations**

No additional information available

#### National regulations

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

#### **SECTION 16: Other information**

#### Full text of H-phrases:

	Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3		
	Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3		
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A		
	Skin Irrit. 2	Skin corrosion/irritation Category 2		
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3		
	H301	Toxic if swallowed		
	H311	Toxic in contact with skin		
	H315	Causes skin irritation		
	H319	Causes serious eye irritation		
	H335	May cause respiratory irritation		

NFPA health hazard


NFPA fire hazard

NFPA reactivity

: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

: 0 - Materials that will not burn.

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

#### SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.