

2,4,5,6-Tetrafluoropyrimidine Safety Data Sheet 3H32256 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/10/2017 Version: 1.0

1.1. Identification	
Product form	: Substance
Substance name	: 2,4,5,6-Tetrafluoropyrimidine
CAS No	: 767-79-3
Product code	: 3H32-2-56
Formula	: C4F4N2
Other means of identification	: MFCD10687402
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of t	he safety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of . T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synque	estlabs.com
1.4. Emergency telephone nun	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identi	fication
2.1. Classification of the subst	
Classification (GHS-US)	
Eye Dam. 1 H318 - Ca	auses severe skin burns and eye damage auses serious eye damage lay cause respiratory irritation
2.2. Label elements	
GHS-US labeling	
GHS-US labeling Hazard pictograms (GHS-US)	
Hazard pictograms (GHS-US)	: GHS05 GHS07 CHS07
Hazard pictograms (GHS-US) Signal word (GHS-US)	: Danger

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	 P321 - Specific treatment (see supplemental first aid instructions on this label) P330 - Rinse mouth P362+P364 - Take off contaminated clothing and wash it before reuse P363 - Wash contaminated clothing before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant 			
2.3. Other hazards				
No additional information available 2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	i on ing	redients		
3.1. Substance	· Mono	constituent		
Substance type	. 101010-0			
Name		Product identifier	%	Classification (GHS-US)
2,4,5,6-Tetrafluoropyrimidine (Main constituent)		(CAS No) 767-79-3	<= 100	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
1.1. Description of first aid measures				
First-aid measures general		e of accident or if you feel unwell, seek possible). Move the affected personnel		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.			
First-aid measures after skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention.			
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.			
First-aid measures after ingestion	asures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.			
4.2. Most important symptoms and effect	s, both a	cute and delayed		
Symptoms/injuries		ost important known symptoms and effe nd/or in section 11.	ects are describe	ed in the labelling (see section
Symptoms/injuries after inhalation	es after inhalation : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.			
4.3. Indication of any immediate medical	attention	and special treatment needed		
Freat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media		ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
5.2. Special hazards arising from the sub	stance o	r mixture		
Fire hazard	: Therm	al decomposition generates: Carbon ox	ides. Hydrogen	fluoride. Nitrogen oxides.
Explosion hazard	 Thermal decomposition generates: Carbon oxides. Hydrogen fluoride. Nitrogen oxides. Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. 			
5.3. Advice for firefighters				
Firefighting instructions	: In case	e of fire: Evacuate area. Fight fire remot	ely due to the ri	sk of explosion.
Protection during firefighting		gas tight chemically protective clothing i atus. For further information refer to sec		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.			
6.1.1. For non-emergency personnel				
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.			
6.2. Environmental precautions				
Avoid release to the environment. Notify authori	ties if product enters sewers or public waters.			
6.3. Methods and material for containm	ent and cleaning up			
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.			
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.			
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".			
6.4. Reference to other sections				
No additional information available				
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.			
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, include	ing any incompatibilities			
Technical measures	: Comply with applicable regulations.			
Storage conditions	: Keep container closed when not in use.			
Incompatible materials	: Refer to Section 10 on Incompatible Materials.			
Storage area	: Store in dry, cool, well-ventilated area.			
SECTION 8: Exposure controls/personal protection				
8.1. Control parameters				
No additional information available				
8.2. Exposure controls				
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.			
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.			
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.			
Skin and body protection	: Wear suitable protective clothing.			
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.			

: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical ar	nd chemical properties	
9.1. Information on basic	physical and chemical properties	
Physical state	: Liquid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
07/10/0017		07

Other information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: ≥ 83 _celsius
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 152.05 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.39 (@ 20 °C)
SECTION 10: Stability and reactivi	ty
10.1. Reactivity	
No additional information available	

No additional information available 10.2. Chemical stability The product is stable at normal handling and storage conditions. 10.3. Possibility of hazardous reactions No additional information available 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. Incompatible materials Strong acids. Strong bases. Strong oxidizing agents. 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTI	N 11: Toxicological information
11.1.	nformation on toxicological effects

Acute toxicity

: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.

07/10/2017	ENL (English LIC)		4/7
Specific target organ toxicity (repeated exposure)	: Not classified		
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : May cause respiratory irritation.		
Carcinogenicity	: Not classified		
Germ cell mutagenicity	: Not classified		
Respiratory or skin sensitization	: Not classified		
Serious eye damage/irritation	: Causes serious eye damage.		
Skin corrosion/irritation	: Causes severe skin burns and eye	damage.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Aspiration hazard : Not classified
- Symptoms/injuries after inhalation
- : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	itional information available
12.2.	Persistence and degradability
No addi	itional information available
12.3.	Bioaccumulative potential
No addi	itional information available
12.4.	Mobility in soil
No addi	itional information available
12.5.	Other adverse effects

No additional information available

13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

: UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, III

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)

DOT Symbols

DOT Special Provisions (49 CFR 172.102)

- : UN3265
- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
 - 8 Corrosive



: III - Minor Danger

- : 203
- : 241
- : G Identifies PSN requiring a technical name

: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154 DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27)

Safety Data Sheet

DOT Quantity Limitations Cargo aircraft only CFR 175.75)	v (49 : 60 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3265
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3265
Proper Shipping Name (IATA)	: Corrosive liquid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

	2,4,5,6-Tetrafluoropyrimidine	CAS No 767-79-3	100%
--	-------------------------------	-----------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:				
	Acute Tox. 4 (Dermal)		Acute toxicity (dermal) Category 4	
	Acute Tox. 4 (Inhalation)		Acute toxicity (inhalation) Category 4	
A	Acute Tox. 4 (Oral)		Acute toxicity (oral) Category 4	
E	Eve Dam. 1		Serious eye damage/eye irritation Category 1	
5	Skin Corr. 1B		Skin corrosion/irritation Category 1B	
S	STOT SE 3		Specific target organ toxicity (single exposure) Category 3	
H	1302		Harmful if swallowed	
H	H312		Harmful in contact with skin	
H	H314		Causes severe skin burns and eye damage	
H	H318		Causes serious eye damage	
H	1332		Harmful if inhaled	
H	1335		May cause respiratory irritation	
res giv		given.	h prompt medical attention was	
		: 1 - Must be preheated bef	\sim	
		: 0 - Normally stable, even and are not reactive with v	under fire exposure conditions, water.	
HMIS III F	Rating			
Health : 3 Serious Hazard - M given			or injury likely unless prompt action is taken and medical treatment is	
Flammab	Flammability : 1 Slight Hazard - Mater		Is that must be preheated before ignition will occur. Includes liquids, wing a flash point above 200 F. (Class IIIB)	
Physical	Physical : 0 Minimal Hazard - Mat		rials that are normally stable, even under fire conditions, and will NOT rize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.