

2,4-Difluoropyridine Safety Data Sheet 3H32309 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/19/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 2,4-Difluoropyridine
CAS No	: 34941-90-7
Product code	: 3H32-3-09
Formula	: C5H3F2N
Other means of identification	: MFCD04114162
	ance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safety d	ata sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mi	xture
Classification (GHS-US)	
Flam. Liq. 3 H226 - Flammable liquid and vapo Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irritatio STOT SE 3 H335 - May cause respiratory irrita Full text of H-phrases: see section 16	on
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS02 GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	 H226 - Flammable liquid and vapor H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/lighting equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P261 - Avoid breathing fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

2,4-Difluoropyridine Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant			
2.3. Other hazards				
No additional information available 2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/informatio	n on in	aradianta		
3.1. Substance		Igrealents		
Substance type	· Mone	p-constituent		
			0/	Cleasification (CHC UC)
Name 2,4-Difluoropyridine		Product identifier (CAS No) 34941-90-7	% <= 100	Classification (GHS-US) Flam. Liq. 3, H226
(Main constituent)			~ 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
lot applicable				
SECTION 4: First aid measures				
I.1. Description of first aid measures				
First-aid measures general		se of accident or if you feel unwell, seek e possible). Move the affected personnel		
First-aid measures after inhalation		ove person to fresh air and keep comforta ration. Get medical advice/attention.	able for breathir	ng. If not breathing, give artificial
First-aid measures after skin contact		h with plenty of soap and water. Get med		
First-aid measures after eye contact	prese	ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get	medical advice	/attention.
First-aid measures after ingestion		OT induce vomiting. Never give anything h out with water. Get medical advice/atte		unconscious person. Rinse
4.2. Most important symptoms and effect	ts, both	acute and delayed		
Symptoms/injuries		most important known symptoms and effe and/or in section 11.	ects are describ	ed in the labelling (see section
4.3. Indication of any immediate medical	lattentio	on and special treatment needed		
Freat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media		nol resistant foam. Carbon dioxide. Dry popriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
5.2. Special hazards arising from the sul	bstance	or mixture		
Fire hazard	: Ther	mal decomposition generates: Carbon ox	ides. Hydrogen	fluoride. Nitrogen oxides.
Explosion hazard		of explosion if heated under confinement ainers. May form flammable/explosive va		ay or fog for cooling exposed
5.3. Advice for firefighters				
Firefighting instructions	: In ca	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.		
6.2. Environmental precautions			
Avoid release to the environment. Notify authorities	es if product enters sewers or public waters.		
6.3. Methods and material for containme	nt and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemica	l properties		
9.1. Information on basic physical and	I chemical properties		
Physical state	: Liquid		
Color	: No data available		
Ddor	: No data available		
Ddor threshold	: No data available		
ЪН	: No data available		
Aelting point	: No data available		
Freezing point	: No data available		
Boiling point	: 107 °C		
Flash point	: 27 °C		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Dxidizing properties	: No data available		
/apor pressure	: No data available		
Relative density	: No data available		
Relative vapor density at 20 °C	: No data available		
Specific gravity / density	: 1.26 g/ml (@ 20 °C)		
Aolecular mass	: 115.08 g/mol		
Solubility	: No data available		
.og Pow	: No data available		
uto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
/iscosity	: No data available		
/iscosity, kinematic	: No data available		
/iscosity, dynamic	: No data available		
0.2. Other information			
Refractive index	: 1.44 (@ 20 °C)		
SECTION 40. Stobility and reactive	1		
SECTION 10: Stability and reactivity	Ly		
I0.1. Reactivity			
No additional information available			
0.2. Chemical stability			
The product is stable at normal handling and s	storage conditions.		
0.3. Possibility of hazardous reactions	3		
No additional information available			
10.4. Conditions to avoid			
Keep away from heat, sparks and flame.			
0.5. Incompatible materials			
Acids. Acid chlorides. Acid anhydrides. Carbor	n dioxide. Strong oxidizing agents		
10.6. Hazardous decomposition produc		d not be produced. Hozordous decomposition	n producto in cose
Under normal conditions of storage and use, h ire, see Section 5.	azardous decomposition products shoul	u not be produced. Hazardous decompositio	n products in case c
	ation		
SECTION 11: Toxicological information			
1.1. Information on toxicological effec	ts		
Acute toxicity	: Not classified		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
12/08/2016	EN (English US)	SDS ID: 3H32309	4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	-	Not classified May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	:	Not classified
Aspiration hazard	:	Not classified

SECT	ION 12: Ecological information			
12.1.	Toxicity			
No addi	tional information available			
12.2.	Persistence and degradability			
No addi	tional information available			
12.3.	Bioaccumulative potential			
No addi	No additional information available			
12.4.	Mobility in soil			
No addi	tional information available			
12.5.	Other adverse effects			
No additional information available				

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

- : UN1993 Flammable liquids, n.o.s., 3, III
- : UN1993
- : Flammable liquids, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



- : III Minor Danger
- : 203
- : 242
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 1993
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 1993
Proper Shipping Name (IATA)	: Flammable liquid, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	
All components of this product are listed or exc	cluded from listing, on the United States Environmental Protection Agency Toxic

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2,4-Difluoropyridine CAS No 34941-90-7 100%	
---	--

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

	•		
	Eye Irrit. 2A	Serious eye d	amage/eye irritation Category 2A
	Flam. Liq. 3	Flammable liq	uids Category 3
	Skin Irrit. 2	Skin corrosion	n/irritation Category 2
	STOT SE 3	Specific target	t organ toxicity (single exposure) Category 3
	H226	Flammable liq	uid and vapor
	H315	Causes skin ir	rritation
	H319	Causes seriou	us eye irritation
	H335	May cause res	spiratory irritation
	nealth hazard ire hazard	 3 - Short exposure could cause serious te residual injury even though prompt medica given. 3 - Liquids and solids that can be ignited u ambient conditions. 	al attention was
		: 0 - Normally stable, even under fire expose and are not reactive with water.	sure conditions,
HMIS I	I Rating		
Health		: 2 Moderate Hazard - Temporary or mino	r injury may occur
conditions. Includes flam		conditions. Includes flammable liquids w	ignition under almost all normal temperature /ith flash points below 73 F and boiling points above s between 73 F and 100 F. (Classes IB & IC)

SDS US (GHS HazCom 2012)

Physical

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.