



**SynQuest Laboratories, Inc.**  
PO Box 309, Alachua, FL 32616-0309  
Tel. 386/462-0788; FAX 386/462-7097

## **Material Safety Data Sheet**

Transportation Emergency: 1-800-451-8346

Date last revised: October 1, 2007

Date printed: October 1, 2007

### **SECTION 1. ----- CHEMICAL IDENTIFICATION -----**

CATALOG #: 3H32-3-42  
NAME: 1-(2-FLUOROPHENYL)PIPERAZINE

### **SECTION 2. ----- COMPOSITION/INFORMATION ON INGREDIENTS -----**

CAS #: 1011-15-0  
MF: C<sub>10</sub>H<sub>13</sub>FN<sub>2</sub> = 180.23

### **SECTION 3. ----- HAZARDS IDENTIFICATION -----**

#### **LABEL PRECAUTIONARY STATEMENTS**

HARMFUL.

HARMFUL BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED.

IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.

### **SECTION 4. ----- FIRST-AID MEASURES -----**

#### **ORAL EXPOSURE**

IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN.

#### **INHALATION EXPOSURE**

IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

#### **DERMAL EXPOSURE**

IN CASE OF CONTACT, IMMEDIATELY WASH SKIN WITH SOAP AND COPIOUS AMOUNTS OF WATER.

#### **EYE EXPOSURE**

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES.

**SECTION 5. ----- FIRE FIGHTING MEASURES -----**

FLASH POINT

235 °F / 113 °C METHOD: CLOSED CUP

EXTINGUISHING MEDIA

SUITABLE: WATER SPRAY. CARBON DIOXIDE, DRY CHEMICAL POWDER, OR APPROPRIATE FOAM.

FIREFIGHTING

PROTECTIVE EQUIPMENT: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.

SPECIFIC HAZARD(S): EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

EXPOSURE HAZARD(S)

MATERIAL: HARMFUL SOLID. IRRITANT.

**SECTION 6. ----- ACCIDENTAL RELEASE MEASURES -----**

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

WEAR RESPIRATOR, CHEMICAL SAFETY GOGGLES, RUBBER BOOTS, AND HEAVY RUBBER GLOVES.

METHODS FOR CLEANING UP

SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL. AVOID RAISING DUST. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

**SECTION 7. ----- HANDLING AND STORAGE -----**

HANDLING

USER EXPOSURE: DO NOT BREATHE DUST. AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. AVOID PROLONGED OR REPEATED EXPOSURE.

STORAGE

SUITABLE: KEEP CONTAINER CLOSED. STORE IN A COOL DRY PLACE.

**SECTION 8. ----- EXPOSURE CONTROLS/PERSONAL PROTECTION -----**

ENGINEERING CONTROLS

SAFETY SHOWER AND EYE BATH. MECHANICAL EXHAUST REQUIRED.

PERSONAL PROTECTIVE EQUIPMENT

OTHER: WEAR APPROPRIATE GOVERNMENT APPROVED RESPIRATOR, CHEMICAL-RESISTANT GLOVES, SAFETY GOGGLES, OTHER PROTECTIVE CLOTHING.

GENERAL HYGIENE MEASURES

WASH THOROUGHLY AFTER HANDLING.

**SECTION 9. ----- PHYSICAL AND CHEMICAL PROPERTIES -----**

APPEARANCE AND ODOR

COLORLESS TO PALE YELLOW LIQUID

PHYSICAL PROPERTIES

BOLING POINT 65 - 71 °C

DENSITY 1.226 G/CM<sup>3</sup>

FLASH POINT 235 °F / 113 °C METHOD: CLOSED CUP

REFRACTIVE INDEX 1.521

**SECTION 10. -----STABILITY AND REACTIVITY -----**

STABILITY

MATERIALS TO AVOID: STRONG OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN OXIDES, HYDROGEN FLUORIDE.

**SECTION 11. ----- TOXICOLOGICAL INFORMATION -----**

ROUTE OF EXPOSURE

INHALATION: MATERIAL IS IRRITATING TO MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT.

MULTIPLE ROUTES: CAUSES EYE AND SKIN IRRITATION. HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN.

SIGNS AND SYMPTOMS OF EXPOSURE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

**SECTION 12. ----- ECOLOGICAL INFORMATION -----**

DATA NOT YET AVAILABLE.

**SECTION 13. ----- DISPOSAL CONSIDERATIONS -----**

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION

DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OBSERVE ALL FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

**SECTION 14. ----- TRANSPORT INFORMATION -----**

DOT

PROPER SHIPPING NAME: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

UN#: 3265

CLASS: 8

PACKING GROUP: PACKING GROUP III

HAZARD LABEL: CORROSIVE LIQUID

**SECTION 15. ----- REGULATORY INFORMATION -----**

**EU ADDITIONAL CLASSIFICATION**

SYMBOL OF DANGER: X<sub>n</sub>

INDICATION OF DANGER: HARMFUL.

R: 20/21/22-36/37/38

RISK STATEMENTS: HARMFUL BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED. IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.

S: 26-36

SAFETY STATEMENTS: IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. WEAR SUITABLE PROTECTIVE CLOTHING.

**US CLASSIFICATION AND LABEL TEXT**

INDICATION OF DANGER: HARMFUL.

RISK STATEMENTS: HARMFUL BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED. IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.

SAFETY STATEMENTS: IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. WEAR SUITABLE PROTECTIVE CLOTHING.

**SECTION 16. ----- OTHER INFORMATION -----**

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SYNQUEST LABS, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.