

Safety Data Sheet 3H32715 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/21/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 2-Chloro-5-(trifluoromethyl)pyrimidine
CAS No	: 69034-12-4
Product code	: 3H32-7-15
Formula	: C5H2CIF3N2
Synonyms	: 2-Chloro-5-(trifluoromethyl)-1,3-diazine
Other means of identification	: MFCD09753482
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	afety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	tion
2.1. Classification of the substance	
Acute Tox. 3 (Oral)H301 - Toxic if swallSkin Irrit. 2H315 - Causes skin iEye Irrit. 2AH319 - Causes serio	irritation bus eye irritation
Acute Tox. 3 (Oral)H301 - Toxic if swallsSkin Irrit. 2H315 - Causes skin iEye Irrit. 2AH319 - Causes serioSTOT SE 3H335 - May cause resFull text of H-phrases: see section 16	irritation bus eye irritation
Skin Irrit. 2 H315 - Causes skin i Eye Irrit. 2A H319 - Causes serio STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements	irritation bus eye irritation
Acute Tox. 3 (Oral) H301 - Toxic if swalk Skin Irrit. 2 H315 - Causes skin i Eye Irrit. 2A H319 - Causes serio STOT SE 3 H335 - May cause response Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	irritation bus eye irritation
Acute Tox. 3 (Oral)H301 - Toxic if swallsSkin Irrit. 2H315 - Causes skin iEye Irrit. 2AH319 - Causes serioSTOT SE 3H335 - May cause reFull text of H-phrases: see section 162.2.Label elements	irritation bus eye irritation
Acute Tox. 3 (Oral) H301 - Toxic if swalk Skin Irrit. 2 H315 - Causes skin i Eye Irrit. 2A H319 - Causes serio STOT SE 3 H335 - May cause response Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	irritation bus eye irritation espiratory irritation
Acute Tox. 3 (Oral) H301 - Toxic if swalk Skin Irrit. 2 H315 - Causes skin i Eye Irrit. 2A H319 - Causes serio STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	irritation pus eye irritation espiratory irritation
Acute Tox. 3 (Oral) H301 - Toxic if swalk Skin Irrit. 2 H315 - Causes skin i Eye Irrit. 2A H319 - Causes serio STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 irritation pus eye irritation espiratory irritation : irritation irritation irritation : irritation irritation irritation : H301 - Toxic if swallowed H315 - Causes skin irritation H319 - Causes serious eye irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		P362 P403 P405	 +P313 - If eye irritation persists: Get med +P364 - Take off contaminated clothing a +P233 - Store in a well-ventilated place. - Store locked up - Dispose of contents/container to an ap 	and wash it bef Keep container	ore reuse · tightly closed
2.3.	Other hazards				
No additio	onal information available				
2.4.	Unknown acute toxicity (GHS US)				
Not applic	cable				
SECTIC	DN 3: Composition/informatio	n on in	gredients		
3.1.	Substance				
Substanc	e type	: Mono	o-constituent		
Name			Product identifier	%	Classification (GHS-US)
2-Chloro- (Main cons	-5-(trifluoromethyl)pyrimidine ^{stituent)}		(CAS No) 69034-12-4	<= 100	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
	of H-phrases: see section 16				
3.2.	Mixture				
Not applic					
	ON 4: First aid measures				
I.1. ≕	Description of first aid measures			aa adia adada a	in a distaly (show the label
	neasures general	wher	se of accident or if you feel unwell, seek e possible). Move the affected personnel	away from the	contaminated area.
irst-aid r	neasures after inhalation		ove person to fresh air and keep comforta ration. Get immediate medical advice/atte		ng. If not breathing, give artificial
	neasures after skin contact		with plenty of soap and water. Get imm		
First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.					
First-aid r	neasures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.			
4.2. Most important symptoms and effects, both acute and delayed					
Symptom	s/injuries		nost important known symptoms and effe and/or in section 11.	ects are describ	ed in the labelling (see section
4.3.	Indication of any immediate medical attention and special treatment needed				
Freat sym	nptomatically.				
SECTIO	ON 5: Firefighting measures				
5.1.	Extinguishing media				
Suitable e	extinguishing media		nol resistant foam. Carbon dioxide. Dry popriate for surrounding fire.	owder. Water s	pray. Use extinguishing media
5.2.	Special hazards arising from the su	bstance	or mixture		
-ire haza	rd		nal decomposition generates: Carbon ox gen oxides.	ides. Hydrogen	chloride. Hydrogen fluoride.
Explosion	hazard		n mixed with air and exposed to an ignitic de if confined.	on source, dust	may burn in the open air or
5.3.	Advice for firefighters				
-	ng instructions		se of fire: Evacuate area. Fight fire remot	,	
Protectior	n during firefighting		gas tight chemically protective clothing i ratus. For further information refer to sec		
SECTIC	ON 6: Accidental release mea	sures			
6.1.	Personal precautions, protective eq	uipment	and emergency procedures		
General n	neasures	: Evac	uate unnecessary personnel. Ensure ade	equate air ventil	ation. Do not breathe dust.
6.1.1.	For non-emergency personnel				
	cy procedures	: Only	qualified personnel equipped with suitable	e protective eq	uipment may intervene.
40/00/0040					- 0/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Avoid raising dust. When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify aut	horities if product enters sewers or public waters.
6.3. Methods and material for contai	nment and cleaning up
For containment	: Stop leak if safe to do so.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	e
7.1. Precautions for safe handling	
Additional hazards when processed	: When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, incl	luding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Air sensitive. Moisture sensitive. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage temperature	: -2510 °C Use explosion proof freezer
Storage area	: Store in dry, well-ventilated area.

SECT	ION 8: Exposure controls/personal protection
8.1.	Control parameters
No add	itional information available
8.2.	Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

9.1. Information on basic	physical and chemical properties	
Physical state	: Solid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: 47 - 49 °C	
Freezing point	: No data available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	••
Boiling point	: No data available
Flash point	: 71 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 182.53 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity

Reactivity No additional information available

10.2. **Chemical stability**

10.1.

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. **Conditions to avoid**

Keep away from heat, sparks and flame.

10.5. **Incompatible materials**

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information				
11.1.	Information on toxicological effects			
Acute tox	kicity	: Oral: Toxic if swallowed.		
Skin corr	osion/irritation	: Causes skin irritation.		
Serious e	eye damage/irritation	: Causes serious eye irritation.		

Central Cyc damage/initiation	. Ouddood doniodd cy
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Constitution to the state of th	May aguag ragaira

Specific target organ toxicity (single exposure)	: May cause respiratory irritation.

Aspiration hazard

: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

•			
SECTION 12: Ecological information			
12.1.	Toxicity		
No addi	tional information available		
12.2.	Persistence and degradability		
No addi	tional information available		
12.3.	Bioaccumulative potential		
No addi	tional information available		
12.4.	Mobility in soil		
No addi	tional information available		
12.5.	Other adverse effects		
No addi	tional information available		

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)

- : UN2811 Toxic solids, organic, n.o.s., 6.1, III
- : UN2811
- : Toxic solids, organic, n.o.s.
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : 6.1 Poison



- : III Minor Danger
- : 213
- : 240
- : G Identifies PSN requiring a technical name
- IB8 Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).
 IP3 Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.
 - T1 1.5 178.274(d)(2) Normal..... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 153 DOT Quantity Limitations Passenger aircraft/rail : 100 kg (49 CFR 173.27)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft or CFR 175.75)	nly (49 : 200 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 2811
Proper Shipping Name (IMDG)	: TOXIC SOLID, ORGANIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 2811

UN-No. (IATA)	:	2811
Proper Shipping Name (IATA)	:	Toxic solid, organic, n.o.s.
Class (IATA)	:	6.1 - Toxic Substances
Packing group (IATA)	:	III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

	2-Chloro-5-(trifluoromethyl)pyrimidine	CAS No 69034-12-4	100%
--	--	-------------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H301	Toxic if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.