

2-Chloro-5-(trifluoromethyl)pyrazine Safety Data Sheet 3H3271Q according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 06/09/2016 Version: 1.0

| 1.1. Identification | |
|---|--|
| Product form | : Substance |
| Substance name | : 2-Chloro-5-(trifluoromethyl)pyrazine |
| CAS No | : 799557-87-2 |
| Product code | : 3H32-7-1Q |
| Formula | : C5H2CIF3N2 |
| Synonyms | : 2-Chloro-5-(trifluoromethyl)-1,4-diazine |
| Other means of identification | : MFCD13189478 |
| 1.2. Relevant identified uses of the sub | stance or mixture and uses advised against |
| Use of the substance/mixture | : Laboratory chemicals Manufacture of substances Scientific research and development |
| 1.3. Details of the supplier of the safety | / data sheet |
| SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com | <u>əm</u> |
| 1.4. Emergency telephone number | |
| Emergency number | : (844) 523-4086 (3E Company - Account 10069) |
| SECTION 2: Hazard(s) identification | |
| 2.1. Classification of the substance or | |
| Classification (GHS-US) | |
| Skin Irrit. 2 H315 - Causes skin irrita | ation |
| Eye Irrit. 2AH319 - Causes serious eSTOT SE 3H335 - May cause respin | eye irritation |
| Eye Irrit. 2AH319 - Causes serious eSTOT SE 3H335 - May cause respineFull text of H-phrases: see section 16 | eye irritation |
| Eye Irrit. 2AH319 - Causes serious eSTOT SE 3H335 - May cause respinFull text of H-phrases: see section 162.2.Label elements | eye irritation |
| Eye Irrit. 2AH319 - Causes serious eSTOT SE 3H335 - May cause respineFull text of H-phrases: see section 16 | eye irritation |
| Eye Irrit. 2A H319 - Causes serious e STOT SE 3 H335 - May cause respired Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) | eye irritation ratory irritation |
| Eye Irrit. 2A H319 - Causes serious e STOT SE 3 H335 - May cause respiner Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | eye irritation ratory irritation |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | P321 - Specific treatment (see supplement P330 - Rinse mouth P332+P313 - If skin irritation occurs: Get m P337+P313 - If eye irritation persists: Get n P362+P364 - Take off contaminated clothir P370+P378 - In case of fire: Use dry sand, P403+P233 - Store in a well-ventilated plac P403+P235 - Store in a well-ventilated plac P405 - Store locked up P501 - Dispose of contents/container to an | edical advice/atte nedical advice/atte ng and wash it bef dry chemical or a ce. Keep containe ce. Keep cool | ention ention ore reuse Icohol-resistant foam to extinguish r tightly closed |
|--|---|--|--|
| 2.3. Other hazards | | | |
| No additional information available | | | |
| 2.4. Unknown acute toxicity (GHS US) | | | |
| Not applicable | | | |
| SECTION 3: Composition/informatio | on on ingredients | | |
| 3.1. Substance | ••• ··· ·· | | |
| Substance type | : Mono-constituent | | |
| Name | Product identifier | % | Classification (GHS-US) |
| 2-Chloro-5-(trifluoromethyl)pyrazine (Main constituent) | (CAS No) 799557-87-2 | <= 100 | Flam. Liq. 4, H227 Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |
| Full text of H-phrases: see section 16 | | | |
| 3.2. Mixture | | | |
| Not applicable | | | |
| SECTION 4: First aid measures | | | |
| 4.1. Description of first aid measures | | | |
| First-aid measures general | In case of accident or if you feel unwell, see where possible). Move the affected person | | |
| First-aid measures after inhalation | Remove person to fresh air and keep comfort respiration. Get immediate medical advice/ | ortable for breathi | |
| First-aid measures after skin contact | : Wash with plenty of soap and water. Get in | nmediate medical | advice/attention. |
| First-aid measures after eye contact | : Immediately flush eyes thoroughly with wat present and easy to do. Continue rinsing. G | | |
| First-aid measures after ingestion | : Do NOT induce vomiting. Never give anyth mouth out with water. Get immediate media | | |
| 4.2. Most important symptoms and effe | cts, both acute and delayed | | |
| Symptoms/injuries | : The most important known symptoms and (2.2) and/or in section 11. | effects are describ | bed in the labelling (see section |
| 4.3. Indication of any immediate medica | l attention and special treatment needed | | |
| Treat symptomatically. | | | |
| SECTION 5: Firefighting measures | | | |
| 5.1. Extinguishing media | | | |
| Suitable extinguishing media | : Alcohol resistant foam. Carbon dioxide. Dry appropriate for surrounding fire. | / powder. Water s | pray. Use extinguishing media |
| 5.2. Special hazards arising from the su | bstance or mixture | | |
| Fire hazard | : Thermal decomposition generates: Carbon Nitrogen oxides. | oxides. Hydroger | n chloride. Hydrogen fluoride. |
| Explosion hazard | : Risk of explosion if heated under confineme containers. May form flammable/explosive | | ray or fog for cooling exposed |
| 5.3. Advice for firefighters | | | |
| | : In case of fire: Evacuate area. Fight fire ren | notely due to the | risk of evolosion |
| Firefighting instructions | . In case of file. Evacuate area. Fight file fer | | |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 6: Accidental release meas | ures | |
|--|---|--|
| 6.1. Personal precautions, protective equipment and emergency procedures | | |
| General measures | : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray. | |
| 6.1.1. For non-emergency personnel | | |
| Emergency procedures | : Only qualified personnel equipped with suitable protective equipment may intervene. | |
| 6.1.2. For emergency responders | | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". | |
| Emergency procedures | : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition. | |
| 6.2. Environmental precautions | | |
| Avoid release to the environment. Notify authoritie | es if product enters sewers or public waters. | |
| 6.3. Methods and material for containmer | nt and cleaning up | |
| For containment | : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. | |
| Methods for cleaning up | : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. | |
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". | |
| 6.4. Reference to other sections | | |
| No additional information available | | |
| SECTION 7: Handling and storage | | |
| 7.1. Precautions for safe handling | | |
| Additional hazards when processed | : Handle empty containers with care because residual vapors are flammable. | |
| Precautions for safe handling | : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. | |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. | |
| 7.2. Conditions for safe storage, including | g any incompatibilities | |
| Technical measures | : Comply with applicable regulations. | |
| Storage conditions | : Keep container closed when not in use. Keep away from ignition sources. | |
| Incompatible materials | : Refer to Section 10 on Incompatible Materials. | |
| Storage area | : Store in dry, cool, well-ventilated area. | |

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

| 8.2. Exposure controls | |
|----------------------------------|--|
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. |
| Hand protection | : Protective gloves. 29 CFR 1910.138: Hand Protection. |
| Eye protection | : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection. |
| Skin and body protection | : Wear suitable protective clothing. |
| Respiratory protection | : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. |
| Other information | : Safety shoes. 29 CFR 1910.136: Foot Protection. |
| | |

2-Chloro-5-(trifluoromethyl)pyrazine Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 9: Physical and chemica | properties | | |
|--|--|--|---------------------|
| 9.1. Information on basic physical and | chemical properties | | |
| Physical state | : Liquid | | |
| Color | : No data available | | |
| Odor | : No data available | | |
| Odor threshold | : No data available | | |
| рН | : No data available | | |
| Melting point | : No data available | | |
| Freezing point | : No data available | | |
| Boiling point | : 85 °C (@ 112 mm Hg) | | |
| Flash point | : No data available | | |
| Relative evaporation rate (butyl acetate=1) | : No data available | | |
| Flammability (solid, gas) | : No data available | | |
| Explosion limits | : No data available | | |
| Explosive properties | : No data available | | |
| Oxidizing properties | : No data available | | |
| Vapor pressure | : No data available | | |
| Relative density | : No data available | | |
| Relative vapor density at 20 °C | : No data available | | |
| Specific gravity / density | : 1.478 g/ml (@ 25 °C) | | |
| Molecular mass | : 182.53 g/mol | | |
| Solubility | : No data available | | |
| Log Pow | : No data available | | |
| Auto-ignition temperature | : No data available | | |
| Decomposition temperature | : No data available | | |
| Viscosity | : No data available | | |
| Viscosity, kinematic | : No data available | | |
| Viscosity, dynamic | : No data available | | |
| 9.2. Other information | | | |
| Refractive index | : 1.448 (@ 20 °C) | | |
| | | | |
| SECTION 10: Stability and reactivit | ý | | |
| 10.1. Reactivity | | | |
| No additional information available | | | |
| 10.2. Chemical stability | | | |
| The product is stable at normal handling and s | torage conditions. | | |
| 10.3. Possibility of hazardous reactions | | | |
| No additional information available | | | |
| 10.4. Conditions to avoid | | | |
| Keep away from heat, sparks and flame. | | | |
| | | | |
| 10.5. Incompatible materials | | | |
| Strong oxidizing agents. | | | |
| 10.6. Hazardous decomposition produc | | | |
| Under normal conditions of storage and use, h fire, see Section 5. | azardous decomposition products should | a not be produced. Hazardous decomposition | products in case of |
| | | | |
| SECTION 11: Toxicological inform | | | |
| 11.1. Information on toxicological effec | ts | | |
| | . . . | | |
| Acute toxicity | : Oral: Toxic if swallowed. | | |
| Skin corrosion/irritation | : Causes skin irritation. | | |
| Serious eye damage/irritation | : Causes serious eye irritation. | | |
| 12/08/2016 | EN (English US) | SDS ID: 3H3271Q | 4/7 |
| | | | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Respiratory or skin sensitization | : Not classified |
|--|-------------------------------------|
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : May cause respiratory irritation. |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |
| | |

| SECTION 12: Ecological informat | tion |
|--|------|
| 12.1. Toxicity | |
| No additional information available | |
| 12.2. Persistence and degradability | |
| No additional information available | |
| 12.3. Bioaccumulative potential | |
| No additional information available | |
| 12.4. Mobility in soil | |
| No additional information available | |
| 12.5. Other adverse effects | |
| No additional information available | |

| SECTION 13: Disposal consideratio | ns |
|--|---|
| 13.1. Waste treatment methods | |
| Waste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. |
| Waste disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Additional information | : Recycle the material as far as possible. |
| | |

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols : UN2810 Toxic, liquids, organic, n.o.s., 6.1, III

: Toxic, liquids, organic, n.o.s.

- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : 6.1 Poison

: UN2810



- : III Minor Danger
- : 203

: 241

: G - Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| DOT Special Provisions (49 CFR 172.102) | IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquid; with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T7 - 4 178.274(d)(2) Normal | 5 e |
|---|---|--------|
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 153 | |
| DOT Quantity Limitations Passenger aircraft/rai (49 CFR 173.27) | : 60 L | |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : 220 L | |
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. | |
| DOT Vessel Stowage Other | : 40 - Stow "clear of living quarters" | |
| Other information | : No supplementary information available. | |
| TDG No additional information available | | |
| Transport by sea | | |
| UN-No. (IMDG) | : 2810 | |
| Proper Shipping Name (IMDG) | : TOXIC LIQUID, ORGANIC, N.O.S. | |
| Class (IMDG) | : 6.1 - Toxic substances | |
| Packing group (IMDG) | : III - substances presenting low danger | |
| Air transport UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA) | : 2810 : Toxic liquid, organic, n.o.s. : 6.1 - Toxic Substances | |
| Packing group (IATA) | : III - Minor Danger | |

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic

| Substances Control Act (ISCA) Inventory except for: | | |
|---|--------------------|------|
| 2-Chloro-5-(trifluoromethyl)pyrazine | CAS No 799557-87-2 | 100% |

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Full text of H-phrases:

| Acute Tox. 3 (Oral) | Acute toxicity (oral) Category 3 |
|---------------------|---|
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Flam. Liq. 4 | Flammable liquids Category 4 |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H227 | Combustible liquid |
| H301 | Toxic if swallowed |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| | |


NFPA health hazard

NFPA fire hazard

NFPA reactivity

: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
: 0 - Materials that will not burn.

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



| HMIS III Rating | |
|-----------------|---|
| Health | : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given |
| Flammability | : 0 Minimal Hazard - Materials that will not burn |
| Physical | : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. |

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.