

## 5-Chloro-2,4-difluoropyrimidine

Safety Data Sheet 3H32792 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 10/27/2020 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 5-Chloro-2,4-difluoropyrimidine		
CAS No	: 25151-07-9		
Product code	: 3H32-7-92		
Formula	: C4HCIF2N2		
Other means of identification	: MFCD04972716		
1.2. Relevant identified uses of the su	ostance or mixture and uses advised aga	inst	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development		
1.3. Details of the supplier of the safe	y data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.c	<u>om</u>		
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company - Accou	INT 10069)	
SECTION 2: Hazard(s) identification	n		
2.1. Classification of the substance or	mixture		
Classification (GHS-US)			
Acute Tox. 4 (Oral)H302 - Harmful if swallSkin Corr. 1BH314 - Causes severeEye Dam. 1H318 - Causes seriousSTOT SE 3H335 - May cause respFull text of H-phrases: see section 16	skin burns and eye damage eye damage		
2.2. Label elements GHS-US labeling			
Hazard pictograms (GHS-US)	: GHS05 GHS07		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	<ul> <li>H302 - Harmful if swallowed</li> <li>H314 - Causes severe skin burns and</li> <li>H335 - May cause respiratory irritation</li> </ul>		
Precautionary statements (GHS-US)	P301+P312 - If swallowed: Call a POI P301+P330+P331 - If swallowed: rins P303+P361+P353 - If on skin (or hair) skin with water/shower P304+P340 - If inhaled: Remove pers P305+P351+P338 - If in eyes: Rinse of lenses, if present and easy to do. Con P310 - Immediately call a POISON CE	ndling en using this product ventilated area ive clothing/eye protection/face protection SON CENTER or doctor/ physician if you fe e mouth. Do NOT induce vomiting : Take off immediately all contaminated clo on to fresh air and keep comfortable for bre cautiously with water for several minutes. R tinue rinsing ENTER or doctor/ physician mental first aid instructions on this label)	thing. Rinse eathing
10/27/2020	EN (English US)	SDS ID: 3H32792	Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P403+P233 Store in a well-ventilated place. Keep container tightly closed
- P405 Store locked up

	P501 - Dispose of contents/container to	an approved waste	disposal plant
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
<b>SECTION 3: Composition/information</b>	on on ingredients		
3.1. Substance	-		
Substance type	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
5-Chloro-2,4-difluoropyrimidine (Main constituent)	(CAS No) 25151-07-9	<= 100	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: In case of accident or if you feel unwell, where possible). Move the affected pers		
First-aid measures after inhalation	: Remove person to fresh air and keep co respiration. Get immediate medical advis		ing. If not breathing, give artificial
First-aid measures after skin contact	: Wash with plenty of soap and water. Re medical advice/attention.	move contaminated	clothing and shoes. Get immediate
First-aid measures after eye contact	: Immediately flush eyes thoroughly with v present and easy to do. Continue rinsing		-
First-aid measures after ingestion	: Do NOT induce vomiting. Never give an mouth out with water. Get immediate me		
4.2. Most important symptoms and effe	cts, both acute and delayed		
Symptoms/injuries	: The most important known symptoms ar 2.2) and/or in section 11.	nd effects are descri	bed in the labelling (see section
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mishortness of breath, headache, nausea.	ucuous membranes	and upper respiratory tract. Cough,
4.3. Indication of any immediate medica	al attention and special treatment needed		
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. appropriate for surrounding fire.	Dry powder. Water s	spray. Use extinguishing media
5.2. Special hazards arising from the su	ubstance or mixture		
Fire hazard	: Thermal decomposition generates: Carb Nitrogen oxides.	oon oxides. Hydroge	n chloride. Hydrogen fluoride.
Explosion hazard	: Risk of explosion if heated under confine	ement. Use water sp	ray or fog for cooling exposed

	containers.
5.3. Advice for firefighters	
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.
Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".
SECTION 6: Accidental release measures	

Personal precautions, protective equipment and emergency procedures General measures : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.

6.1.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4.4 For non-emergency nerconnol	
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for conta	inment and cleaning up	
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		

SEC	TON 7. Handling and Storage		
7.1.	Precautions for safe handling		
Preca	autions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygie	ene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2.	Conditions for safe storage, includ	ng any incompatibilities	
Tech	nical measures	: Comply with applicable regulations.	
Storage conditions		: Keep container closed when not in use. Hygroscopic. Keep contents under inert gas.	
Incompatible materials		: Refer to Section 10 on Incompatible Materials.	
Storage area		: Store in dry, cool, well-ventilated area.	

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

### No additional information available

8.2. Exposure controls				
Appropriate engineering controls	Appropriate engineering controls : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.			
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.			
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.			
Skin and body protection	: Wear suitable protective clothing.			
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.			
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.			

# SECTION 9: Physical and chemical properties

<b>9.1.</b> IIIOII	nation on basic physical and chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 150.514 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. **Other information**

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
	tional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No addi	tional information available
10.4.	Conditions to avoid
Keep av	vay from heat, sparks and flame.
10.5.	Incompatible materials
Strong a	acids. Strong oxidizing agents.
10.6.	Hazardous decomposition products
	ormal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of Section 5.

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity	: Oral: Harmful if swallowed.
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	<ul> <li>Causes severe skin burns and eye damage.</li> <li>Causes serious eye damage.</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : May cause respiratory irritation.
Specific target organ toxicity (repeated exposure) Aspiration hazard	: Not classified : Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	itional information available
12.2.	Persistence and degradability
No addi	itional information available
12.3.	Bioaccumulative potential
No addi	itional information available
12.4.	Mobility in soil
No addi	itional information available
12.5.	Other adverse effects
No addi	itional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	

#### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT Transport document description

#### UN-No.(DOT)

Packing group (DOT)

DOT Symbols

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

- : UN3267 Corrosive liquid, basic, organic, n.o.s., 8, III
- : UN3267
- : Corrosive liquid, basic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



: III - Minor Danger

: 203

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

DOT Special Provisions (49 CFR 172.102)

- : 241
  - : G Identifies PSN requiring a technical name
  - : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154 DOT Quantity Limitations Passenger aircraft/rail : 5 L

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

(49 CFR 173.27)

DOT Vessel Stowage Location

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters",52 - Stow "separated from" acids
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3267
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3267
Proper Shipping Name (IATA)	: Corrosive liquid, basic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

### SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

5-Chloro-2,4-difluoropyrimidine	CAS No 25151-07-9	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

**CANADA** 

No additional information available

### EU-Regulations

No additional information available

#### **National regulations**

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

#### Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Skin Corr. 1B	Skin corrosion/irritation Category 1B	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H302	Harmful if swallowed	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H335	May cause respiratory irritation	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given	
Flammability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.