

_

N,N-Dimethyltrifluoroacetamide

Safety Data Sheet 4148301 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/03/2018 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: N,N-Dimethyltrifluoroacetamide
CAS No	: 1547-87-1
Product code	: 4148-3-01
Formula	: C4H6F3NO
Synonyms	: 2,2,2-Trifluoro-N,N-dimethylacetamide
Other means of identification	: MFCD00043555
1.2. Relevant identified uses of the sub	stance or mixture and uses advised against
No additional information available	
1.3. Details of the supplier of the safety	data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	<u>m</u>
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or r	
Classification (GHS-US)	
Flam. Liq. 4H227 - Combustible liquiAcute Tox. 4 (Oral)H302 - Harmful if swallowSkin Irrit. 2H315 - Causes skin irritaEye Irrit. 2AH319 - Causes serious eSTOT SE 3H335 - May cause respirFull text of H-phrases: see section 16	wed ation eye irritation
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H227 - Combustible liquid H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking P261 - Avoid breathing fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
01/03/2018	EN (English US) SDS ID: 4148301 Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P403+P233 Store in a well-ventilated place. Keep container tightly closed
- P403+P235 Store in a well-ventilated place. Keep cool
- P405 Store locked up
- P501 Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Substance type : Mono-constituent

Name	Product identifier	%	Classification (GHS-US)
N,N-Dimethyltrifluoroacetamide (Main constituent)	(CAS No) 1547-87-1	<= 100	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

Full text of H-phrases: see section 16

3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general :	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.		
First-aid measures after inhalation :	Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get medical advice/attention.		
First-aid measures after skin contact :	Wash with plenty of soap and water. Get medical advice/attention.		
First-aid measures after eye contact :	Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.		
First-aid measures after ingestion :	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.		
4.2. Most important symptoms and effects	, both acute and delayed		

Symptoms/injuries

4.3.

Indication of any immediate medical attention and special treatment needed

2.2) and/or in section 11.

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.	
5.2. Special hazards arising from the su	ubstance or mixture	
Fire hazard	: Thermal decomposition generates: Carbon oxides. Hydrogen fluoride. Nitrogen oxides.	
Explosion hazard	: Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture.	
5.3. Advice for firefighters		
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.	
Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".	
SECTION 6: Accidental release measures		
6.1. Personal precautions, protective e	quipment and emergency procedures	
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.	

6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene.

: The most important known symptoms and effects are described in the labelling (see section

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

-	-	
6.1.2.	For emergency responders	
Protectiv	e equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergen	ncy procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source or ignition.
6.2.	Environmental precautions	
Avoid rel	lease to the environment. Notify author	ties if product enters sewers or public waters.
6.3.	Methods and material for containm	ent and cleaning up
For conta	ainment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods	for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other inf	ormation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4.	Reference to other sections	
No additi	ional information available	
SECTI	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Additiona	al hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautio	ons for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene	measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, includ	ing any incompatibilities
Technica	al measures	: Comply with applicable regulations.
Storage	conditions	: Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.
	tible meteriale	: Refer to Section 10 on Incompatible Materials.
Incompa	lible malenais	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

	a. Physical and chemical properties
9.1. Inf	prmation on basic physical and chemical properties
Physical stat	e : Liquid
Color	: No data available
Odor	: No data available
Odor thresho	d : No data available
pН	: No data available
Melting point	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing point	: No data available
Boiling point	: 132 - 134 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.23 g/ml (@ 21 °C)
Molecular mass	: 141.0917 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	

Refractive index

: 1.363

SECTIO	ON 10: Stability and reactivity
10.1.	Reactivity
No additi	onal information available
10.2.	Chemical stability
The prod	luct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No additi	onal information available
10.4.	Conditions to avoid
	ay from heat, sparks and flame.
10.5.	Incompatible materials
Ŭ	xidizing agents.
10.6.	Hazardous decomposition products
Under no	ormal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case fire, see Section 5.

SECTION 11: Toxicological information 11.1. Information on toxicological effects

Acute toxicity

: Oral: Harmful if swallowed.

N,N-Dimethyltrifluoroacetamide (1547-87-1)	
ATE US (oral)	500.000 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (repeated	: Not classified
exposure)	

Aspiration hazard : Not classified

SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects

No additional information available

13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

- : UN1993 Flammable liquids, n.o.s., 3, III
- : UN1993
- : Flammable liquids, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



- : III Minor Danger
- : 203
- : 242
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 1993
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 1993
Proper Shipping Name (IATA)	: Flammable liquid, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	
All components of this product are listed or exc	Juded from listing on the United States Environmental Protection Agency Toxic

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

N,N-Dimethyltrifluoroacetamide	CAS No 1547-87-1	100%
--------------------------------	------------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H	-phrases:			
Acu	Acute Tox. 4 (Oral) Eye Irrit. 2A		Acute toxicity (oral) Category 4 Serious eye damage/eye irritation Category 2A Flammable liquids Category 4 Skin corrosion/irritation Category 2 Specific target organ toxicity (single exposure) Category 3 Combustible liquid Harmful if swallowed	
Eye				
Flam. Liq. 4		Flan		
Skir	Skin Irrit. 2 STOT SE 3 H227 H302			
STO				
H22				
H30				
H31	5	Cau	uses skin irritation	
H31	9	Cau	uses serious eye irritation	
H33	5	Мау	respiratory irritation	
NFPA health NFPA fire ha NFPA reacti	Izard	 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur. 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. 		
HMIS III Rat	ng			
Health		: 2 Moderate Hazard - Temporary or minor injury may occur		
Flammability		: 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)		
Physical	 O Minimal Hazard - Materials that are normally stable, even under fire conditions, and will N react with water, polymerize, decompose, condense, or self-react. Non-Explosives. 			

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.