

Safety Data Sheet 4158364 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/03/2018 Version: 1.0

SECTION 1: Identification	
Product form	: Substance
Substance name	: 4,4,4,4',4'-Hexafluorovaline, ethyl ester
CAS No	: 78185-92-9
Product code	: 4158-3-64
Formula	: C7H9F6NO2
Synonyms	: Ethyl 2-amino-4,4,4-trifluoro-3-(trifluoromethyl)butyrate
Other means of identification	: MFCD18072171
	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals
	Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	afety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
Classification (GHS-US)	
Acute Tox. 4 (Oral)H302 - Harmful if swSkin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes serioSTOT SE 3H335 - May cause re	irritation bus eye irritation
Acute Tox. 4 (Oral)H302 - Harmful if swSkin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes sericSTOT SE 3H335 - May cause reFull text of H-phrases: see section 16	irritation bus eye irritation
Acute Tox. 4 (Oral)H302 - Harmful if swSkin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes serioSTOT SE 3H335 - May cause reFull text of H-phrases: see section 162.2.Label elements	irritation bus eye irritation
Acute Tox. 4 (Oral)H302 - Harmful if swSkin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes sericSTOT SE 3H335 - May cause refFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling	irritation bus eye irritation
Acute Tox. 4 (Oral) H302 - Harmful if sw Skin Irrit. 2 H315 - Causes skin Eye Irrit. 2A H319 - Causes serio STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	<ul> <li>irritation bus eye irritation espiratory irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: Warning</li> </ul>
Acute Tox. 4 (Oral)H302 - Harmful if swSkin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes sericSTOT SE 3H335 - May cause reFull text of H-phrases: see section 16	irritation bus eye irritation espiratory irritation
Acute Tox. 4 (Oral) H302 - Harmful if sw Skin Irrit. 2 H315 - Causes skin Eye Irrit. 2A H319 - Causes serio STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	<ul> <li>irritation pus eye irritation espiratory irritation</li> <li>: H302 - Harmful if swallowed</li> <li>: H315 - Causes skin irritation</li> <li>H319 - Causes serious eye irritation</li> </ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	<b>D</b> 227			
	P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant			
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/informati	on on in	gredients		
3.1. Substance				
Substance type	: Mono	p-constituent		
Name		Product identifier	%	Classification (GHS-US)
4,4,4,4',4',4'-Hexafluorovaline, ethyl ester (Main constituent)		(CAS No) 78185-92-9	<= 100	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		se of accident or if you feel unwell, seek e possible). Move the affected personnel		
First-aid measures after inhalation		ove person to fresh air and keep comfortaration. Get immediate medical advice/atte		ng. If not breathing, give artificial
First-aid measures after skin contact	: Wash	: Wash with plenty of soap and water. Get immediate medical advice/attention.		
First-aid measures after eye contact		: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.		
First-aid measures after ingestion		OT induce vomiting. Never give anything h out with water. Get immediate medical		
4.2. Most important symptoms and effe	ects, both	acute and delayed		
Symptoms/injuries		: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.		
	2.2) 6			
4.3. Indication of any immediate medic	,	n and special treatment needed		
	,	n and special treatment needed		
Treat symptomatically.	,	n and special treatment needed		
Treat symptomatically. SECTION 5: Firefighting measures	,	n and special treatment needed		
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media	al attentio		owder Water e	aray. Use extinguishing media
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media	al attentio	n and special treatment needed nol resistant foam. Carbon dioxide. Dry propriate for surrounding fire.	owder. Water sj	pray. Use extinguishing media
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media	al attentio	nol resistant foam. Carbon dioxide. Dry po ppriate for surrounding fire.	owder. Water sj	oray. Use extinguishing media
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s	al attentio	nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire.		
Treat symptomatically.         SECTION 5: Firefighting measures         5.1.       Extinguishing media         Suitable extinguishing media         5.2.       Special hazards arising from the s         Fire hazard	al attentio : Alcoh appro ubstance : Therr : Risk	nol resistant foam. Carbon dioxide. Dry po ppriate for surrounding fire.	ides. Hydrogen	fluoride. Nitrogen oxides.
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard	al attentio : Alcoh appro ubstance : Therr : Risk	nol resistant foam. Carbon dioxide. Dry popriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement	ides. Hydrogen	fluoride. Nitrogen oxides.
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters	al attentio	nol resistant foam. Carbon dioxide. Dry propriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners.	ides. Hydrogen . Use water spr	fluoride. Nitrogen oxides. ay or fog for cooling exposed
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard	al attentio	nol resistant foam. Carbon dioxide. Dry popriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement	ides. Hydrogen . Use water spr tely due to the r in combination v	fluoride. Nitrogen oxides. ay or fog for cooling exposed isk of explosion. with self contained breathing
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions	Alcoh appro Alcoh appro Therr Risk conta : Risk conta : In ca : Wear appa	nol resistant foam. Carbon dioxide. Dry propriate for surrounding fire. or mixture mal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remote gas tight chemically protective clothing i	ides. Hydrogen . Use water spr tely due to the r in combination v	fluoride. Nitrogen oxides. ay or fog for cooling exposed isk of explosion. with self contained breathing
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea	<ul> <li>Alcohappro</li> <li>Alcohappro</li> <li>Therr</li> <li>Risk conta</li> <li>In caa</li> <li>Wear appa</li> <li>asures</li> </ul>	nol resistant foam. Carbon dioxide. Dry propriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remotive gas tight chemically protective clothing is ratus. For further information refer to sec	ides. Hydrogen . Use water spr tely due to the r in combination v	fluoride. Nitrogen oxides. ay or fog for cooling exposed isk of explosion. with self contained breathing
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures	Alcoh appro ubstance : Therr : Risk conta : In ca : Wear appa asures equipment : Evac	nol resistant foam. Carbon dioxide. Dry propriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remotive gas tight chemically protective clothing is ratus. For further information refer to sec	tides. Hydrogen to Use water spr tely due to the r in combination v tion 8: "Exposu	fluoride. Nitrogen oxides. ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection".
Treat symptomatically.         SECTION 5: Firefighting measures         5.1.       Extinguishing media         Suitable extinguishing media         5.2.       Special hazards arising from the s         Fire hazard       Explosion hazard         5.3.       Advice for firefighters         Firefighting instructions       Protection during firefighting         SECTION 6: Accidental release measures       6.1.	Alcoh appro ubstance : Therr : Risk conta : In ca : Wear appa asures equipment : Evac	nol resistant foam. Carbon dioxide. Dry propriate for surrounding fire. or mixture mal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remoti- gas tight chemically protective clothing in ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure adde	tides. Hydrogen to Use water spr tely due to the r in combination v tion 8: "Exposu	fluoride. Nitrogen oxides. ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection".
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea 6.1. Personal precautions, protective e General measures	al attentio : Alcoh appro ubstance : Therr : Risk conta : In ca : Wear appa asures equipment : Evac vapol : Only	nol resistant foam. Carbon dioxide. Dry propriate for surrounding fire. or mixture mal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remoti- gas tight chemically protective clothing in ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure adde	tides. Hydrogen to Use water spr tely due to the r in combination v tion 8: "Exposu equate air ventil	fluoride. Nitrogen oxides. ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection". ation. Do not breathe gas, fumes,

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency respon	ders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.		
6.2. Environmental precau	tions		
Avoid release to the environment.	Notify authorities if product enters sewers or public waters.		
6.3. Methods and material	Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sec	tions		
No additional information available			
No additional information available SECTION 7: Handling and 7.1. Precautions for safe h	storage		
SECTION 7: Handling and 7.1. Precautions for safe h	storage		
SECTION 7: Handling and	storage         andling         : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal		
SECTION 7: Handling and 7.1. Precautions for safe handling Precautions for safe handling Hygiene measures	storage         andling         : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.         : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or		
SECTION 7: Handling and 7.1. Precautions for safe handling Precautions for safe handling Hygiene measures 7.2. Conditions for safe sto	storage         andling         : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.         : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
SECTION 7: Handling and 7.1. Precautions for safe handling Precautions for safe handling Hygiene measures	storage         andling         : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.         : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.         prage, including any incompatibilities		
SECTION 7: Handling and         7.1.       Precautions for safe handling         Precautions for safe handling         Hygiene measures         7.2.       Conditions for safe state         Technical measures	storage         andling         : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.         : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.         prage, including any incompatibilities         : Comply with applicable regulations.		

SECTION 8: E>	posure controls/	personal	protection

8.1. **Control parameters** 

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

9.1. Information on basic physical ar	d chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 77 - 77.2 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.41 g/ml (@ 20 °C)
Molecular mass	: 253.14 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	

9.2. Other information

Refractive index

: 1.3592 (@ 20 °C)

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
The product is stable at normal handling and storage conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Keep away from heat, sparks and flame.
10.5. Incompatible materials
Strong oxidizing agents.
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.
SECTION 11: Toxicological information
11.1. Information on toxicological effects
Acute toxicity : Oral: Harmful if swallowed.

Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	<ul> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>
Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure)	<ul><li>Not classified</li><li>May cause respiratory irritation.</li><li>Not classified</li></ul>
Aspiration hazard	: Not classified

SECTION 12: Ecological information	n		
12.1. Toxicity			
No additional information available			
04/03/2018	EN (English US)	SDS ID: 4158364	4/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2.	Persistence and degradability
No addit	ional information available
12.3.	Bioaccumulative potential
No addit	ional information available
12.4.	Mobility in soil
No addit	ional information available
12.5.	Other adverse effects
No addit	ional information available

<b>SECTION 13: Disposal considerat</b>	ions
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	on

#### **Department of Transportation (DOT)**

In accordance with DOT Not regulated for transport

#### TDG

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

4,4,4,4',4',4'-Hexafluorovaline, ethyl ester	CAS No 78185-92-9	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

**CANADA** 

No additional information available

**EU-Regulations** No additional information available

### **National regulations**

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
Acute Tox. 4 (Ora	I) Acute toxicity (oral) Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
NFPA health hazard NFPA fire hazard NFPA reactivity	<ul> <li>3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.</li> <li>1 - Must be preheated before ignition can occur.</li> <li>0 - Normally stable, even under fire exposure conditions, and are not reactive with water.</li> </ul>
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.