

Safety Data Sheet 4348101 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 11/02/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: N-(2-Hydroxyethyl)methacrylamide
CAS No	: 5238-56-2
Product code	: 4348-1-01
Formula	: C6H11NO2
Synonyms	: N-(2-Hydroxyethyl)-2-methylprop-2-enamide; HEMAm
Other means of identification	: MFCD00080529
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	afety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Amer T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	· (0.4.4) EQ2 (0.000 (0.E. Company) . Account (0.000)
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
Skin Irrit. 2H315 -Causes skin irritatioEye Irrit. 2AH319 -Causes serious eye	irritation
Skin Irrit. 2 H315 - Causes skin irritatio Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	irritation
Skin Irrit. 2 H315 - Causes skin irritatio Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements	irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	irritation
Skin Irrit. 2 H315 - Causes skin irritatio Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	e irritation bry irritation : : GHS07
Skin Irrit. 2 H315 - Causes skin irritatio Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 irritation bry irritation :
Skin Irrit. 2 H315 - Causes skin irritatio Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	e irritation bry irritation : : GHS07
Skin Irrit. 2 H315 - Causes skin irritatio Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 irritation bry irritation : irritation : irritation : irritation : irritation : irritation : H315 - Causes skin irritation H319 - Causes serious eye irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	n on in	aradiants		
3.1. Substance		greatents		
Substance type	· Mone	o-constituent		
, . , .	. Монс			
Name N-(2-Hydroxyethyl)methacrylamide		Product identifier (CAS No) 5238-56-2	% <= 100	Classification (GHS-US) Skin Irrit. 2, H315
(Main constituent)		(CAS NO) 3230-30-2	<= 100	Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16				·
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		se of accident or if you feel unwell, seek a possible). Move the affected personnel		
First-aid measures after inhalation		ove person to fresh air and keep comforta ation. Get medical advice/attention.	able for breathin	g. If not breathing, give artificial
First-aid measures after skin contact	: Wasł	with plenty of soap and water. Get med	ical advice/atten	tion.
First-aid measures after eye contact		diately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get		
First-aid measures after ingestion		OT induce vomiting. Never give anything h out with water. Get medical advice/atte		unconscious person. Rinse
4.2. Most important symptoms and effe	cts, both	acute and delayed		
Symptoms/injuries		nost important known symptoms and effe	ects are describe	ed in the labelling (see section
4.3. Indication of any immediate medica	l attentio	n and special treatment needed		
4.3. Indication of any immediate medica Treat symptomatically.	l attentio	n and special treatment needed		
Treat symptomatically.	l attentio	n and special treatment needed		
Treat symptomatically. SECTION 5: Firefighting measures	l attentio	n and special treatment needed		
Treat symptomatically.	: Alcor	n and special treatment needed nol resistant foam. Carbon dioxide. Dry po ppriate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
Treat symptomatically.SECTION 5: Firefighting measures5.1.Extinguishing mediaSuitable extinguishing media	: Alcoh appro	ol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
Treat symptomatically.SECTION 5: Firefighting measures5.1.Extinguishing mediaSuitable extinguishing media	: Alcoh appro	ol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire.		
Section 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the suitable	: Alcoh appro bstance (: Therr	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture	ides. Nitrogen o	xides.
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sure Fire hazard	: Alcoh appro bstance : Therr : Risk	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox	ides. Nitrogen o	xides.
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sure Fire hazard	: Alcoh appro bstance : Therr : Risk	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement	ides. Nitrogen o	xides.
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard	: Alcoh appro bstance : Therr : Risk conta : In cas	ol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remot	ides. Nitrogen o . Use water spra ely due to the ris	xides. ay or fog for cooling exposed sk of explosion.
Section 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sure Fire hazard Explosion hazard 5.3. Advice for firefighters	: Alcoh appro bstance : Therr : Risk conta : In cas : Wear	ol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners.	ides. Nitrogen o . Use water spra ely due to the ris n combination w	xides. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions	: Alcoh appro bstance : Therr : Risk conta : In cas : Wear appa	nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remot	ides. Nitrogen o . Use water spra ely due to the ris n combination w	xides. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting	: Alcoh appro bstance : Therr : Risk conta : In cas : Wear appa sures	ol resistant foam. Carbon dioxide. Dry popriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing i ratus. For further information refer to sec	ides. Nitrogen o . Use water spra ely due to the ris n combination w	xides. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea	: Alcoh appro bstance : Therr : Risk conta : In cas : Wear appa sures uipment : Evac	ol resistant foam. Carbon dioxide. Dry popriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing i ratus. For further information refer to sec	ides. Nitrogen o . Use water spra ely due to the ris n combination w tion 8: "Exposure	xides. ay or fog for cooling exposed sk of explosion. /ith self contained breathing e controls/personal protection".
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea 6.1. Personal precautions, protective extended General measures	: Alcoh appro bstance : Therr : Risk conta : In cas : Wear appa sures uipment : Evac	nol resistant foam. Carbon dioxide. Dry per opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. Se of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing i ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure ade	ides. Nitrogen o . Use water spra ely due to the ris n combination w tion 8: "Exposure	xides. ay or fog for cooling exposed sk of explosion. /ith self contained breathing e controls/personal protection".
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures General measures	: Alcoh appro bstance (: Therr : Risk conta : In cas : Wear appa sures uipment : Evac vapol	nol resistant foam. Carbon dioxide. Dry per opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. Se of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing i ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure ade	ides. Nitrogen o . Use water spra ely due to the ris n combination w tion 8: "Exposure equate air ventila	xides. ay or fog for cooling exposed sk of explosion. //th self contained breathing e controls/personal protection".
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea 6.1. Personal precautions, protective ex General measures 6.1.1. For non-emergency personnel	: Alcoh appro bstance (: Therr : Risk conta : In cas : Wear appa sures uipment : Evac vapol	nol resistant foam. Carbon dioxide. Dry per opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remote gas tight chemically protective clothing is ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure ade or spray.	ides. Nitrogen o . Use water spra ely due to the ris n combination w tion 8: "Exposure equate air ventila	xides. ay or fog for cooling exposed sk of explosion. //th self contained breathing e controls/personal protection".
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea 6.1. Personal precautions, protective ex General measures 6.1.1. For non-emergency personnel Emergency procedures	 Alcohappro bstance of Therr Risk conta In cas Wear appa SURES uipment Evac vapor Only Do no 	nol resistant foam. Carbon dioxide. Dry per opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remote gas tight chemically protective clothing is ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure ade or spray.	ides. Nitrogen o . Use water spra ely due to the ris n combination w tion 8: "Exposure equate air ventila e protective equip	xides. ay or fog for cooling exposed sk of explosion. //th self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes,
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea 6.1. Personal precautions, protective ex General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders	: Alcoh appro bstance (: Therr : Risk conta : In cas : Wear appa sures uipment : Evac vapor : Only : Do no refer	nol resistant foam. Carbon dioxide. Dry per opriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remote gas tight chemically protective clothing is ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure adde ' or spray. qualified personnel equipped with suitable to section 8: "Exposure controls/personal vapor heavier than air. May accumulate in the surround of the	ides. Nitrogen o . Use water spra ely due to the ris n combination w tion 8: "Exposur equate air ventila e protective equip protective equip l protection".	xides. ay or fog for cooling exposed sk of explosion. //ith self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes, ipment may intervene. ment. For further information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions		
Avoid release to the environment. Notify authoritie	es if product enters sewers or public waters.	
.3. Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including	g any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use.	
Incompatible materials	: Refer to Section 10 on Incompatible Materials.	
Storage area	: Store in dry, cool, well-ventilated area.	

SECTION 8: Ex	posure controls/	personal	protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties 9 P С 0 0 pl Μ F B F R F E E 0 V 12/08/2016 EN (English US)

9.1. Information on basic physical and cl	hemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: No data available		
12/08/2016	EN (English US)	SDS ID: 4348101	3/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	:	No data available
Relative vapor density at 20 °C	:	No data available
Specific gravity / density	:	0.95 g/ml (@ 25 °C)
Molecular mass	:	129.16 g/mol
Solubility	:	No data available
Log Pow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available

9.2. **Other information**

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
May po	lymerize.
10.4.	Conditions to avoid
Keep a	way from heat, sparks and flame.
10.5.	Incompatible materials
Acids. I	Bases. Free radical generators. Oxidizing agents.
10.6.	Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

No additional information available 12.2. Persistence and degradability No additional information available 12.3. **Bioaccumulative potential** No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

Waste treatment methods : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Waste disposal recommendations : Dispose of contents/container in accordance with licensed collector's sorting instructions. Additional information : Recycle the material as far as possible. SECTION 14: Transport information Department of Transportation (DOT) n accordance with DOT	SECTION 13: Disposal consider 3.1. Waste treatment methods	ations
SECTION 14: Transport information Department of Transportation (DOT) In accordance with DOT Not regulated for transport	Waste treatment methods Waste disposal recommendations Additional information	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
n accordance with DOT		
	SECTION 14: Transport informa	tion
	Department of Transportation (DOT)	tion

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

N-(2-Hydroxyethyl)methacrylamide (5238-56-2)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law)

15.3. US State regulations

No additional information available

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.	
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.	
NFPA reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.	
HMIS III Rating		
Health	: 2 Moderate Hazard - Temporary or minor injury may occur	
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)	
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.