

3-Fluoro-4-(trifluoromethoxy)benzonitrile Safety Data Sheet 4637306 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/22/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 3-Fluoro-4-(trifluoromethoxy)benzonitrile
CAS No	: 886498-94-8
Product code	: 4637-3-06
Formula	: C8H3F4NO
Other means of identification	: MFCD06660203
1.2. Relevant identified uses of the sul	bstance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safet	y data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.co	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificatio	n
2.1. Classification of the substance or	
Classification (GHS-US)	
Acute Tox. 4 (Dermal)H312 - Harmful inAcute Tox. 4 (Inhalation)H332 - Harmful ifSkin Irrit. 2H315 - Causes skEye Irrit. 2AH319 - Causes seSTOT SE 3H335 - May causeFull text of H-phrases: see section 16	inhaled sin irritation
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS06 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	 H301 - Toxic if swallowed H312+H332 - Harmful in contact with skin or if inhaled H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P261 - Avoid breathing fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P310 - If swallowed: Immediately call a poison center/doctor/ P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label)
12/08/2016	EN (English US) SDS ID: 4637306 Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P330 - Rinse mouth P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant		attention before reuse her tightly closed	
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS US	5)		
Not applicable			
SECTION 3: Composition/informa	tion on ingredients		
3.1. Substance	••		
Substance type	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
3-Fluoro-4-(trifluoromethoxy)benzonitrile (Main constituent)	(CAS No) 886498-94-8	<= 100	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
I.1. Description of first aid measures			
First-aid measures general	 In case of accident or if you feel u where possible). Move the affected 		
First-aid measures after inhalation	 Remove person to fresh air and k respiration. Get immediate medic 	eep comfortable for breat	
First-aid measures after skin contact	: Wash with plenty of soap and wa	ter. Get immediate medic	al advice/attention.
First-aid measures after eye contact	present and easy to do. Continue	rinsing. Get immediate n	
First-aid measures after ingestion	: Do NOT induce vomiting. Never of mouth out with water. Get immed		
4.2. Most important symptoms and e			
Symptoms/injuries	: The most important known sympt 2.2) and/or in section 11.	toms and effects are desc	ribed in the labelling (see section
4.3. Indication of any immediate med	lical attention and special treatment ne	eeded	
Freat symptomatically.			
SECTION 5: Firefighting measure	S		
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbon di appropriate for surrounding fire.	ioxide. Dry powder. Wate	r spray. Use extinguishing media
5.2. Special hazards arising from the	substance or mixture		
Fire hazard	: Thermal decomposition generate		•
Explosion hazard	: Risk of explosion if heated under containers. May form flammable/		
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area. Fig	•	•
Protection during firefighting	: Wear gas tight chemically protect apparatus. For further information		on with self contained breathing sure controls/personal protection".
SECTION 6: Accidental release m	easures		
6.1. Personal precautions, protective	e equipment and emergency procedure	es	
General measures	: Evacuate unnecessary personne vapor or spray.	I. Ensure adequate air ver	ntilation. Do not breathe gas, fumes,
12/08/2016	EN (English US)	SDS ID: 4637	306 2/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations . . .

6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify author	rities if product enters sewers or public waters.
6.3. Methods and material for contain	ment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
SECTION 7: Handling and storage 7.1. Precautions for safe handling	
	: Handle empty containers with care because residual vapors are flammable.
	 Handle empty containers with care because residual vapors are flammable. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
7.1. Precautions for safe handling Additional hazards when processed	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be
7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures	 Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures	 Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, include	 Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, include Technical measures	 Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. ding any incompatibilities Comply with applicable regulations.

Control parameters 8.1.

No additional information available

Hand protectionProtective gloves. 29 CFR 1910.138: Hand Protection.Hand protectionProtective gloves. 29 CFR 1910.138: Hand Protection.Eye protectionChemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face ProtectionSkin and body protectionWear suitable protective clothing.Respiratory protectionIn case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.	8.2. Exposure controls	
Eye protection: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face ProtectionSkin and body protection: Wear suitable protective clothing.Respiratory protection: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.	Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Skin and body protection : Wear suitable protective clothing. Respiratory protection : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.	Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Respiratory protection : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.	Eye protection : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.	
Protection.	Skin and body protection	: Wear suitable protective clothing.
Other information : Safety shoes. 29 CFR 1910.136: Foot Protection.		
vsical and chemical properties		

40/00/0040	0		000 10 1007000	0/7
pН		: No data available		
Odor thre	eshold	: No data available		
Odor		: No data available		
Color		: No data available		
Physical s	state	: Liquid		
9.1.	Information on basic ph	ysical and chemical properties		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6 6 ,	3 2 2
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 60 °C (@ 5 mm Hg)
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 205.11 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
The product is stable at normal handling and storage conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Keep away from heat, sparks and flame.
10.5. Incompatible materials
Oxidizing agents. Reducing agents.
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity	: Oral: Toxic if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.

Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
12/08/2016	EN (English US)	SDS ID: 4637306

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECT	ION 12: Ecological information	
12.1.	Toxicity	
No addi	tional information available	
12.2.	Persistence and degradability	
No addi	tional information available	
12.3.	Bioaccumulative potential	
No addi	tional information available	
12.4.	Mobility in soil	
No addi	tional information available	
12.5.	Other adverse effects	
No addi	tional information available	
SECT	ION 13: Disposal considerations	
13.1.	Waste treatment methods	
Waste t	reatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste o	disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

Doparation of francportation (D	
In accordance with DOT	
Transport document description	

UN-No.(DOT)

Additional information

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

DOT Special Provisions (49 CFR 172.102)

: UN3276 Nitriles, liquid, toxic, n.o.s., 6.1, III

: Recycle the material as far as possible.

- : UN3276
- : Nitriles, liquid, toxic, n.o.s.
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : 6.1 Poison



- : III Minor Danger
- : 203
- : 241
- : G Identifies PSN requiring a technical name
- : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).
 - T7 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 153 DOT Quantity Limitations Passenger aircraft/rail : 60 L

DOT Quantity Limitations Passenger aircraft/rail : 60 (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L CFR 175.75)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 52 - Stow "separated from" acids
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3276
Proper Shipping Name (IMDG)	: NITRILES, LIQUID, TOXIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3276
Proper Shipping Name (IATA)	: Nitriles, toxic, liquid, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Substances Control Act (15CA) inventory except for.				
3-Fluoro-4-(trifluoromethoxy)benzonitrile	CAS No 886498-94-8	100%		

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

ion		
	Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
	Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
	Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H301	Toxic if swallowed
	H312	Harmful in contact with skin
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H332	Harmful if inhaled
	H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given	
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) 	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.