

Safety Data Sheet 46545X5 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1.1. Identification	
Product form	: Substance
Substance name	: 5-Chloro-2-nitroanisole
CAS No	: 6627-53-8
Product code	: 4654-5-X5
Formula	: C7H6CINO3
Synonyms	: 4-Chloro-2-methoxynitrobenzene; 5-Chloro-2-nitrophenyl methyl ether
Other means of identification	: MFCD00007288
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	ifety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
Skin Irrit. 2 H315 - Causes skin irritation	
Skin Irrit. 2 H315 - Causes skin irritatior Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	irritation bry irritation : : : : : : : : : : : : : : : : : : :
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	irritation bry irritation : GHS07 : Warning
Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eyeSTOT SE 3H335 - May cause respiratoFull text of H-phrases: see section 162.2.Label elements	irritation bry irritation : : : : : : : : : : : : : : : : : : :
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	irritation by irritation : : : : : : : : : : : : : : : : : : :

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Oth	er hazards				
lo additional i	information available				
.4. Unk	nown acute toxicity (GHS US)				
lot applicable)				
ECTION 3	3: Composition/information	n on ir	ngredients		
.1. Sub	ostance				
Substance typ	e	: Mone	o-constituent		
Name			Product identifier	%	Classification (GHS-US)
5-Chloro-2-nitr (Main constituen			(CAS No) 6627-53-8	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
ull text of H-p	ohrases: see section 16		1		
.2. Mix	ture				
lot applicable)				
ECTION 4	4: First aid measures				
.1. Des	cription of first aid measures				
ïrst-aid meas	sures general		se of accident or if you feel unwell, seek e possible). Move the affected personne		
irst-aid meas	sures after inhalation		ove person to fresh air and keep comfort iration. Get medical advice/attention.	able for breathin	ng. If not breathing, give artificial
First-aid meas	sures after skin contact	: Was	h with plenty of soap and water. Get mee	ical advice/atter	ntion.
irst-aid meas	sures after eye contact		ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get		
First-aid measures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.					
		mou	th out with water. Get medical advice/atte	ntion.	·
.2. Mos	st important symptoms and effec			ntion.	
		<mark>ts, both</mark> : The			
Symptoms/inju		t <mark>s, both</mark> : The 2.2)	acute and delayed most important known symptoms and eff and/or in section 11.		
Symptoms/inju	uries cation of any immediate medical	t <mark>s, both</mark> : The 2.2)	acute and delayed most important known symptoms and eff and/or in section 11.		
Symptoms/inju .3. Indi Treat sympton	uries cation of any immediate medical	t <mark>s, both</mark> : The 2.2)	acute and delayed most important known symptoms and eff and/or in section 11.		
Symptoms/inju .3. Indi Treat symptom	uries cation of any immediate medical natically.	t <mark>s, both</mark> : The 2.2)	acute and delayed most important known symptoms and eff and/or in section 11.		
3, Indi Treat sympton SECTION (1. Exti	uries cation of any immediate medical natically. 5: Firefighting measures	ts, both : The 2.2) attentic	acute and delayed most important known symptoms and eff and/or in section 11.	ects are describ	ed in the labelling (see section
3. Indi Treat symptom ECTION (.1. Extinution	uries cation of any immediate medical natically. 5: Firefighting measures inguishing media	ts, both : The 2.2) attentic : Alcol appr	acute and delayed most important known symptoms and eff and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	ects are describ	ed in the labelling (see section
Symptoms/inju .3. Indi Treat symptom ECTION (.1. Exti Suitable exting .2. Spe	uries cation of any immediate medical natically. 5: Firefighting measures inguishing media guishing media	ts, both : The 2.2) attentic : Alcol appro- ostance	acute and delayed most important known symptoms and eff and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	ects are describe owder. Water sp	ed in the labelling (see section
Symptoms/inju .3. Indi Treat symptom SECTION { .1. Extinution Suitable extinution .2. Spe Tire hazard	uries cation of any immediate medical natically. 5: Firefighting measures inguishing media guishing media	ts, both : The 2.2) attentic : Alcol appro- ostance	acute and delayed most important known symptoms and eff and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture	ects are describe owder. Water sp	ed in the labelling (see section
3. Indi Treat symptom ECTION (1. Exti Suitable exting 2. Spe Tire hazard .3. Adv	uries cation of any immediate medical natically. 5: Firefighting measures inguishing media guishing media cial hazards arising from the sub rice for firefighters	ts, both : The 2.2) attentic : Alcol appro- ostance : Ther	acute and delayed most important known symptoms and eff and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture	ects are describe owder. Water sp	ed in the labelling (see section
ymptoms/inju .3. Indi reat symptom ECTION (.1. Exti uitable exting .2. Spe ire hazard .3. Adv irefighting ins	uries cation of any immediate medical natically. 5: Firefighting measures inguishing media guishing media cial hazards arising from the sub rice for firefighters	ts, both : The 2.2) attentic : Alcol appro- stance : Ther : In ca : Wea	acute and delayed most important known symptoms and effi and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon on use of fire: Evacuate area. r gas tight chemically protective clothing	ects are describe owder. Water sp ides. Hydrogen n combination v	ed in the labelling (see section oray. Use extinguishing media chloride. Nitrogen oxides.
Symptoms/inju .3. Indi Treat symptom SECTION (5.1. Exti Suitable exting 5.2. Spe Tire hazard 5.3. Adv Tirefighting inst	uries cation of any immediate medical natically. 5: Firefighting measures inguishing media guishing media cial hazards arising from the sub rice for firefighters structions	ts, both : The 2.2) attentic : Alcol appro- stance : Ther : In ca : Wea	acute and delayed most important known symptoms and eff and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon op ase of fire: Evacuate area.	ects are describe owder. Water sp ides. Hydrogen n combination v	ed in the labelling (see section oray. Use extinguishing media chloride. Nitrogen oxides.
Symptoms/inju .3. Indi Treat symptom SECTION (.1. Exti Suitable exting .2. Spe Tire hazard .3. Adv Tirefighting ins Protection dur	uries cation of any immediate medical natically. 5: Firefighting measures inguishing media guishing media cial hazards arising from the sub rice for firefighters structions ing firefighting	ts, both : The 2.2) attentic : Alcol appro- stance : Ther : In ca : Wea appa	acute and delayed most important known symptoms and effi and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon on use of fire: Evacuate area. r gas tight chemically protective clothing	ects are describe owder. Water sp ides. Hydrogen n combination v	ed in the labelling (see section oray. Use extinguishing media chloride. Nitrogen oxides.
ymptoms/inju .3. Indi reat symptom ECTION (.1. Extinuitable exting .2. Spe ire hazard .3. Adv irefighting inse rotection dur	uries cation of any immediate medical natically. 5: Firefighting measures inguishing media guishing media cial hazards arising from the sub rice for firefighters structions ing firefighting 5: Accidental release meas	ts, both : The 2.2) attentic : Alcol appr ostance : Ther : In ca : Wea appa : Wea	acute and delayed most important known symptoms and eff and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon op ase of fire: Evacuate area. r gas tight chemically protective clothing aratus. For further information refer to sec	ects are describe owder. Water sp ides. Hydrogen n combination v	ed in the labelling (see section oray. Use extinguishing media chloride. Nitrogen oxides.
ymptoms/inju .3. Indi reat symptom ECTION (.1. Exti- uitable exting .2. Spe- ire hazard .3. Adv irefighting ins- rotection dur ECTION (.1. Pers-	uries cation of any immediate medical natically. 5: Firefighting measures inguishing media guishing media scial hazards arising from the sub rice for firefighters structions ing firefighting 6: Accidental release meas sonal precautions, protective equ	ts, both : The 2.2) attentic : Alcol appro- stance : Ther : In ca : Wea appa SUICES uipment	acute and delayed most important known symptoms and eff and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon op ase of fire: Evacuate area. r gas tight chemically protective clothing aratus. For further information refer to sec	ects are describe owder. Water sp ides. Hydrogen n combination v tion 8: "Exposur	ed in the labelling (see section oray. Use extinguishing media chloride. Nitrogen oxides. with self contained breathing re controls/personal protection".
ymptoms/inju .3. Indi reat symptom ECTION (.1. Extinuitable exting .2. Spe ire hazard .3. Adv irefighting insert rotection dur ECTION (.1. Person ieneral meas	uries cation of any immediate medical natically. 5: Firefighting measures inguishing media guishing media scial hazards arising from the sub rice for firefighters structions ing firefighting 6: Accidental release meas sonal precautions, protective equators	ts, both : The 2.2) attentic : Alcol appro- stance : Ther : In ca : Wea appa SUICES uipment	acute and delayed most important known symptoms and eff and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon op ase of fire: Evacuate area. r gas tight chemically protective clothing aratus. For further information refer to sec	ects are describe owder. Water sp ides. Hydrogen n combination v tion 8: "Exposur	ed in the labelling (see section oray. Use extinguishing media chloride. Nitrogen oxides. with self contained breathing re controls/personal protection".
ymptoms/inju 3. Indi reat symptom ECTION 6 1. Extinuitable exting 2. Spe ire hazard 3. Adv irefighting ins rotection dur ECTION 6 1. Pers eneral meas 1.1. For	uries cation of any immediate medical natically. 5: Firefighting measures inguishing media guishing media scial hazards arising from the sub rice for firefighters structions ing firefighting 6: Accidental release meas sonal precautions, protective equipures non-emergency personnel	ts, both : The 2.2) attentic : Alcol appr ostance : Ther : In ca appa : Wea appa SURES uipment : Evac	acute and delayed most important known symptoms and eff and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon op ise of fire: Evacuate area. r gas tight chemically protective clothing aratus. For further information refer to sec and emergency procedures cuate unnecessary personnel. Ensure add	ects are describe owder. Water sp ides. Hydrogen n combination v tion 8: "Exposur equate air ventila	ed in the labelling (see section oray. Use extinguishing media chloride. Nitrogen oxides. with self contained breathing re controls/personal protection".
Symptoms/inju 1.3. Indi Treat symptom SECTION (5.1. Exti Suitable exting 5.2. Spe Fire hazard 5.3. Adv Firefighting ins Protection dur SECTION (5.1. Pers General meas	uries cation of any immediate medical natically. 5: Firefighting measures inguishing media guishing media scial hazards arising from the sub rice for firefighters structions ing firefighting 6: Accidental release meas sonal precautions, protective equipures non-emergency personnel	ts, both : The 2.2) attentic : Alcol appr ostance : Ther : In ca appa : Wea appa SURES uipment : Evac	acute and delayed most important known symptoms and eff and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon op ase of fire: Evacuate area. r gas tight chemically protective clothing aratus. For further information refer to sec	ects are describe owder. Water sp ides. Hydrogen n combination v tion 8: "Exposur equate air ventila	ed in the labelling (see section oray. Use extinguishing media chloride. Nitrogen oxides. with self contained breathing re controls/personal protection".
Symptoms/inju 3. Indi Treat symptom SECTION (5.1. Exti Suitable exting 5.2. Spe Fire hazard 5.3. Adv Firefighting ins Protection dur SECTION (5.1. Pers Seneral meas 5.1.1. For Emergency pr	uries cation of any immediate medical natically. 5: Firefighting measures inguishing media guishing media scial hazards arising from the sub rice for firefighters structions ing firefighting 6: Accidental release meas sonal precautions, protective equipures non-emergency personnel	ts, both : The 2.2) attentic : Alcol appr ostance : Ther : In ca appa : Wea appa SURES uipment : Evac	acute and delayed most important known symptoms and eff and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon op ise of fire: Evacuate area. r gas tight chemically protective clothing aratus. For further information refer to sec and emergency procedures cuate unnecessary personnel. Ensure add	ects are describe owder. Water sp ides. Hydrogen n combination v tion 8: "Exposur equate air ventila	ed in the labelling (see section oray. Use extinguishing media chloride. Nitrogen oxides. with self contained breathing re controls/personal protection".

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. I	3. Methods and material for containment and cleaning up		
For contair	nment	: Stop leak if safe to do so.	
Methods for	or cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.	
Other infor	rmation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. I	Reference to other sections		
No addition	nal information available		
SECTIO	N 7: Handling and storage		
	Precautions for safe handling		
7.1. I		: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.	

7.2.	Conditions for safe storage, inclu	ding any incompatibilities
Technic	al measures	: Comply with applicable regulations.
Storage	conditions	: Keep container closed when not in use.
Incompa	atible materials	: Refer to Section 10 on Incompatible Materials.
Storage	area	: Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical an	d chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 70 - 72 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 187.58 g/mol

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and sto	orage conditions.
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	
Strong acids. Strong bases. Strong oxidizing ag	ents. Strong reducing agents.
10.6. Hazardous decomposition products	S
fire, see Section 5. SECTION 11: Toxicological information	zardous decomposition products should not be produced. Hazardous decomposition products in case of tion
11.1. Information on toxicological effects	\$
Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	 Causes skin irritation. Causes serious eye irritation. Not classified Not classified Not classified Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	Not classifiedMay cause respiratory irritation.
Specific target organ toxicity (repeated	: Not classified

Specific target organ toxicity (repeated : Not classified exposure)

Aspiration hazard

: Not classified

SECT	ION 12: Ecological information	on		
12.1.	Toxicity			
No add	itional information available			
12.2.	Persistence and degradability			
No add	itional information available			
12.3.	Bioaccumulative potential			
No add	itional information available			
12.4.	Mobility in soil			
No add	itional information available			
12.5.	Other adverse effects			
No add	itional information available			
12/08/20	16	EN (English US)	SDS ID: 46545X5	4/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.1. Waste treatment methods	
Vaste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Vaste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
Department of Transportation (DOT)	
n accordance with DOT	
Not regulated for transport	
TDG	

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

5-Chloro-2-nitroanisole (6627-53-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA
5-Chloro-2-nitroanisole (6627-53-8)
Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

No additional information available

National regulations

5-Chloro-2-nitroanisole (6627-53-8)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.